

EXPOSURE LIMITS (continued)

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
ETHANOLAMINE.....	3	PPM	TWA	OSHA	
ETHANOLAMINE.....	6	PPM	STEL	OSHA	
ETHANOLAMINE.....	6	MG/M3	TWA	OSHA	
ETHOXYLATED ALCOHOLS.....	NONE	NONE	NONE	NONE	
ETHOXYLATED SECONDARY ALCOHOLS.....	NONE	NONE	NONE	NONE	
POTASSIUM HYDROXIDE.....	2	MG/M3	CEIL	ACGIH	
POTASSIUM HYDROXIDE.....	2	MG/M3	CEIL	OSHA	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- OSHAV: Occupational Safety and Health Administration Vacated PEL. Vacated Permissible Exposure Limits (PEL) are enforced as the OSHA PEL in some states. Check with your local regulatory authority.
- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Moderate Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing, and hazy vision.

SKIN CONTACT:

Moderate Skin Irritation (after prolonged or repeated contact): signs/symptoms can include redness, swelling, itching, and dryness.

May be absorbed through the skin and produce effects similar to those caused by inhalation and/or ingestion.

WHILE THE FOLLOWING EFFECTS ARE ASSOCIATED WITH ONE OR MORE OF THE INDIVIDUAL INGREDIENTS IN THIS PRODUCT AND ARE REQUIRED TO BE INCLUDED ON THE MSDS BY THE U.S. OSHA HAZARD COMMUNICATION STANDARD, THEY ARE NOT EXPECTED EFFECTS DURING FORESEEABLE USE OF THIS PRODUCT.

Lung Inflammation: Product contains surfactants which have been shown in animal studies to cause lung inflammation resulting from prolonged skin contact. Signs/symptoms can include coughing and shortness of breath.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately