MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

	IDENTITY AND M	IANUFAC	TUREF	S'S INFORMATIO	N				
NFPA Rating: Health-1; Flammal	bility-0; Reactivity-0; Special-		HMIS Ra	ating: Health-1; n-B	Flammabi	lity-0; Reac	tivity-0; Pers	sonal	
Manufacturer's Name: AMREP, INC.			DOT H	azard Classifica	ation:	Non-Regulat	ed		
Address: 990 Industrial Park Drive			Identity (trade name as used on label):						
Marietta, GA 30062			MISTY SUPER REPROSOLVE						
Date Prepared: 10/28/04 Prepared By: RC/TR			MSDS Number: R 327 Revision - 9						
Information Calls: (770)422-2071			NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA						
EMERGENCY RESPONSE NUMBER	* *)		27(17)	
	SECTION 1 - MATERIA	L IDENTI	IFICATI	ON AND INFOR	MATION				
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)				CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **	
2-BUTOXYETHANOL				111-76-2	Yes*	25(skin)	25(skin)	d	
						, ,	` /		
* Glycol ether						1			
								1	
	SECTION 2 - PHYSIC								
				Gravity (H2O=1):					
			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): 18mm/Hg@70°F						
			Evaporation Rate (water = 1): 1						
Solubility in Water: Completely Water Reactive: No									
Appearance and Odor: Clear, yellow-green, non-viscous liquid with sassafras/butyl cellosolve odor.									
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA									
FLAMMABILITY as per USA FLAME PROJECTION TEST Auto			o Ignition Temperature Flammability Limits in Air by % in Volume:						
(aerosols) N/A				N/A % LEL: N/A % UEL: N/A					
FLASH POINT AND METHOD USED SPECIAL FIRE FIGHTING PROCES				UISHER MEDIA: N ing fire.	lon-combu	ıstible. Use m	edia compatib	le with	
applicable to surrounding fire.									
Unusual Fire & Explosion Hazard									
SECTION 4 - REACTIVITY HAZARD DATA									
			HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR						
Incompatibility (Mat. to avoid): St	onditions to Avoid: None								
Hazardous Decomposition Produ					ounds.				
SECTION 5 - HEALTH HAZARD DATA									
PRIMARY ROUTES OF ENTRY: [] INHALATION [] INGESTION [X] SKIN ABSORPTION [X] EYE [] NOT HAZARDOUS									
ACUTE EFFECTS									
Inhalation: Inhalation of spray or mist is severely irritating to respiratory tract & mucous membranes. Prolonged contact may cause tissue damage or destruction.									
Eye Contact: Severely irritating. Prolonged contact may cause tissue damage or destruction.				Skin Contact: Irritating. Prolonged contact may cause dermatitis.					
Ingestion: Severely irritating.									
CHRONIC EFFECTS: Effects due to excessive exposure to the raw materials of this mixture) May cause damage to nasal & respiratory passages, throat &									
esophagus. Lab animals have experienced anemia, liver, kidney, lung, and blood damage with exposure to 2-butoxyethanol.									
Medical Conditions Generally Aggravated by Exposure: Pre-existing irritation may be aggravated by contact.									
EMERGENCY FIRST AID PROCEDURES									
Eye Contact: Flush with water for 15 minutes. If irritation persists, get medical attention.									
Skin Contact: Rinse off thoroughly with water. If irritation persists, get medical attention.									
Inhalation: Remove to fresh air. If irritation persists or other symptoms develop, get medical attention.									
Ingestion: DO NOT INDUCE VOMITING. Give large quantities of water. Follow with milk or olive oil. Get immediate medical attention									
SECTION 6 - CONTROL AND PROTECTIVE MEASURES									
Respiratory Protection (specify type): None normally required.									
Protective Gloves: Chemical resistant (butyl rubber, neoprene) Eye Protection: Goggles or safety glasses.									
Ventilation Requirements: Normal ventilation is generally adequate.									
Other Protective Clothing & Equipment: Eye bath & safety shower. Rubber boots & splash apron, if splashing is a problem.									
Hygienic Work Practices: Do not eat, drink or smoke in work area. Wash exposed skin after use.									
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE									
Steps To Be Taken If Material Is S			tact. Cor	ntain spill & carefull	y neutraliz	e with acetic	acid. Soak up	in absorbent	
material & place in properly labeled non-leaking containers for proper disposal. Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations.									
					not in	Sholt lite 4	voor Drotost	from ovtrama	
Precautions To Be Taken In Hand heat and cold.	.mig & Storage: Store in original s	muhhing cor	пашегѕ.	reeh ciosea when	HOL III US	s. Shell life 1	year. Protect	nom extreme	
Other Precautions &/or Special H	azards: KEEP OUT OF REACH (OF CHII DI	REN R	ad & follow label d	irections				
				iabol u					