MATERIAL SAFETY DATA SHEET
This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

This MSDS complies with OSHA'S Hazard Commu				OSHA FORM	11/4			
IDENTITY AND MANUFACTURER'S INFORMATION								
NFPA Rating: Health-1; Flammability-3; Reactivity-0; Special		HMIS Rating: Health-1; Flammability-3; Reactivity-0; Personal Protection-B						
Manufacturer's Name: AMREP, INC.	DOT Haz	DOT Hazard Classification: ORM-D						
Address: 990 Industrial Park Drive	Identity (t	rade name as us	sed on labe	el):				
Marietta, GA 30062				Y DEODOF	NZFRS			
,								
D / D 1 00/01/00 D 1 D TD//D		ISLAND AIR (metered)						
Date Prepared: 09/24/09 Prepared By: TR/IB		MSDS Number: A00213 IA Revision-2						
Information Calls: (770)422-2071	NO	NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA						
EMERGENCY RESPONSE NUMBER: 1(800)255-3924								
SECTION 1 - MATERIAL ID	ENTIFICATI	ON AND INFO	RMATIO	N				
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES		AS Number	SARA	OSHA PEL	ACGIH	Carcinogen		
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		7.0 Hamber	III LIST	(ppm)	TLV (ppm)	Ref. Source **		
ACETONE		67-64-1	No	1000	750			
						d		
ISOBUTANE / PROPANE BLEND		75-28-5	No	800	800	d		
		74-98-6	No	1000	1000	d		
			1					
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS								
Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = < 1								
Vapor Pressure: PSIG @ 70°F (Aerosols): 70	Vapor Pres	Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A						
Vapor Density (Air = 1): N/E		Evaporation Rate (= 1): N/E						
Solubility in Water: Soluble		Water Reactive: No						
Appearance and Odor: Clear liquid with fragrance.								
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA								
FLAMMABILITY as per USA FLAME PROJECTION TEST A	uto Ignition ⁻	to Ignition Temperature Flammability Limits in Air by % in Volume:						
(aerosols): 4-6 inch ball restricted release, no flash back:	N/	N/E % LEL: N/E % UEL: N/E						
NOT CATEGORIZED AS FLAMMABLE								
FLASH POINT AND METHOD USED (non-aerosols): N/A	SPECIAL FIRE FIGHTING PROCEDURES: Provide shielding for personnel. Wear							
I EAST I SINT AND WETTOO GOED (HOH-BETOSOIS). INA		self-contained breathing apparatus. Cool containers with water fog to prevent						
EVTINGUIGHED MEDIA. From drught-mind and an district mater	rupturing & spewing.							
EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.								
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 120°F or the container may rupture.								
SECTION 4 - REACTIVITY HAZARD DATA								
STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR								
Incompatibility (Mat. to avoid): Alkalis, oxidizing materials, amines. Conditions to Avoid: Open flame, welding arcs, heat.								
Hazardous Decomposition Products: CO, CO2.								
SECTION 5 - HEALTH HAZARD DATA								
ACUTE EFFECTS Vapor concentrations around 1000 ppm may cause slight transient irritation to the upper respiratory tract.								
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.								
Eye Contact: Irritation. Skin Contact: May cause slight irritation.								
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.								
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause mucous membrane irritation, overnight headache, and								
general weakness.								
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.								
EMERGENCY FIRST AID PROCEDURES								
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.								
Skin Contact: Wash with soap and water. If irritated, seek medical attention.								
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.								
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.								
SECTION 6 - CONTROL AND PROTECTIVE MEASURES								
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH for organic vapor.								
Protective Gloves: Latex, if skin easily irritated. Eye Protection: Safety glasses recommended.								
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.								
Other Protective Clothing & Equipment: None								
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.								
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE								
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations. DO NOT FLUSH TO SEWER.								
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressur	e through nor	nal use, nose no	disposal k	nazard				
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 120°F.								
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. Remove ignition sources.								
Other Freedoutions 6/01 Special Hazards: NEEP OUT OF REACH OF CHIL		We believe the statements technical information and recommendations contained barein are reliable, but they are given without warranty or quarantee of any kind.						

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only