Material Safety Data Sheet

May be used to comply with OSHA'S Hazard Communication Standard 29 CFR 2910.1200. Standard must be consulted for specific requirements.

U.S. DEPARTMENT OF LABOR

Occupational Safety and Health (Non-Mandatory Form) Form Approved OMB No. 1218-0072

Identity (As Used on Label and List) #360	Note: Blank spaces are not permitted. If any item is not applicable, or		
Big D Water Soluble Deodorant & Disinfectant	no information is available, the space must be marked to indicate that.		
Section I			
Manufacturer's Name Big D Industries, Inc.	Emergency Telephone Number (800) 535-5053 (800) 654-4752		
Address (number, Street, City, State, and ZIP Code)	Telephone Number for Information (800) 654-4752 (405) 682-		
5620 S. W. 29th Street (73179)	2541		
P. O. Box 82219	Date Prepared 06-01-2002		
Oklahoma City, OK 73148	Signature of Preparer (optional)		
Section II - HMIS Rating			
Health 1 Flammability 2	Reactivity 0		
Section III - Hazardous Ingredients/Identity Inform	mation		
Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL ACGIH TLV Other Limits		
%(optional)			
	Remnd.		
Alkyl DiMethyl Benzyl Ammonium Chloride CAS #68391-01-5	N/E 2.25		
Alkyl DiMethyl Ethyl Benzyl Ammonium Chloride CAS #68956-79-6	N/E 2.25		
Section IV - Physical/Chemical Characteristics			
Boiling Point 208 ⁰ F	Specific Gravity ($H_2O = 1$) 1.025		
Vapor Pressure (mm Hg.) N/A	Melting Point N/A		
Vapor Density (AIR = 1) <1	Evaporation Rate <1		
Solubility in Water: 100%	PH of Concentrate = 11.6; PH of 2 oz/gal solution = 10.2		
Appearance and Odor: Clear liquid with pleasant fragrance.	Freezing Point 31 ^o F		
Section V - Fire and Explosion Hazard Data			
Flash Point (Method Used) 125°F Tag Closed Cup . Flash	lammable Limits N/A LEL UEL		
	N/A N/A		
Extinguishing Media Carbon dioxide, dry foam, water spray			
Special Fire Fighting Procedures None			
Unusual Fire and Explosion Hazards None			
N/A = Not Applicable $N/D = Not Determined$ Page 1	N/E = Not		

\$ 360					
Section VI - Reactivity Data					
Stability	Unstable		Conditions to Avoid: None		
	Stable	X			
Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents such as nitric acid.					
Hazardous Decomposition or Byproducts: None					
Hazardous	May Occur		Conditions to Avoid: None		
Polymerization					
	Will Not Occur	X			
Section VII - Health Hazard Data					
Route(s) of Entry:	Inhalation? Yes	Skin?	Yes Ingestion? Yes		
Health Hazards (Acute and Chronic):					
Low order of toxicity; frequent or prolonged contact may irritate skin.					
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No					
Signs and Symptoms of Exposure: Frequent or prolonged contact may irritate skin.					
Medical Conditions					
Generally Aggravated by Exposure: None known					
Emergency and First Aid Procedures: Eye contact: flush with large amounts of water. May cause corneal damage on prolonged contact. Seek medical					
attn.					
Ingestion: Do not give anything by mouth to an unconscious person. Seek Medical attn. Inhalation: remove person to fresh air . Seek medical					
attn.					
Section VIII - Precautions for Safe Handling and Use					
Steps to be Taken in Case Material is Released or Spilled:					
Absorb with inert absorbent material. Wash unrecoverable material down the drain with water.					
Waste Disposal Method:					
Incineration or landfill for absorbent material. Dispose in accordance with local, state, and federal regulations.					
Precautions to be Taken in Handling and Storing: Do not store near heat or open flame					
Other precautions: None					
Section IX - Control Measures					
Respiratory Protection	on (Specify Type): Non	e required			
Ventilation			Local Exhaust adequate	Special N/A	
			Mechanical (General) adequate	Other N/A	
Protective Gloves: R	otective Gloves: Rubber or plastic for prolonged contact				
Other Protective Clothing or Equipment: Eye wash/shower facility nearby					
Work/Hygienic Practices: Good housekeeping practices. Avoid skin/eye contact.					

N/A = Not ApplicableN/D - Not Determined Page 2 N/E = Not EstablishedOSHA 174, Sept. 1985