according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 1.2 Print Date 07/08/2010

Revision Date 09/17/2009 MSDS Number 350000001605

SITE\_FORM Number

3000000000000003608.001

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Trade name : DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG

REMOVER

Use of the

: Drain Cleaner

Substance/Mixture

Company : S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Emergency telephone : 24 Hour Transport & Medical Emergency Phone (866) 231-

5406

24 Hour International Emergency Phone (952) 852-4647

#### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Appearance / Odor : natural colour / liquid / slight chlorine

Immediate Concerns : Danger

Corrosive

CAUSES EYE AND SKIN BURNS

May be harmful if swallowed. Avoid contact with skin, eyes and

clothing. Avoid breathing vapors, mist or gas.

**Potential Health Effects** 

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Corrosive - causes irreversible eye damage.

May cause blindness.

Skin : Corrosive to skin

Causes skin burns.

Inhalation : May cause nose, throat, and lung irritation.

Ingestion : May be harmful if swallowed.

Causes digestive tract burns.

Aggravated Medical

Condition

Individuals with chronic respiratory disorders such as asthma,

chronic bronchitis, emphysema, etc. may be more susceptible

to irritating effects

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 1.2 Print Date 07/08/2010

Revision Date 09/17/2009 MSDS Number 350000001605

SITE\_FORM Number

3000000000000003608.001

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Water	7732-18-5	60.00 - 100.00
Sodium hypochlorite	7681-52-9	5.00 - 10.00
Sodium hydroxide	1310-73-2	1.00 - 5.00
Surfactant	Mixture	1.00 - 5.00

#### 4. FIRST AID MEASURES

Eye contact : Flush immediately with plenty of water for at least 15 to 20

minutes. Get medical attention immediately.

Skin contact : Flush immediately with plenty of water for at least 15 to 20

minutes. Get medical attention if irritation develops and

persists.

Inhalation : Remove to fresh air. If breathing is affected, get medical

attention.

Ingestion : Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person. Get medical

attention immediately.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Alcohol foam, carbon dioxide, dry chemical, water fog

Specific hazards during fire

fighting

Container may melt and leak in heat of fire.

Special protective

Wear suitable protective clothing and gloves.

equipment for fire-fighters

Further information

Wear full protective clothing and positive pressure self-

contained breathing apparatus.

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Use personal protective equipment.

2/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 1.2 Print Date 07/08/2010

Revision Date 09/17/2009 MSDS Number 350000001605

SITE\_FORM Number

3000000000000003608.001

Methods for cleaning up : Soak up with inert absorbent material.

Dike large spills.

Sweep up and shovel into suitable containers for disposal.

#### 7. HANDLING AND STORAGE

#### Handling

Advice on safe handling : Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas.

Storage

Requirements for storage areas and containers

Keep in a dry, cool and well-ventilated place. Keep container closed when not in use.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Basis
Sodium hydroxide	1310-73-2	2 mg/m3	-	ACGIH Ceiling
Sodium hydroxide	1310-73-2	2 mg/m3	-	OSHA TWA

### Personal protective equipment

### Respiratory protection

Industrial setting : Substantial amounts of mist/vapors can be controlled with

local exhaust ventilation or respiratory protection.

Household setting : Substantial amounts of mist/vapors can be controlled with

local exhaust ventilation or respiratory protection.

#### Hand protection

Industrial setting : Wear suitable gloves.

Household setting : Wear suitable gloves.

## Eye protection

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 1.2 Print Date 07/08/2010

Revision Date 09/17/2009 MSDS Number 350000001605 SITE\_FORM Number

300000000000003608.001

Industrial setting : Wear splash-resistant Chemical goggles.

Household setting : not applicable

Skin and body protection

Industrial setting : Protective footwear.

Household setting : Protective footwear.

**Hygiene measures** : Use only with adequate ventilation. Wash thoroughly after

handling. Remove and wash contaminated clothing and

gloves, including the inside, before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : natural colour

Odor : slight chlorine

pH : 11.5 - 13.5

Melting point : no data available

Boiling point : 212 °F

Freezing point : no data available

Evaporation rate : no data available

Autoignition temperature : no data available

Lower explosion limit : no data available

Upper explosion limit : no data available

Vapour pressure : no data available

Water solubility : completely soluble

Partition coefficient: n-

octanol/water no data available

Viscosity, dynamic : 1,000 cps

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 1.2 Print Date 07/08/2010

Revision Date 09/17/2009 MSDS Number 350000001605

SITE\_FORM Number

300000000000003608.001

#### 10. STABILITY AND REACTIVITY

Conditions to avoid : None known.

Materials to avoid : Do not mix with acids or any other household products. May

release dangerous gases (chlorine).

Avoid contact with:

Ammonia Acids

Rust remover.

Hazardous decomposition

products

When exposed to fire, produces normal products of

combustion.

Hazardous reactions : Stable

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50

> 5,000 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : LD50

> 2,000 mg/kg

**Chronic effects** 

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** : no data available

5/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 1.2 Print Date 07/08/2010

Revision Date 09/17/2009 MSDS Number 350000001605

SITE\_FORM Number

3000000000000003608.001

#### 13. DISPOSAL CONSIDERATIONS

Industrial setting : Observe all applicable Federal, Provincial and State

regulations and Local/Municipal ordinances regarding

disposal.

Household setting : Dispose of in accordance with local regulations.

RCRA waste class : D002 (Corrosive Waste)

SCJ product category : LB: Liquid Bleach

#### 14. TRANSPORT INFORMATION

#### Land transport

U.S. DOT and Canadian TDG Surface Transportation:

UN-Number 1760

Proper shipping name Corrosive Liquid, N.O.S.

Class: 8
Packaging group: III

Note: SC Johnson ships this product as Consumer Commodity ORM-D

(non-bulk packages)

#### Sea transport

IMDG:

Class: 8 Packaging group: III

Proper shipping name Corrosive Liquid, N.O.S.

UN-Number: 1760

Note: SC Johnson ships this product as "Limited Quantity" when the

container quantity value is 1 Liter or less.

### Air transport

ICAO/IATA:

Class: 8 Packaging group: III

Proper shipping name Corrosive Liquid, N.O.S.

UN/ID No.: UN 1760

6/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Print Date 07/08/2010 Version 1.2

Revision Date 09/17/2009 MSDS Number 350000001605

SITE FORM Number 3000000000000003608.001

Note: SC Johnson typically does not ship products via air, therefore it has

not been determined if the product container meets current

IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

#### 15. REGULATORY INFORMATION

Notification status All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

: All ingredients of this product comply with the New Substances Notification status

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS

contains all the information required by the Controlled Products

Regulations.

### **16. OTHER INFORMATION**

HMIS Ratings		
Health	3	
Flammability	0	
Reactivity	0	
NEDA Detinos		

NFPA Ratings		
Health	3	
Fire	0	
Reactivity	0	
Special		

#### **Further information**

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 1.2 Print Date 07/08/2010

Revision Date 09/17/2009

MSDS Number 35000001605 SITE\_FORM Number 30000000000000003608.001

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)