

CHAMPION FURNITURE POLISH


Page 1 of 4

<u>Supplier</u> Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USA	Manufacturer Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USACompany Contact: Laura E. Radevski Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.comManufacturer Emergency Contacts & Phone Number Chem-Tel: 1-800-255-3924		
Company Contact: Laura E. Radevski Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com			
Supplier Emergency Contacts & Phone Number Chem-Tel: 1-800-255-3924			
Issue Date: 08/19/2010 Product Name: CHAMPION FURNITURE POLISH Chemical Name: 7-7937-1 MSDS Number: 4776 Product Code: 438-5136-6 Product/Material Uses - Furniture Polish			
2. Composition/Information On Ingredients			
Ingredient Name		CAS Number	Percent Of Total Weight
BUTANE		106-97-8	
ISOPARAFFINIC HYDROCARBON		64742-47-8	
ISOPARAFFINIC HYDROCARBON		64741-66-8	
PROPANE		74-98-6	
Hazardous components, according to OSHA, are listed wh present at 0.1% or greater.	hen present at 1.0% or grea	ter. Carcinogen	is are listed when
3. Hazards Identification			
Primary Routes(s) Of Entry Eye Hazards- Ingestion (possible, but condition Eye HazardsSkin Hazards Shin Hazards- May cause irritation after contact with the Skin HazardsIngestion Hazards Ingestion Hazards Swallowed. If accidentally swallowed, do not induce vomition Inhalation Hazards - Deliberate inhalation of concentrat Chronic/Carcinogenicity Effects - Chronic: Not known. as carcinogenic by NTP, IARC or OSHA.Teratogenicity (Birth Defects) Neurotoxicity- Not knownReproductive Effects Ot known- Not knownMutagenicity (Genetic Effect) Contact with the eyes may cause irritation. Prolonged condition	e eyes. tact with skin. on is unlikely to occur. Conta ing. Call physician immediat ed vapor or mist may cause . None of the ingredients, pr	ains petroleum d tely. headaches, diz esent in excess may cause head	zziness. s of 0.1%, are listed daches, dizziness.

3. Hazards Identification - Continued

condition.

First Aid (Pictograms)



4. First Aid Measures

Eve - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

<u>Skin</u> - Wash skin with soap and water. If irritation develops, call a poison control center or doctor for treatment advise. <u>Ingestion</u> - Ingestion from an aerosol product is unlikely to occur. Contains petroleum distillates. Harmful if swallowed. If accidentally swallowed, do not induce vomiting, call physician immediately.

Inhalation - If overcome by vapor move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

5. Fire Fighting Measures

Flash Point: Not available °F Not available °C Flash Point Method: Not available Lower Explosive Limit: Not available Upper Explosive Limit: Not available

Fire And Explosion Hazards - This product is an aerosol product for which **Flame Projection is 0 in.** Temperatures above 120 F may cause cans to burst.

Extinguishing Media - Use CO2 (Carbon Dioxide), dry chemical, or water fog.

Fire Fighting Instructions - Water spray may be used to cool cans in the vicinity of fire or excessive heat.

6. Accidental Release Measures

Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

7. Handling And Storage

Handling And Storage Precautions- Store in a cool, dry place away from heat and open flame.Handling Precautions- Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.Storage Precautions- Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric
motors and static electricity). Keep out of reach of children. AEROSOL STORAGE LEVEL I (NFPA-30B)Work/Hygienic Practices- Wash thoroughly after handling.

Protective Clothing (Pictograms)



8. Exposure Controls/Personal Protection

Engineering Controls - Use with adequate general and local exhaust ventilation.

Eye/Face Protection - Conventional eyeglasses to guard against splashing.

Skin Protection - Household type gloves, if desired.

Respiratory Protection - None required if used in a well-ventilated area.

CHAMPION FURNITURE POLISH

8. Exposure Controls/Personal Protection - Continued Ingredient(s) - Exposure Limits BUTANE ACGIH TLV-TWA 800 ppm ISOPARAFFINIC HYDROCARBON TWA 1200 mg/m3 (152 ppm) based on total hydrocarbom ; Limit recommended by ExxonMobil ISOPARAFFINIC HYDROCARBON 1400 mg/m3 (281 ppm) based on total hydrocarbon (Recommended by ExxonMobil) PROPANE ACGIH TLV-TWA 2500 ppm ; OSHA PEL-TWA 1,000 ppm 9. Physical And Chemical Properties Appearance - White, creamy emulsion. Odor - Lemon odor. Chemical Type: Mixture Physical State: Liquid Melting Point: Not applicable °F Boiling Point: Water 212 °F Water 100 °C Specific Gravity: 0.95 concentrate Percent VOCs: 15.55 Solubility: Insoluble in water

10. Stability And Reactivity

Stability: Stable Hazardous Polymerization: Will not occur

Evaporation Rate: Faster than butyl acetate

Conditions To Avoid (Stability) - Temperatures above 120 F

<u>Incompatible Materials</u> - Avoid heat, open flame and contact with strong oxidizers. <u>Hazardous Decomposition Products</u> - Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

<u>Conditions To Avoid (Polymerization)</u> - Temperatures above 120 F

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

13. Disposal Considerations

Do not puncture or incinerate container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

14. Transport Information

Proper Shipping Name - ORM-D Consumer Commodity

Hazard Class

2.1

DOT Identification Number UN1950

CHAMPION FURNITURE POLISH

14. Transport Information - Continued

DOT Shipping Label

Aerosol Consumer Commodity

15. Regulatory Information

U.S. Regulatory Information - All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA Hazard Classes

Acute Health Hazard; Fire Hazard

<u>SARA Section 313 Notification</u> - This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.


Ingredient(s) - State Regulations

BUTANE

New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance

PROPANE

New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance



16. Other Information

Revision/Preparer Information

MSDS Preparer: Laura E. Radevski MSDS Preparer Phone Number: 708-865-1000 This MSDS Supersedes A Previous MSDS Dated: 06/27/2007

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

Chase Products Co.

Printed Using MSDS Generator™ 2000