

# MATERIAL SAFETY DATA SHEET

## MSDS F-143 REVISION 5

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

The Dial Corporation  
15101 N. Scottsdale Road  
Scottsdale, Arizona 85254-9934

Medical Emergencies: 1-888-689-9082  
Chemtrec: 1-800-424-9300 (24 Hours Daily)  
Other Information: 1-888-468-6673

PRODUCT: Classic and Ultra Dry Detergents - NPE Free DATE OF ISSUE: July 24, 2007

TRADE NAMES/SYNONYMS: Dry Purex® Classic All Temperature Laundry Detergent  
Dry Purex® Classic All Temperature Laundry Detergent with Bleach Alternative  
Dry Purex® Ultra Laundry Detergent  
Dry Purex® with Color Safe Bleach Ultra Laundry Detergent  
Dry Purex® Ultra Laundry Detergent—For Bucket Production (Summit Advantage)  
Dry Trend® Classic All Temperature Laundry Detergent  
Dry Trend® Classic All Temperature Laundry Detergent with Bleach Alternative  
Dry Trend® Ultra All Temperature Laundry Detergent  
Dry Trend® Ultra All Temperature Laundry Detergent with Bleach Alternative  
Ultra Purex® Dry Detergent Plus Renuzit Odor Neutralizer  
Classic Purex® Dry Detergent (Overspray) Plus Renuzit Odor Neutralizer  
Refer to Section 16 for Specific Trade Names

CHEMICAL FAMILY: Mixture

I.D. NUMBERS: Refer to Section 16 for Specific I.D. Numbers

### SECTION 2: HAZARD IDENTIFICATION

#### EMERGENCY OVERVIEW

CAUTION: This product is a colored or white granular material with mild odor. Direct contact with eyes may cause severe irritation. Repeated or prolonged excessive exposure with skin may cause with redness, blistering, skin damage or dermatitis. Keep out of reach of children. No significant environmental effects. Not a fire hazard. Product is stable.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission. The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this Material Safety Data Sheet differ from the requirements of the CPSC and as a result, this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### REGULATORY STATUS

While this product is not considered to be hazardous under OSHA's Hazard Communication Standard (29 CFR 1900.1200), this MSDS includes valuable information that is critical for safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

#### POTENTIAL HEALTH EFFECTS

NOTE: The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

EYE CONTACT: Direct contact with dusts may cause severe irritation with redness, pain, blurred vision, and possibly corneal injury.

SKIN CONTACT: Repeated or prolonged excessive exposure may cause severe irritation with redness, blistering, skin damage or dermatitis.

**INGESTION:** Ingestion of large quantities may cause gastrointestinal irritation with nausea, vomiting, diarrhea and lethargy.

**INHALATION:** Dust may cause mucous membrane irritation with coughing and shortness of breath. Direct contact with mucous membranes may result in burns.

**CHRONIC HEALTH EFFECTS:** None known.

**MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE:** Persons with history of chronic skin conditions.

### POTENTIAL ENVIRONMENTAL EFFECTS

See Section 12: Ecological Information.

---

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

---

Based on our hazard evaluation, the following chemical substance(s) in this product have been identified as hazardous.

<u>INGREDIENT</u>	<u>CAS NUMBER</u>	<u>PERCENT (w/w)</u>
Sodium Chloride	7647-14-5	30 – 60 %
Sodium Carbonate	497-19-8	10 – 30 %
Sodium Silicate	1344-09-8	10 – 30 %
Sodium Dodecylbenzenesulfonate	68081-81-2	5 – 10 %
Alcohol Ethoxylate	68551-12-2	1 – 5 %
Sodium Percarbonate	15630-89-4	1 – 5 %

---

## SECTION 4: FIRST AID MEASURES

---

**EYES:** Immediately rinse eyes with plenty of water for at least 15 minutes, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation persists.

**SKIN:** Rinse affected area with large amounts of water until no evidence of product remains. Get medical attention if irritation persists.

**INGESTION:** Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

**INHALATION:** Immediately remove from exposure area to fresh air. Keep affected person warm and at rest. Treat symptomatically and supportively. Contact physician or local poison control center. If breathing has stopped, give artificial respiration, and get medical attention immediately.

**NOTE TO PHYSICIAN:** The physician's judgment should be used to control symptoms and clinical condition based on the individual reactions of the patient.

---

## SECTION 5: FIRE FIGHTING MEASURES

---

### FLAMMABLE PROPERTIES

OSHA FLAMMABILITY CLASSIFICATION: Not applicable

FLASH POINT: None

UPPER FLAMMABILITY LIMIT: Not applicable

LOWER FLAMMABILITY LIMIT: Not applicable

AUTO-IGNITION TEMPERATURE: Not applicable

**FIRE AND EXPLOSION HAZARD:** The fire hazard for this product has not been determined. The hazard(s) of the component(s) with the most severe hazard(s) are:

Slight fire hazard when exposed to heat or flame. Dust-air mixtures may ignite or explode.

This product may contain a component which is an oxidizer. Oxidizers decompose, especially when heated, to yield oxygen or other gases which will increase the burning rate of combustible matter. Contact with easily oxidizable, organic, or other combustible materials may result in ignition, violent combustion or explosion.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of sulfur, oxides of carbon and hydrogen sulfide.

### **EXTINGUISHING MEDIA**

Dry chemical, carbon dioxide, water spray or regular foam.

### **PROTECTION OF FIREFIGHTERS**

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Move container from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Use flooding amounts of water as a fog, solid streams may be ineffective. Avoid breathing vapors; keep upwind.

---

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

### **PERSONAL PRECAUTIONS**

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Make sure area is slip-free before re-opening to traffic.

### **ENVIRONMENTAL PRECAUTIONS**

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

### **METHODS FOR CONTAINMENT AND CLEAN UP**

**SMALL SPILLS:** Sweep or scoop up and place into suitable clean, dry containers for reclamation or later disposal. Wash site of spillage thoroughly with water. **LARGE SPILLS:** Sweep or scoop up. Dispose in suitable waste container. Keep unnecessary people away from spill.

---

## **SECTION 7: HANDLING AND STORAGE**

---

### **HANDLING:**

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

### **STORAGE:**

Store in original containers in a cool dry area. Store away from excessive heat and incompatible substances. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

---

## **SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION**

---

This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use. The information provided below refers to the occupational settings.

### **WORKER EXPOSURE LIMITS**

The following exposure limits exist for the ingredients listed below. The TLV-TWA is the ACGIH Threshold Limit Value – Time Weighted Average. PEL-TWA is the OSHA Permissible Exposure Limit.

INGREDIENT	CAS NUMBER	EXPOSURE LIMIT
Detergent Dust.		TLV-TWA: 10 mg/m <sup>3</sup> (inhalable), 3 mg/m <sup>3</sup> (respirable); PEL-TWA: 15
Particules Not		mg/m <sup>3</sup> (total dust), 5 mg/m <sup>3</sup> (respirable fraction)
Otherwise Specified		

**ENGINEERING CONTROLS:** Provide local exhaust or general dilution ventilation to keep potential exposure to airborne contaminants as low as possible.

**RESPIRATOR:** Air contamination monitoring should be carried out where dusts are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits. If respiratory protection

is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

**FOR FIRE FIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS:** Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure demand or other positive-pressure mode.

**CLOTHING:** Protective clothing is required where repeated or prolonged skin contact may occur.

**GLOVES:** Chemical-resistant gloves are required where repeated or prolonged skin contact may occur.

**EYE/FACE PROTECTION:** Safety glasses are required to prevent eye contact where dusty conditions are anticipated.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE:	Colored or white granular material with mild odor.		
ODOR/ODOR THRESHOLD:	Pleasant fragrance	PHYSICAL STATE:	Solid
pH (@ 25°C):	10.6-11.4 (1% soln.)	VAPOR DENSITY:	Not available
BOILING POINT:	Not available	VAPOR PRESSURE:	Not available
MELTING/FREEZING POINT:	Not available	FLASH POINT:	See Section 5.
FLAMMABLE PROPERTIES:	See Section 5.	SOLUBILITY IN WATER:	Complete
DENSITY/SPECIFIC GRAVITY:	Not available	EVAPORATION RATE:	Not available
OCTANOL/WATER PARTITION COEFFICIENT (K <sub>ow</sub> ):	Not available		
VISCOSITY:	Not available	CLOUD POINT:	Not available

**SECTION 10: STABILITY AND REACTIVITY**

**CHEMICAL STABILITY:** Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

**CONDITIONS TO AVOID:** Avoid storing in direct sunlight and avoid extremes of temperature.

**INCOMPATIBLE MATERIALS:** Strong oxidizers and reducing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition products may include toxic oxides of sulfur and carbon, and hydrogen sulfide.

**POSSIBILITY OF HAZARDOUS REACTIONS:** Polymerization does not occur under normal temperatures and pressures.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**PRODUCT INFORMATION SUMMARY:** This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use. Direct contact with eyes may cause irritation, with possibility of corneal injury if not removed promptly. It may be harmful if swallowed. Repeated or prolonged excessive exposure with skin can result in defatting and drying which may result in irritation and dermatitis.

**COMPONENT ANALYSIS:** The following toxicity information is for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

PRODUCT / INGREDIENT	LD50 / DRAIZE SCORE	TOXICITY / IRRITATION RATING
<b>ACUTE ORAL TOXICITY</b>		
Sodium Chloride	3,000 mg/kg (rat)	Practically Non-hazardous
Sodium Carbonate	4,090 mg/kg (rat)	Practically Non-hazardous
Sodium Dodecylbenzenesulfonate	530 mg/kg (rat)	Moderately toxic
Sodium Silicate	1,153 mg/kg (rat)	Moderately toxic

**ACUTE DERMAL TOXICITY**

Sodium Chloride > 10,000 mg/kg (rabbit) Non-hazardous

**SENSITIZATION:** This product is not considered a skin or respiratory sensitizer.

**CARCINOGENICITY:** None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

**MUTAGENICITY:** None of the ingredients in this product are known to cause mutagenicity.

**REPRODUCTIVE/FETAL/DEVELOPMENTAL TOXICITY:** None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

**TARGET ORGAN TOXICITY:** None of the ingredients in this product are known to have target organ toxicity.

**EPIDEMIOLOGICAL INFORMATION:** None of the ingredients in this product are known to have health-related information in working populations.

**SECTION 12: ECOLOGICAL INFORMATION**

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

PRODUCT / INGREDIENT	LC50 / ED50 (mg/L)	TOXICITY RATING
<b>VERTEBRATES</b>		
Sodium Chloride	96h LC50: 9,675 (Lepomis macrochirus)( flow-through	Non-hazardous
Sodium Carbonate	96h LC50: 300 mg/l (Lepomis macrochirus) (static)	Practically Non-hazardous
Sodium Dodecylbenzenesulfonate	96h LC50: 3 mg/l (Oncorhynchus mykiss) (static)	Toxic
Sodium Silicate	96h LC50: 301-478 mg/l (Lepomis macrochirus)	Practically Non-hazardous
<b>INVERTEBRATES</b>		
Sodium Chloride	48h EC50: 1,000 (Daphnia magna)	Non-hazardous
Sodium Carbonate	48h EC50: 265 mg/l (Daphnia magna)	Practically Non-hazardous
Sodium Dodecylbenzenesulfonate	48h EC50: 2.9 mg/l (Daphnia magna)	Toxic
Sodium Silicate	96h EC50: 216 mg/l (Daphnia magna)	Practically Non-hazardous

**ENVIRONMENTAL FATE:** No environmental fate data exists for the product. The product is anticipated to be rapidly biodegradable.

**PERSISTENCE AND DEGRADABILITY:** The persistence and degradability of this product has not been determined.

**BIOACCUMULATION POTENTIAL:** The bioaccumulation potential of this product has not been determined.

**MOBILITY:** The mobility of this product (in soil and water) has not been determined.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**WASTE NUMBER AND DESCRIPTION:** Not applicable, not regulated.

**DISPOSAL CONSIDERATIONS:** This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

**SECTION 14: TRANSPORT INFORMATION**

**GROUND TRANSPORT**

DOT Hazard Class: Not regulated Packing Group: Not applicable

The Dial Corporation • Center For Innovation • 15101 N. Scottsdale Rd • Scottsdale, AZ 85254

DOT Proper Shipping Name: Not applicable  
 UN/NA Number: Not applicable

Shipping Label Information: Not applicable

**AIR TRANSPORT (ICAO/IATA)**

ICAO/IATA Hazard Class: Not regulated  
 ICAO/IATA Proper Shipping Name: Not applicable

**MARINE TRANSPORT (IMDG/IMO)**

IMDG/IMO Hazard Class: Not regulated  
 IMDG/IMO Proper Shipping Name: Not applicable

**SECTION 15: REGULATORY INFORMATION**

**UNITED STATES:**

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

The Occupational Safety and Health Administration requires Material Safety Data Sheets to provide any hazards that may be associated with the product, and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this MSDS may contain additional health hazard information not pertinent to consumer use.

EPA - SARA TITLE III SECTION 313: This product contains no materials reportable under this section.

EPA CERCLA/SARA TITLE III SUPERFUND AMENDMENT AND REAUTHORIZATION ACT:

This product contains no CERCLA/SARA Title III materials. This product contains no hazardous chemicals reportable under Sections 311/312. This product contains no hazardous chemicals reportable under Section 304.

TSCA: All components of this product are listed on U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

**STATE REGULATIONS**

CALIFORNIA PROPOSITION 65: This product does not contain substances listed under California Proposition 65.

**CANADA:**

CANADIAN ENVIRONMENTAL PROTECTION ACT:

INVENTORY STATUS: Some components of this product are not listed on the Canadian Domestic Substances List (DSL) nor the NDSL.

WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM:

WHMIS CLASSIFICATION: Not subject to classification.

**SECTION 16: OTHER INFORMATION**

DISCLAIMER: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, The Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, The Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature is made hereunder with respect to the information set forth herein or to the product to which the information refers.

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=1 FLAMMABILITY=0 REACTIVITY=0  
 HMIS RATINGS (Scale 0-4, where 4=severe hazard): HEALTH=1 FLAMMABILITY=0 REACTIVITY=0

TRADE NAMES/SYNONYMS: Dry Purex® Classic All Temperature Laundry Detergent--After The Rain  
 Dry Purex® Classic All Temperature Laundry Detergent With Bleach Alternative--After The Rain  
 Dry Purex® Classic All Temperature Laundry Detergent—Original Fresh Scent  
 Dry Purex® Classic All Temperature Laundry Detergent With Bleach Alternative—Original Fresh Scent  
 Dry Purex® Classic All Temperature Laundry Detergent—Mountain Breeze  
 Dry Purex® Classic All Temperature Laundry Detergent With Bleach Alternative—Mountain Breeze  
 Dry Purex® All Temperature Laundry Detergent—Spring Morning  
 Dry Purex® Ultra Laundry Detergent—Original Fresh Scent

Drypurex® With Color Safe Bleach Ultra Laundry Detergent—Original Fresh Scent  
Dry Purex® Ultra Laundry Detergent—After The Rain  
Dry Purex® Ultra Laundry Detergent—Mountain Breeze  
Dry Purex® Ultra Laundry Detergent—Free & Clear  
Dry Purex® Ultra Laundry Detergent—For Bucket Production (Summit Advantage)  
Dry Trend® Classic All Temperature Laundry Detergent  
Dry Trend® Classic All Temperature Laundry Detergent With Bleach Alternative  
Dry Trend® Ultra All Temperature Laundry Detergent  
Dry Trend® Ultra All Temperature Laundry Detergent With Bleach Alternative  
Ultra Purex® Mountain Breeze Dry Detergent Plus Renuzit Odor Neutralizer  
Classic Purex® Mountain Breeze Dry Detergent (Overspray) Plus Renuzit Odor Neutralizer

## I.D. NUMBERS:

950077, 950078 (Classic Purex); 950079, 950080 (Classic Purex w/ Bleach Alternative);  
950081, 950082, 99100946 (Classic Trend); 950083, 950084, 99100947 (Classic Trend  
w/Bleach Alternative); 99100892 (Ultra Purex); 99100895 (Ultra Purex with Color Safe  
Bleach); 99100896 (Ultra Purex Mountain Breeze); 99100903 (Ultra Purex with Color  
Safe Bleach Mountain Breeze); 99101056 (Classic Purex Mountain Breeze), 88100414;  
(Ultra Trend Dry Detergent for Canada Bucket (Spring Morning); 99101201 (Ultra Purex  
Free and Clear Dry Detergent); 99102169 (Ultra Purex Dry Detergent for Bucket  
Production (Summit Advantage)); 99102339 (Ultra Purex Mountain Breeze w/Renuzit);  
99102340 (Classic Purex Mountain Breeze w/Renuzit)

MSDS CREATION DATE: 06/20/02

SUPERCEDES: Rev. 4, 11/2/05

REVISION DATE: 07/24/07

REVISION: 16-Section Format