# FLOOR SCIENCE SPRAY BUFF

National Fire Protection Association (NFPA) H	Fire Hazar	Reactivity	Hazardous Information (HMIS)		Health1Fire Hazard2Reactivity0
Protective None required. Clothing		Emer Overv	view CAUTION: C	OMBUSTIBL irritating to	E. May be mildly irritating to eyes. skin. Aspiration into the lungs may
Section 1. Chemical Produ	ct and Comp	oany Identific	ation		
Product Name FLOOR SCI	ENCE SPRA	Y BUFF		Code	96896
Product Use Industrial/Instit	utional: Floor ca	ire.		PMS#	433226
MSDS# 126092003				Validation I	Date 04/19/2000
U.S. Headquarters Drackett Professional A Division of S.C. Johnson Commercial Markets, 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249	Inc.			Print Date Supersedes In Case of Emergency	04/20/2000 04/13/2000. (800) 851-7145
Section 2. Composition an	d Informatio	n on Ingredie	ents		
Ingredients	CAS #	% by Weight	Exposure Lin	nits	LC50/LD50
Acrylic Polymers Alkylphenoxy Polyethoxyethanol Diethylene Glycol Ethyl Ether Isoparaffinic Hydrocarbon Solvent Water	26027-38-3 111-90-0 64742-48-9 7732-18-5	1-5 1-5 1-5 10-30 60-100	Not available. Not available. Not available. Not available. Not available.		Not available. Not available. ORAL (LD50): Acute: 5540 to 9740 mg/kg [Rat]. Not available. Not available.
Section 3. Hazards Identifi		1			[
	tion. Skin conta	ct. Eve contact.			
Potential Acute Health Effects Eyes May b Skin May b Inhalation May b Ingestion Aspira	e mildly irritating e mildly irritating e irritating to no	g to eyes. g to skin. se, throat, and r		lung damage	e. May be irritating to mouth, throat
Medical Conditions Perso Aggravated by Overexposure:	ns with pre-exis	ting skin disorde	ers may be more susce	eptable to irri	tating effects.
See Toxicological Information (section	n 11)				
Section 4. First Aid Measu	res				
Eye Contact Flush	immediately wit	h plenty of wate	r. Get medical attentio	n if irritation	occurs.
Skin Contact Flush	immediately wit	h plenty of wate	r. Get medical attentio	n if irritation	occurs.
Inhalation If brea	athing is difficult	Remove to fres	sh air. Get medical atte	ntion.	
			tely drink plenty of vention immediately.	vater. Neve	r give anything by mouth to an

# FLOOR SCIENCE SPRAY BUFF

Section 5. Fire Fighti	ing Measures
Flammability of the Product Flash Points	COMBUSTIBLE. CLOSED CUP: 67°C (152.6°F).
Products of Combustion	None known.
Fire Fighting Media and Instructions	Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide.
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards	Material may burn in heat of fire.

# Section 6. Accidental Release Measures

<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

#### Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. FOR INDUSTRIAL USE ONLY. Use only in well-ventilated areas.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. KEEP OUT OF REACH OF CHILDREN.

#### Section 8. Exposure Controls/Personal Protection

Engineering Controls No special ventilation requirements. General room ventilation is adequate.

**Personal Protection** 

*Eyes* No special protective clothing is required.

Hands No special requirements under normal use conditions.

Respiratory No special protective clothing is required.

Feet No special protective clothing is required.

Body If major exposure is possible, wear suitable protective clothing.

## Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.
Odor	Mild. Monomer.
Color	Opaque Off-white.
рН	7.9 to 8.8 [Basic.]
Specific Gravity	0.97
Solubility in water	Dispersible.

## Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	Reactive with oxidizing agents.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Acute toxicity	ORAL (LD50) Greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	
Other Toxic Effects	Not available.
Section 12. Ecologic	al Information
Not available.	
Section 13. Disposal	Considerations
Waste Information	Undiluted product is regulated under environmental and transportation laws as an ignitable waste. Dispose of according to all federal, state and local regulations.
Section 14. Transpor	rt Information
DOT Classification	
Not regulated	
TDG Classification	
Not regulated	
Section 15. Regulato	bry Information
US Regulations	<ul> <li>is based on ingredients disclosed in Section 2</li> <li>I SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Ethyl Ether CERCLA: Hazardous substances.: Diethylene Glycol Ethyl Ether</li> </ul>
State	<ul> <li>New Jersey spill list: Diethylene Glycol Ethyl Ether</li> <li>New Jersey: Diethylene Glycol Ethyl Ether</li> <li>Pennsylvania RTK: Diethylene Glycol Ethyl Ether</li> </ul>
	This product is not subject to the reporting requirements under California's Proposition 65.
Registered Product Information	
~ * ~ * *	
Canadian Regulations	Connection NDDI: Alladohanayay Dalyathayyathanal
Canadian Regulations Canadian NPRI	Canadian NPRI: Alkylphenoxy Polyethoxyethanol.
Canadian NPRI	CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
Canadian NPRI	CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
Canadian NPRI WHMIS Classification	CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
Canadian NPRI WHMIS Classification WHMIS Icon Registered Product	CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

Continued on Next Page

1

Version

Notice to Reader

#### FLOOR SCIENCE SPRAY BUFF

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.