

# **SNUGGLE Liquid Fabric Softener**

HMIS NFPA		NFPA	Personal protective equipment	
Health	1	1	None / Aucune / Ninguno	
Fire Hazard	1	1	L	
Reactivity	0	0		

Version Number: 3 Preparation date: 2011-08-02

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: SNUGGLE Liquid Fabric Softener

MS0500084 MSDS #: 2979953, 2979996 **Product Code:** 

Recommended use: Industrial/Institutional. Laundry care.

Manufacturer, importer, supplier:

**US** Headquarters Diversey, Inc. 8310 16th St.

Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

Canadian Headquarters Diversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-7171

#### 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

CAUTION. MAY BE MILDLY IRRITATING TO EYES. COMBUSTIBLE LIQUID AND VAPOR.

Principal routes of exposure: Eye contact. Skin contact. Inhalation. Eye contact: May be mildly irritating to eyes.

Skin contact: None known. Inhalation: None known. Ingestion: None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Ethyl alcohol	64-17-5	0.1 - 1.5%	7060	Not available	124.7 mg/L (4 h)

# 4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. If irritation develops, get medical attention.

Skin contact: Rinse with plenty of water.

Inhalation: No specific first aid measures are required. Ingestion: No specific first aid measures are required.

**Aggravated Medical Conditions:** None known

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.

Specific hazards: Not applicable Unusual hazards: None known

Specific methods: No special methods required Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Turn off all sources of ignition.

**Environmental precautions** Eliminate all ignition sources . Soak up with inert absorbent material. Sweep up and shovel into

and clean-up methods: suitable containers for disposal. Use a water rinse for final clean-up.

#### 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with eyes. COMBUSTIBLE LIQUID AND VAPOR. Keep away from open flames, hot surfaces and sources of ignition. FOR COMMERICAL AND INDUSTRIAL USE ONLY.

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

**Personal Protective Equipment** 

Eye protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions No special requirements under normal use conditions. Skin and body protection: No special requirements under normal use conditions. Respiratory protection:

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA) 1900	1000 ppm (TWA) 1900
			mg/m³ (TWA)	mg/m³ (TWA)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Bulk density: No information available Appearance: Liquid Evaporation Rate No information available

Specific gravity: 0.994 Color: Opaque Blue Vapor density: No information available Odor: Floral

Boiling point/range: Not determined Melting point/range: Not determined

**Decomposition temperature:** Not determined Autoignition temperature: No information available Solubility: Completely Soluble Density: 8.29 lbs/gal 0.994 Kg/L

Solubility in other solvents: No information available Flash point: 168 °F 75.5 °C Partition coefficient (n-octanol/water): No information available Viscosity: No information available

Elemental Phosphorus: 0 % by wt. VOC: <1 % \*

**pH**: 5.0 Dilution pH: No information available.

Explosion limits: - upper: Not determined - lower: Not determined

#### 10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

None reasonably foreseeable. Hazardous decomposition products:

#### 11. TOXICOLOGICAL INFORMATION

Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg Acute toxicity:

**Component Information:** See Section 3

None known Chronic toxicity:

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

Specific effects

 Carcinogenic effects:
 None known

 Mutagenic effects:
 None known

 Reproductive toxicity:
 None known

 Target organ effects:
 None known

# 12. ECOLOGICAL INFORMATION

Environmental Information: No data available

# 13. DISPOSAL CONSIDERATIONS

# Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

# 14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

# 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### **U.S. Regulations**

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

**RIGHT TO KNOW (RTK)** 

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	•	•
Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, chlorides	61789-80-8	-	-	-	-
Ethyl alcohol	64-17-5	X	X	X	X

#### **CERCLA/ SARA**

SARA 311/312 Hazard Categories

Immediate:

Delayed:

Fire:

Reactivity:

Sudden Release of Pressure:

Canada

WHMIS hazard class: Division 3 - Combustible Liquid



# **16. OTHER INFORMATION**

Reason for revision: Not applicable

Prepared by: NAPRAC Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.