Material Safety Data Sheet

HMIS®

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

HEALTH

1 REACTIVITY

0

FLAMMABILITY

0 PERSONAL PROTECTION

В

Identity (As Used on Label and List)33416, 33420Liquid Alive Enzyme Digestant	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.		
SECTION I			
Manufacturer's Name ITW Dymon	Emergency Telephone Number 1.800.535.5053		
Address (Number, Street, City, State, and ZIP Code) 805 East Old 56 Highway	Telephone Number for Information 1.913.397.9889		
Olathe, Kansas 66061	Date Prepared May 1, 2002		
	Signature of Preparer (Optional) Regulatory Dept.		

SECTION II - Hazardous Ingredients/Identity

Information	n
-------------	---

Hazardous Components (Specific	CAC N	OCHA PEL	A COLUMN TO M	Other Limits	0/
Chemical Identity, Common	CAS No.	OSHA PEL	ACGIH-TLV	Recommended	%
Name(s))					(Opt.)
VM & P Naphtha	64742-89-8	5 mg/m ³ (mist)	5 mg/m ³ (mist)		3-7 %
*Methanol	67-56-1	200 ppm (skin)	200 ppm (skin)	250 ppm (STEL)	1-5 %
Isobutane	75-28-5	800 ppm	800 ppm		5-10 %
Propane	74-98-6	1000 ppm	Asphyxiant		1-5 %

* This product contains methanol which is listed and may require reporting under SARA Title III Sec. 313 if used over the threshold reporting quantity. This information must be included in all MSDSs that are copied and distributed for this material.

TSCA: All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

SECTION III Physical/Chemical

Characteristics

Boiling Point		Specific Gravity (H ₂ O = 1)		
Concentrate	148° F	Concentrate	0.99	
Pressure (psig. @ 70° F)		Melting Point		
, , , , , , , , , , , , , , , , , , ,	50 ± 5		No Data	
Vapor Density (AIR = 1)	Greater than	Evaporation Rate (Ethyl Ether = 1)		
	one (1)		1.62	
Solubility in Water		pH		
Emulsifies completely into water.			9.5 <u>+</u> 0.5	
Appearance and Odor - Thin white opaque liquid with a pleasant		VOC'sThis product contains 146.5 grams per liter or 19% by		

scent. Foam out of aerosol dispenser.

SECTION IV - Fire and Explosion Hazard Data

USA Flame Projection Test	Flammable Limits	LEL	UEL		
6" - 8", No flashback (Non-flammable)	No Data	No Data	No Data		

weight VOC's.

Extinguishing Media

Not usually necessary. Carbon dioxide, dry chemical, foam or water fog acceptable.

Special Fire Fighting Procedures - Use water spray to keep containers cool and vapors down. Do not allow runoff to enter sewers or public watercourses. Wear self-contained breathing apparatus in chemical fires.

Unusual Fire and Explosion Hazards -

Aerosol container (pressurized) may burst if heated over 120° F. Foam may retain propellant.

33416, 33420 May 1, 2002 SECTION V - Reactivity Data Stability Unstable Conditions to Avoid - Extreme heat, direct sunlight Stable Incompatibility (Materials to Avoid) Strong acids and oxidizers, selected amines. Hazardous Decomposition or Byproducts -Carbon dioxide and carbon monoxide. Hazardous May Occur Conditions to Avoid None known Polymerization Will Not Occur X SECTION VI - Health Hazard Data Route(s) of Entry Eyes? Inhalation? Skin? Ingestion? Yes Health Hazards (Acute and Chronic) - Warning. Harmful if swallowed. May cause eye and skin irritation. May cause respiratory tract irritation. Contents under pressure. Toxic by ingestion. Aspiration hazard. **OSHA Regulated?** Carcinogenicity: NTP? IARC Monographs? None known No No No WARNING: This product may contain trace chemicals known to the State of California to cause cancer and birth defects or other Signs and Symptoms of Exposure - Redness, tearing, burning in eyes. Defatting or drying of skin, cracking. Narcotic effects possible with inadequate ventilation. Irritation of nose and throat. Aspiration hazard. Contains methanol (less than 2.5%). Medical Conditions Generally Aggravated by Exposure Pre-existing skin and lung disorders. Follow good chemical hygiene procedures to avoid this hazard. Emergency and First Aid Procedures: -Eyes - Flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. Get immediate medical attention. Ingestion - Do not induce vomiting. Get immediate medical attention. Inhalation - Get to fresh air. If breathing has stopped, qualified personnel should administer artificial respiration. Skin - Flush with plenty of water for at least 15 minutes. SECTION VII - Precautions for Safe Handling and Use Steps to be Taken in Case Material is Released or Spilled - Caution, slip hazard. Wipe up small spills promptly with a towel other absorbant material. For large spills, isolate traffic and ventilate area. Eliminate all ignition sources. Wear protective gear as necessary. Dike to prevent spread. Pick-up on absorbent material. Put in suitable container. Dispose of properly. Waste Disposal Method - Consult local, state and federal regulations. Do not puncture or incinerate container. Replace cap on empty can, wrap, then discard container if allowed by applicable statutes. Precautions to be Taken in Handling and Storing - Do not get in eyes. Avoid contact with skin and clothing. Do not swallow. Wash thoroughly after handling. Contains petroleum distillates. Aspiration hazard. Store in a cool (under 120° F) dry location away from heat, sparks, open flame, direct sunlight, etc. Do not puncture or incinerate container. Direct spray away from face. Use with adequate ventilation. Replace cap when not in use. Avoid inhaling mist or vapors. Other Precautions - Follow label directions carefully. Keep out of reach of children. Do not deliberately concentrate and inhale vapors. Do not use around ignition sources such as heat, sparks, open flame, etc. Do not contaminate food, water or feed by use or storage. SECTION VIII - Control Measures Respiratory Protection (Specify Type) - Not usually necessary. Use with adequate ventilation. If PELs or TLVs are exceeded (see Section II), use an approved NIOSH\MSHA respirator.

Ventilation	Local Exhaust	Not necessar	У	Special	None	
	Mechanical (General) -	Yes		Other	None	
Protective Gloves			Eye Protection			
Yes (impermeable, i.e. rubber, neoprene, etc.)			Yes (safety glasses w/ side shields, or goggles)			

Other Protective Clothing or Equipment -

If needed to prevent body contact. Launder contaminated clothing before reuse.

Work/Hygienic Practices -

Normal. Wash thoroughly before eating, drinking, smoking, using restrooms, etc.

WARNING: The use of this product is beyond the control of the manufacturer; therefore, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The user must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. The product is the support of the product. THIS WARRANTY IS IN LIBOR OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, OR ANY OTHER MATTER, OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE IMPROPER USE OF THIS PRODUCT. The sole and excel against the numericular for breach of warranty shall be impurbased price of the product in the vent that a defective shall be found to exist. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.