MATERIAL SAFETY DATA SHEET This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

| This MSDS complies with OSHA'S Hazard Co | | | | JSHA Form 1 | 74 | | |
|--|---|--|-------------|------------------|-----------------|--------------|--|
| | | OR'S INFORMATIO | | | | | |
| NFPA Rating: Health-1; Flammability-1; Reactivity-0; Special-B | | HMIS Rating: Health-1; Flammability-1; Reactivity-0; Personal Protection-B | | | | | |
| | | DOT Hazard Classification: ORM-D | | | | | |
| Address: 2 Executive Park Dr. | lde | Identity (trade name as used on label): | | | | | |
| Addrss: Billerica, MA 01803 | | SSS FOAM DISINFECTANT CLEANER | | | | | |
| Phone: 978-667-7900 | MS | MSDS Number: 250 Revision- 11 | | | | | |
| | | nformation Calls: 978-667-7900 | | | | | |
| NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA | Pate Prepared: 02/25/97 Prepared By: ES | | | | | | |
| SECTION 1 - MATERIA | L IDENTIFIC | ATION AND INFOR | MATION | | | | |
| COMPONENTS-CHEMICAL NAMES AND COMMON NAMES | | CAS Number | SARA | OSHA PEL | ACGIH | Carcinogen | |
| (Hazardous Components 1% or greater; Carcinogens 0.1% or greater) | | III LIST | (ppm) | TLV (ppm) | Ref. Source ** | | |
| ISOBUTANE | 75-28-5 | No | 800 | 800 | d | | |
| DIETHYLENE GLYCOL ETHYL ETHER | 111-90-0 | Yes | N/E | N/E | d | | |
| ETHYLENE GLYCOL MONOBUTYL ETHER | 111-76-2 | No | 50 | 25 | d | | |
| TETRASODIUM ETHYLENEDIAMINE TETRAACETATE | 64-02-8 | No | N/E | N/E | d | | |
| | 04-02-0 | INU | | | u | | |
| | | | | | | | |
| SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS | | | | | | | |
| Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 1.0 | | | | | | | |
| Vapor Pressure: PSIG @ 70°F (Aerosols): Max.60 Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A | | | | | | | |
| Vapor Density (Air = 1): N/E Evaporation Rate (= 1): N/E | | | | | | | |
| Solubility in Water: Completely soluble. Water Reactive: No | | | | | | | |
| Appearance and Odor: White foam, pine fragrance. | | | | | | | |
| SECTION 3 - FIRE AND EXPLOSION HAZARD DATA | | | | | | | |
| • | ABILITY as per USA FLAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volume: | | | | | | |
| (aerosols) NON-FLAMMABLE | | N/E | | .: N/E | | L: N/E | |
| FLASH POINT AND METHOD USED (non-aerosols): N/A | | INGUISHER MEDIA: | Foam, dry | chemical, carb | on dioxide. | | |
| SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing ap | | | | | | | |
| Unusual Fire & Explosion Hazards: Do not expose aerosols to tempe | | | may ruptu | re. | | | |
| SECTION 4 - REACTIVITY HAZARD DATA | | | | | | | |
| STABILITY [X] STABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR | | | | | | | |
| Incompatibility (Mat. to avoid): Strong oxidizers Conditions to Avoid: Open flame, welding arcs, heat. | | | | | | | |
| Hazardous Decomposition Products: Carbon monoxide, carbon dioxi | | | | | | | |
| SECTION 5 - HEALTH HAZARD DATA | | | | | | | |
| PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [X] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS | | | | | | | |
| ACUTE EFFECTS: | | | | | | | |
| Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness. | | | | | | | |
| Eye Contact: Irritation. Skin Contact: Mild irritation. | | | | | | | |
| Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea. | | | | | | | |
| CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause diarrhea, vomiting, gastrointestinal irritation. Lab animals | | | | | | | |
| have experienced anemia, liver, kidney, lung, blood damage to Glycol Ether EB. | | | | | | | |
| Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions. | | | | | | | |
| EMERGENCY FIRST AID PROCEDURES | | | | | | | |
| Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention. | | | | | | | |
| Skin Contact: Wash with soap and water. If irritated, seek medical attention. | | | | | | | |
| Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. | | | | | | | |
| Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention. | | | | | | | |
| SECTION 6 - CONTR | ROL AND PI | ROTECTIVE MEASU | JRES | | | | |
| Respiratory Protection (specify type): If vapor concentration exceeds | TLV, use resp | irator approved by NIOS | SH in posit | tive pressure n | node. | | |
| Protective Gloves: Latex, if skin easily irritated. | Eye | Protection: Safety gla | sses recor | mmended. | | | |
| Ventilation Requirements: Adequate ventilation to keep vapor concent | tration below T | LV. | | | | | |
| Other Protective Clothing & Equipment: None | | | | | | | |
| Hygienic Work Practices: Wash with soap and water before handling f | food. Remove | contaminated clothing. | | | | | |
| SECTION 7 - PRECAUT | | | ND USE | | | - | |
| Steps To Be Taken If Material Is Spilled Or Released: Absorb with su NOT FLUSH TO SEWER. | uitable medium | . Incinerate or landfill a | ccording to | o local, state o | r Federal regu | llations. DO | |
| Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard. | | | | | | | |
| Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F. | | | | | | | |
| Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors. | | | | | | | |
| We believe the statements, technical information and recommendations | contained here | in are reliable, but they | are given | without warrai | nty or guarante | | |
| ** Chemical Listed as Carcinogen or Potential Carcinoger | | | | | | | |

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only **MSDS IS CURRENT AS OFJANUARY 10, 2000.** The DATE PREPARED section is the original date assembled and remains current until a change is necessary.