

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **BIG ORANGE**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry  
STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 1/27/99

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
d-Limonene	5989275	None	None	1.0

VOC Content: 137.9 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 0.985	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: Amber/Citrus Odor	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): 175	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 9.0-10.5	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 1 1 0 0	EXTINGUISHING MEDIA: None	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable	CONDITIONS TO AVOID: None
INCOMPATIBLE MATERIALS TO AVOID: Strong Oxidizers	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2	
HAZARDOUS POLYMERIZATION: None	CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible      SKIN?: Possible      INGESTION?: Possible  
HEALTH HAZARDS: Same as signs and symptoms of exposures.  
NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.  
OSHA CARCINOGENICITY?: None      NTP?: None      IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning sensation      SKIN: Slight irritation      INGESTION: Nausea, slight irritation      INHALATION: Dizziness, Headches  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician  
SKIN: Wash off with soap & water  
INGESTION: Drink large amounts of water, call physician  
INHALATION: Get person to fresh air. If unconcious, call physician

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available      MECHANICAL: If Available      SPECIAL: None      OTHER: None

PROTECTIVE GLOVE: Rubber/Plastic, Chemical resistant      EYE PROTECTION: Glasses/Goggles  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

**IDENTITY: BOSS DOUBLE DUTY DESGREASER**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry  
**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 11/10/87

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
2-Butoxyethanol*	111-76-2	50ppm	25ppm	7.5
Sodium Hydroxide*	1310-73-2	2mg/m3	2mg/m3	1.8

**VOC Content:** 79.5 g/L

**NOTE:** \*A SARA 313 Chemical

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

**BOILING POINT (°F):** 180  
**MELTING POINT (°F):** Not Tested  
**SOLUBILITY IN WATER:** 100%

**SPECIFIC GRAVITY:** 1.060  
**EVAPORATION RATE:** Not Tested  
**APPEARANCE AND ODOR:** Blue-Green/Solvent Odor

**VAPOR PRESSURE:** Not Tested  
**VAPOR DENSITY:** Not Tested

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

**FLASH POINT (°F):** 200  
**NFPA HAZARD RATING:** (0-Lease, 4-Extreme)

**FLAMMABLE LIMITS:** Not Tested  
**H F R S:** 3 0 0 0

**LEL:** Not Tested  
**EXTINGUISHING MEDIA:** CO2, DRY FOAM  
**SPECIAL FIRE FIGHTING PROCEDURE:** None

**UEL:** Not Tested  
**pH:** 12.5-14.0  
**DOT #:** None

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

**SECTION 5 – REACTIVITY DATA**

**STABILITY:** Stable  
**INCOMPATIBLE MATERIALS TO AVOID:** None  
**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** None  
**HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR

**CONDITIONS TO AVOID:** None  
**CONDITIONS TO AVOID:** None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

**INHALATION?:** Possible  
**HEALTH HAZARDS:** Same as signs and symptoms of exposures.  
**NOTE:** All chemicals incorporated into this product are found on the TSCA inventory list.  
**OSHA CARCINOGENICITY?:** None  
**SKIN?:** Possible  
**INGESTION?:** Possible  
**NTP?:** None  
**IARC MONOGRAPHS?:** None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

**EYES:** Severe burning  
**SKIN:** Irritation  
**INGESTION:** Burning irritation  
**INHALATION:** May cause dizziness/headache  
**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

**EYES:** Flush with water for 15 minutes. If irritation persists, call physician  
**SKIN:** Wash with soap and water. If irritation persists, call physician  
**INGESTION:** Give large amounts of water to dilute, call physician  
**INHALATION:** Move to fresh air. If uncoucious, contact physician

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
**WASTE DISPOSAL METHOD:** Dispose of in accordance with state and local regulations.  
**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
**OTHER PRECAUTION:** Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

**RESPORITORY PROTECTION:** Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

**LOCAL EXHAUST:** If Available  
**MECHANICAL:** If Available  
**SPECIAL:** None  
**OTHER:** None

**PROTECTIVE GLOVE:** Rubber/Plastic  
**EYE PROTECTION:** Glasses/Goggles  
**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None

**WORK HYGENIC PRACTICES:** Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

**OTHER SPECIAL REQUIREMENTS:**

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **BLAST**

MANUFACTURER'S NAME: Fridays Product

EMERGENCY PHONE: 800-535-5053

PHONE: 888-322-0064

ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry

STATE: CA

ZIP: 91745

DATE PREPARED: 1/21/99

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Hydrochloric Acid*	7647010	5ppm	5ppm	
Hydrofluoric Acid*	7664393	3ppm	3ppm	

VOC Content: <10 g/L

NOTE: \*A SARA 313 Chemical

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: Not Tested	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: COLORLESS / ACRID ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: LOW	DOT #: UN2817
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 3 0 0 0	EXTINGUISHING MEDIA: None		SPECIAL FIRE FIGHTING PROCEDURE: None	

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable	CONDITIONS TO AVOID: None
INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2	
HAZARDOUS POLYMERIZATION: None	CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible      SKIN?: Possible      INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None      IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning sensation      SKIN: Severe irritation      INGESTION: Burning irritation, nausea      INHALATION: Irritation

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician

SKIN: Wash off with soap & water, clean underneath fingernails, if irritation persists, call physician

INGESTION: Drink large amounts of water, call physician

INHALATION: Get person to fresh air if unconscious, call physician

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available      MECHANICAL: If Available      SPECIAL: None      OTHER: None

PROTECTIVE GLOVE: Rubber/Plastic, Chemical resistant      EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

**MATERIAL SAFETY DATA SHEET**  
**OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR**

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

**IDENTITY: CRÈME CLEANSER**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry  
**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 12/7/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Ammonia Hydroxide *	1336216	35ppm	35ppm	
2-Butoxy Ethanol *	111762	25ppm	25ppm	

**VOC Content:** 24.4 g/L

**NOTE:**

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>BOILING POINT (°F):</b> >212	<b>SPECIFIC GRAVITY:</b> Not Tested	<b>VAPOR PRESSURE:</b> Not Tested
<b>MELTING POINT (°F):</b> Not Tested	<b>EVAPORATION RATE:</b> Not Tested	<b>VAPOR DENSITY:</b> Not Tested
<b>SOLUBILITY IN WATER:</b> Miscible%	<b>APPEARANCE AND ODOR:</b> OPAGUE GRAY/FRAGRANT ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

<b>FLASH POINT (°F):</b> None	<b>FLAMMABLE LIMITS:</b> Not Tested	<b>LEL:</b> Not Tested	<b>UEL:</b> Not Tested	<b>pH:</b> 6.5-10.0	<b>DOT #:</b> None
<b>NFPA HAZARD RATING:</b> (0-Lease, 4-Extreme)	<b>H F R S</b> 1 0 0 0	<b>EXTINGUISHING MEDIA:</b> None		<b>SPECIAL FIRE FIGHTING PROCEDURE:</b> None	

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

**SECTION 5 – REACTIVITY DATA**

<b>STABILITY:</b> Stable	<b>CONDITIONS TO AVOID:</b> None
<b>INCOMPATIBLE MATERIALS TO AVOID:</b> STRONG OXIDIZERS	
<b>HAZARDOUS DECOMPOSITION OR BYPRODUCTS:</b> CO, CO2	
<b>HAZARDOUS POLYMERIZATION:</b> None	<b>CONDITIONS TO AVOID:</b> None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

**INHALATION?:** Possible      **SKIN?:** Possible      **INGESTION?:** Possible

**HEALTH HAZARDS:** Same as signs and symptoms of exposures.

**NOTE:** All chemicals incorporated into this product are found on the TSCA inventory list.

**OSHA CARCINOGENICITY?:** None      **NTP?:** None      **IARC MONOGRAPHS?:** None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

**EYES:** Burning Sensation      **SKIN:** Slight Irritation      **INGESTION:** Irritant      **INHALATION:** Dizziness, Headaches, Irritation

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

**EYES:** Flush with water for 15 minutes. If irritation persists, call physician.

**SKIN:** Wash off with soap & water.

**INGESTION:** Drink large amounts of water, call physician.

**INHALATION:** Get person to fresh air if unconscious, call physician.

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

**WASTE DISPOSAL METHOD:** Dispose of in accordance with state and local regulations.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

**OTHER PRECAUTION:** Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

**RESPIRATORY PROTECTION:** Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CFR 1910.134, is required.

**VENTILATION**

**LOCAL EXHAUST:** If Available      **MECHANICAL:** If Available      **SPECIAL:** None      **OTHER:** None

**PROTECTIVE GLOVE:** Plastic/Rubber, Chemical Resistant      **EYE PROTECTION:** Glasses/Goggles

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None

**WORK HYGENIC PRACTICES:** Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

**OTHER SPECIAL REQUIREMENTS:**

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **DEFOAMER**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry  
STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 10/2/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

VOC Content: <10 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.01	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: Miscible%	APPEARANCE AND ODOR: OPAQUE WHITE/SOAPY ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 7.0-9.0	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 0 0 0 0	EXTINGUISHING MEDIA: None	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: Strong Oxidizers  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None  
CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible  
SKIN?: Possible  
INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None  
IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning Sensation  
SKIN: Not expected to be a problem  
INGESTION: Nausea  
INHALATION: Not expected to be a problem  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician

SKIN: Wash off with soap & water

INGESTION: Induce vomiting, call physician

INHALATION: See above

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available  
MECHANICAL: If Available  
SPECIAL: None  
OTHER: None

PROTECTIVE GLOVE: None  
EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **EASY GLIDE**

MANUFACTURER'S NAME: Fridays Product

EMERGENCY PHONE: 800-535-5053

PHONE: 888-322-0064

ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry

STATE: CA

ZIP: 91745

DATE PREPARED: 1/21/99

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

VOC Content: <10 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.043	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: AMBER/BLAND ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 6.5-9.0	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 0 0 0 0	EXTINGUISHING MEDIA: None		SPECIAL FIRE FIGHTING PROCEDURE: None	

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None  
CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning Sensation SKIN: Not expected to be a problem INGESTION: Nausea INHALATION: Not expected to be a problem

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physicians.

SKIN: Wash off with water.

INGESTION: Induce vomiting, call physician.

INHALATION: Not expected to be a problem.

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPIRATORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: None EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

**MATERIAL SAFETY DATA SHEET**  
**OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR**

**IDENTITY: FORMULA 29**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry

**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 1/2/01

**SECTION 1 – PRODUCT**

**NAME:** FORMULA 29  
**HEALTH:** 0  
**HEALTH HAZ**  
0= Minimal  
1= Slightly haz  
2= Hazardous  
3= Serious haz  
4= Severe haz

**PRODUCT CODE:** VHS  
**FLAMMABILITY:** 0  
**FIRE HAZ**  
0= Will not burn  
1= FP>141F  
2= FP=>73F=<141F  
3= FP<73F  
4= BP<95F  
FP by PMCC

**PRODUCT TYPE:** FLOOR FINISH  
**REACTIVITY:** 0  
**REACTIVITY HAZ**  
0= None  
1= Mild  
2= Strong

**PPE:** 0  
**PERSONAL PROTECTION**  
0= Not necessary  
1= Goggles  
2= Goggles, Gloves  
3= Goggles, Gloves & Protective Clothes  
4= Goggles, Gloves & Respirators

**SECTION 3 – HAZARDOUS INGREDIENTS**

**ACUTE HEALTH EFFECTS:** None

**CHRONIC HEALTH EFFECTS:** None

**CARCINOGEN:** No

**PRIMARY ENTRY ROUTES:**

**SKIN & EYES:** Prolonged skin contact may produce slight irritation. Eye contact may be slightly irritating.

**INGESTION:** May be harmful

**INHALATION:** Not considered a hazard

**FIRST AID:**

**SKIN:** Wash effected area with soap & water. Get medical attention for persistent irritation.

**EYES:** Wash eyes with large volumes of water for at least 15 minutes while lifting the upper and lower eyelids and rotating the eyeball. Get medical attention if irritation persists.

**INGESTION:** Give large volumes of water. Do not induce vomiting. Get medical attention.

**INHALATION:** N/A

**SECTION 4 – PHYSICAL & CHEMICAL CHARACTERISTICS**

**PHYSICAL STATE:** LIQUID  
**SPECIFIC GRAVITY [H<sub>2</sub>O = 1.0]:** 1.03

**COLOR:** MILKY WHITE  
**pH:** 9.3  
**FREEZING POINT:** N/A

**ODOR:** SLIGHT AMMONIA  
**FLASH POINT:** NONE

**SOLUBILITY IN WATER:** EMULSIFIABLE  
**VAPOR PRESSURE:** N/A

**SECTION 5 – FIRE & EXPLOSION HAZARD**

**FLASH POINT:** NONE

**EXTINGUISHING MEDIA:** N/A

**SPECIAL FIRE FIGHTING PROCEDURE:** N/A

**UNUSUAL FIRE & EXPLOSION HAZARD PRECAUTIONS THAT APPLY TO ANY FIRE:** Fire fighters should observe all where chemicals are stored.

**SECTION 6 – REACTIVITY DATA**

**STABILITY:** Stable

**CONDITIONS TO AVOID:** None Known

**SECTION 7 – SPILL OR LEAK PROCEDURES**

- If product leaks or spills- flood area with water-mop up dispose to sanitary sewer.
- Abide by Federal, State, and Local Regulations.

**SECTION 8 – PERSONAL PROTECTION**

- Not required

**SECTION 9 – SPECIAL PRECAUTIONS**

- Store containers tightly closed and in an upright position.
- Do not destroy or deface the label.

**SECTION 10 – SECTION 313 SUPPLIER NOTIFICATION (SARA)**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

HAZARDOUS COMPONENT	CAS #	OSHA PEL	ACGIH TLV	WEIGHT %
Diethylene Glycol Monomethyl Ether	111-77-3			7.7

**SECTION 11 – TOXICOLOGICAL INFORMATION**

- NONE

**SECTION 12 – ECOLOGICAL INFORMATION**

- NONE

**SECTION 13 – DISPOSAL CONSIDERATIONS**

- SEE SECTION 7 ABOVE

**SECTION 14 – DOT TRANSPORT INFORMATION**

- THIS PRODUCT IS NOT REGULATED

**SECTION 15 – OTHER REGULATORY INFORMATION**

- ALL INGRDIENTS APPEAR ON THE TSCA INVENTORY LIST.

**SECTION 16 – OTHER INFORMATION**

- N/A = Not Applicable
- \* Dangerous Goods Identification System (DGIS)
- PMCC = Pensky Martin Closed Cup
- Manufacturer believes that the information given here is accurate. The suggested procedures are based on experience and common sense and are not necessarily all-inclusive of every conceivable circumstance.

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **GLASS CLEANER R.T.U.**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 6/22/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Isopropanol	67630	400ppm	400ppm	5.0
2-Butoxy Ethanol*	111762	25ppm	25ppm	1.0

VOC Content: 59.7 g/L

NOTE: \*A SARA 313 Chemical

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212 SPECIFIC GRAVITY: 0.995 VAPOR PRESSURE: Not Tested  
MELTING POINT (°F): Not Tested EVAPORATION RATE: Not Tested VAPOR DENSITY: Not Tested  
SOLUBILITY IN WATER: 100% APPEARANCE AND ODOR: BLUE/SLIGHT SOVENT ODOR

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): >212 FLAMMABLE LIMITS: Not Tested LEL: Not Tested UEL: Not Tested pH: 6.5-8.0 DOT #: None  
NFPA HAZARD RATING: H F R S EXTINGUISHING MEDIA: None  
(0-Lease, 4-Extreme) 0 0 0 0 SPECIAL FIRE FIGHTING PROCEDURE: None

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning Sensation SKIN: Not expected to be a problem INGESTION: Nausea, Slight Irritation INHALATION: Not expected to be a problem  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician.

SKIN: Wash off with soap & water

INGESTION: Induce vomiting, call physician.

INHALATION: See above

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: None EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:



MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **GOLD BOND**

MANUFACTURER'S NAME: Fridays Product

EMERGENCY PHONE: 800-535-5053

PHONE: 888-322-0064

ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry

STATE: CA

ZIP: 91745

DATE PREPARED: 7/10/97

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Ethylene Glycol Monobutyl Ether	111-76-2	25ppm	25ppm	

VOC Content: g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): 212	SPECIFIC GRAVITY: 1.02	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: LIQUID, MILKY WHITE / BLAND ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH:	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 0 0 0 0	EXTINGUISHING MEDIA: None		SPECIAL FIRE FIGHTING PROCEDURE: None	

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable	CONDITIONS TO AVOID: None
INCOMPATIBLE MATERIALS TO AVOID: None	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None	
HAZARDOUS POLYMERIZATION: None	CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

ROUTE OF ENTRY

INHALATION?: Possible      SKIN?: Possible      INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None      IARC MONOGRAPHS?: None

SIGNS AND SYMPTOMS OF OVER EXPOSURE

EYES:      SKIN:      INGESTION:      INHALATION:

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

EMERGENCY AND FIRST AID PROCEDURES

EYES:

SKIN:

INGESTION:

INHALATION:

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

VENTILATION

LOCAL EXHAUST: If Available      MECHANICAL: If Available      SPECIAL: None      OTHER: None

PROTECTIVE GLOVE: None

EYE PROTECTION: None

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **GREEN KLEEN**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 8/17/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

VOC Content: <10 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.051	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: GREEN / MINT ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 9.0-10.5	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 0 0 0 0	EXTINGUISHING MEDIA: None	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable	CONDITIONS TO AVOID: None
INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2	
HAZARDOUS POLYMERIZATION: None	CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning sensation SKIN: Not expected to be a problem INGESTION: Nausea INHALATION: Not expected to be a problem

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician

SKIN: Wash off with soap & water

INGESTION: Induce vomiting, call physician

INHALATION: See above

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPIRATORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: None EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **COCO HAND SOAP**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 10/2/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

VOC Content: <10 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.025	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: YELLOW/CITRUS ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 6.5-8.0	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 0 0 0 0	EXTINGUISHING MEDIA: None		SPECIAL FIRE FIGHTING PROCEDURE: None	

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: Strong Oxidizers  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning Sensation SKIN: Not expected to be a problem INGESTION: Nausea INHALATION: Not expected to be a problem

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician

SKIN: Wash off with soap & water

INGESTION: Induce vomiting, call physician

INHALATION: See above

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPIRATORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: None EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

**IDENTITY:** PINK LOTION HAND SOAP

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry  
**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 10/23/97

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

**VOC Content:** 0 g/L

**NOTE:**

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>BOILING POINT (°F):</b> >212	<b>SPECIFIC GRAVITY:</b> 1.020	<b>VAPOR PRESSURE:</b> Not Tested
<b>MELTING POINT (°F):</b> Not Tested	<b>EVAPORATION RATE:</b> Not Tested	<b>VAPOR DENSITY:</b> Not Tested
<b>SOLUBILITY IN WATER:</b> 100%	<b>APPEARANCE AND ODOR:</b> OPAQUE PINK/ALMOND ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

<b>FLASH POINT (°F):</b> None	<b>FLAMMABLE LIMITS:</b> Not Tested	<b>LEL:</b> Not Tested	<b>UEL:</b> Not Tested	<b>pH:</b> 6.5-8.0	<b>DOT #:</b> None
<b>NFPA HAZARD RATING:</b> (0-Lease, 4-Extreme)	<b>H F R S</b> 0 0 0 0	<b>EXTINGUISHING MEDIA:</b> None		<b>SPECIAL FIRE FIGHTING PROCEDURE:</b> None	

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

**SECTION 5 – REACTIVITY DATA**

<b>STABILITY:</b> Stable	<b>CONDITIONS TO AVOID:</b> None
<b>INCOMPATIBLE MATERIALS TO AVOID:</b> Strong Oxidizers	
<b>HAZARDOUS DECOMPOSITION OR BYPRODUCTS:</b> CO, CO2	
<b>HAZARDOUS POLYMERIZATION:</b> None	<b>CONDITIONS TO AVOID:</b> None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

**INHALATION?:** Possible      **SKIN?:** Possible      **INGESTION?:** Possible

**HEALTH HAZARDS:** Same as signs and symptoms of exposures.

**NOTE:** All chemicals incorporated into this product are found on the TSCA inventory list.

**OSHA CARCINOGENICITY?:** None    **NTP?:** None      **IARC MONOGRAPHS?:** None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

**EYES:** Burning Sensation      **SKIN:** Not expected to be a problem      **INGESTION:** Nausea      **INHALATION:** Not expected to be a problem

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

**EYES:** Flush with water for 15 minutes. If irritation persists, call physician

**SKIN:** Wash off with soap & water

**INGESTION:** Induce vomiting, call physician

**INHALATION:** Not expected to be a problem

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

**WASTE DISPOSAL METHOD:** Dispose of in accordance with state and local regulations.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

**OTHER PRECAUTION:** Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

**RESPORITORY PROTECTION:** Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

**LOCAL EXHAUST:** If Available      **MECHANICAL:** If Available      **SPECIAL:** None      **OTHER:** None

**PROTECTIVE GLOVE:** None      **EYE PROTECTION:** Glasses/Goggles

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None

**WORK HYGENIC PRACTICES:** Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

**OTHER SPECIAL REQUIREMENTS:**

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

**IDENTITY: ROSE ANTIBACTERIAL HANDSOAP**

**MANUFACTURER'S NAME:** Fridays Product **EMERGENCY PHONE:** 800-535-5053 **PHONE:** 888-322-0064  
**ADDRESS:** 15810 E. Gale Ave. **CITY:** City Of Industry **STATE:** CA **ZIP:** 91745 **DATE PREPARED:** 10/4/99

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

**VOC Content:** <10 g/L **NOTE:**

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>BOILING POINT (°F):</b> >212	<b>SPECIFIC GRAVITY:</b> 1.020	<b>VAPOR PRESSURE:</b> Not Tested
<b>MELTING POINT (°F):</b> Not Tested	<b>EVAPORATION RATE:</b> Not Tested	<b>VAPOR DENSITY:</b> Not Tested
<b>SOLUBILITY IN WATER:</b> 100%	<b>APPEARANCE AND ODOR:</b> Orange/Floral Odor	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

<b>FLASH POINT (°F):</b> None	<b>FLAMMABLE LIMITS:</b> Not Tested	<b>LEL:</b> Not Tested	<b>UEL:</b> Not Tested	<b>pH:</b> 6.5-8.0	<b>DOT #:</b> None
<b>NFPA HAZARD RATING:</b> (0-Lease, 4-Extreme)	<b>H F R S</b> 0 0 0 0	<b>EXTINGUISHING MEDIA:</b> None		<b>SPECIAL FIRE FIGHTING PROCEDURE:</b> None	

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

**SECTION 5 – REACTIVITY DATA**

**STABILITY:** Stable **CONDITIONS TO AVOID:** None  
**INCOMPATIBLE MATERIALS TO AVOID:** Strong Oxidizers  
**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** CO, CO2  
**HAZARDOUS POLYMERIZATION:** None **CONDITIONS TO AVOID:** None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

**INHALATION?:** Possible **SKIN?:** Possible **INGESTION?:** Possible  
**HEALTH HAZARDS:** Same as signs and symptoms of exposures.  
**NOTE:** All chemicals incorporated into this product are found on the TSCA inventory list.  
**OSHA CARCINOGENICITY?:** None **NTP?:** None **IARC MONOGRAPHS?:** None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

**EYES:** Burning sensation **SKIN:** Not expected to be a problem **INGESTION:** Nausea **INHALATION:** Not expected to be a problem  
**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

**EYES:** Flush with water for 15 minutes. If irritation persists, call physician  
**SKIN:** Wash of with water  
**INGESTION:** Induce vomitting, call physician  
**INHALATION:** Not expected to be a problem

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
**WASTE DISPOSAL METHOD:** Dispose of in accordance with state and local regulations.  
**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
**OTHER PRECAUTION:** Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

**RESPORITORY PROTECTION:** Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

**LOCAL EXHAUST:** If Available **MECHANICAL:** If Available **SPECIAL:** None **OTHER:** None

**PROTECTIVE GLOVE:** None **EYE PROTECTION:** Glasses/Goggles  
**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None

**WORK HYGENIC PRACTICES:** Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

**OTHER SPECIAL REQUIREMENTS:**

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

**IDENTITY: HIGH SPEED SPRAY BUFF**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry  
**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 9/4/97

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Diethylene Glycol Methyl Ether	111773	None	None	2.0

**VOC Content:** 26.0 g/L

**NOTE:**

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>BOILING POINT (°F):</b> >212	<b>SPECIFIC GRAVITY:</b> 1.015	<b>VAPOR PRESSURE:</b> Not Tested
<b>MELTING POINT (°F):</b> Not Tested	<b>EVAPORATION RATE:</b> Not Tested	<b>VAPOR DENSITY:</b> Not Tested
<b>SOLUBILITY IN WATER:</b> 100%	<b>APPEARANCE AND ODOR:</b> Opaque Pink/Soapy Odor	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

<b>FLASH POINT (°F):</b> None	<b>FLAMMABLE LIMITS:</b> Not Tested	<b>LEL:</b> Not Tested	<b>UEL:</b> Not Tested	<b>pH:</b> 7.5-9.0	<b>DOT #:</b> None
<b>NFPA HAZARD RATING:</b> (0-Lease, 4-Extreme)	<b>H F R S</b> 1 0 0 0	<b>EXTINGUISHING MEDIA:</b> None		<b>SPECIAL FIRE FIGHTING PROCEDURE:</b> None	

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

**SECTION 5 – REACTIVITY DATA**

**STABILITY:** Stable  
**CONDITIONS TO AVOID:** None  
**INCOMPATIBLE MATERIALS TO AVOID:** Cationic Materials, Strong Oxidizers  
**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** CO, CO2  
**HAZARDOUS POLYMERIZATION:** None  
**CONDITIONS TO AVOID:** None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

**INHALATION?:** Possible  
**SKIN?:** Possible  
**INGESTION?:** Possible  
**HEALTH HAZARDS:** Same as signs and symptoms of exposures.  
**NOTE:** All chemicals incorporated into this product are found on the TSCA inventory list.  
**OSHA CARCINOGENICITY?:** None  
**NTP?:** None  
**IARC MONOGRAPHS?:** None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

**EYES:** Burning sensation  
**SKIN:** Slight irritation  
**INGESTION:** Nausea  
**INHALATION:** Not expected to be a problem  
**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

**EYES:** Flush with water for 15 minutes. If irritation persists, call physician  
**SKIN:** Wash off with soap & water  
**INGESTION:** Drink large amounts of water, call physician  
**INHALATION:** Not expected to be a problem

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
**WASTE DISPOSAL METHOD:** Dispose of in accordance with state and local regulations.  
**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
**OTHER PRECAUTION:** Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

**RESPORITORY PROTECTION:** Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

**LOCAL EXHAUST:** If Available  
**MECHANICAL:** If Available  
**SPECIAL:** None  
**OTHER:** None

**PROTECTIVE GLOVE:** Rubber/Plastic, Chemical resistant  
**EYE PROTECTION:** Glasses/Goggles  
**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None

**WORK HYGENIC PRACTICES:** Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

**OTHER SPECIAL REQUIREMENTS:**

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

**IDENTITY:** **NEUTRALIZING RINSE AGENT**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry  
**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 10/7/97

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

**VOC Content:** 0 g/L

**NOTE:**

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>BOILING POINT (°F):</b> >212	<b>SPECIFIC GRAVITY:</b> 1.010	<b>VAPOR PRESSURE:</b> Not Tested
<b>MELTING POINT (°F):</b> Not Tested	<b>EVAPORATION RATE:</b> Not Tested	<b>VAPOR DENSITY:</b> Not Tested
<b>SOLUBILITY IN WATER:</b> 100%	<b>APPEARANCE AND ODOR:</b> COLORLESS, BLAND ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

<b>FLASH POINT (°F):</b> None	<b>FLAMMABLE LIMITS:</b> Not Tested	<b>LEL:</b> Not Tested	<b>UEL:</b> Not Tested	<b>pH:</b> 2.0-4.0	<b>DOT #:</b> None
<b>NFPA HAZARD RATING:</b> (0-Lease, 4-Extreme)	<b>H F R S</b> 1 0 0 0	<b>EXTINGUISHING MEDIA:</b> None		<b>SPECIAL FIRE FIGHTING PROCEDURE:</b> None	

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

**SECTION 5 – REACTIVITY DATA**

**STABILITY:** Stable  
**CONDITIONS TO AVOID:** None  
**INCOMPATIBLE MATERIALS TO AVOID:** Strong oxidizers, ammonia  
**HAZARDOUS DECOMPOSITION OR BYPRODUCTS:** CO, CO2  
**HAZARDOUS POLYMERIZATION:** None  
**CONDITIONS TO AVOID:** None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

**INHALATION?:** Possible  
**SKIN?:** Possible  
**INGESTION?:** Possible  
**HEALTH HAZARDS:** Same as signs and symptoms of exposures.  
**NOTE:** All chemicals incorporated into this product are found on the TSCA inventory list.  
**OSHA CARCINOGENICITY?:** None  
**NTP?:** None  
**IARC MONOGRAPHS?:** None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

**EYES:** Burning Sensation  
**SKIN:** Irritant  
**INGESTION:** Irritant  
**INHALATION:** Slight Irritant  
**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

**EYES:** Flush with water for 15 minutes. If irritation persists, call physician.  
**SKIN:** Wash off with soap & water, call physician.  
**INGESTION:** Drink large amounts of water, call physician.  
**INHALATION:** Get person to fresh air if unconscious, call physician.

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
**WASTE DISPOSAL METHOD:** Dispose of in accordance with state and local regulations.  
**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
**OTHER PRECAUTION:** Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

**RESPORITORY PROTECTION:** Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

**LOCAL EXHAUST:** If Available  
**MECHANICAL:** If Available  
**SPECIAL:** None  
**OTHER:** None

**PROTECTIVE GLOVE:** Plastic/Rubber, Chemical Resistant  
**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None

**EYE PROTECTION:** Glasses, Goggles

**WORK HYGENIC PRACTICES:** Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

**OTHER SPECIAL REQUIREMENTS:**

## MATERIAL SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION OF PRODUCT

Name: PRO-TEC CARPET PROTECTOR

Identity: Carpet Protector

TOXICITY: 1

FIRE: 0

REACTIVITY: 0

PROTECTION: B

### SECTION II. HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Name	CAS	PEL	TLV	%
None				

### SECTION III. PHYSICAL/CHEMICAL CHARACTERISTICS

<b>Boiling Point:</b> 212° F	<b>Specific Gravity:</b> 1.000	<b>Vapor Pressure:</b> (mm Hg.): ND	<b>Melting Point:</b> ND
<b>Vapor Density:</b> (Air = 1): 1	<b>Evaporation:</b> (H2O = 1): 1	<b>Water Solubility:</b> Complete	<b>pH @ 77F:</b> 5.0-6.0
<b>VOCgm/L:</b> 0	<b>Appearance and Odor:</b> Milky opaque tan liquid. Tends to settle		

### SECTION IV. FIRE AND EXPLOSION HAZARD DATA

<b>Flash Point (TCC):</b> None	<b>% LEL:</b> ND	<b>% UEL:</b> ND	<b>Flammable Limits:</b> ND
<b>Extinguishing Media:</b> Appropriate to fire fuel source		<b>Special Fire Fighting Procedures:</b> None	<b>Unusual Fire and Explosion:</b> None

### SECTION V. HEALTH HAZARD DATA

**Route(s) of Entry:** INHALATION? Yes      EYES? Yes      SKIN? Yes      INGESTION? Yes

**(Acute) Health Hazards:**  
**Eyes:** May cause irritation      **Skin:** May cause irritation and dryness      **Ingestion:** May cause gastric distress      **Inhalation:** May irritate respiratory tract

**(Chronic) Health Hazards:** None Known

**Signs and Symptoms of Exposure:**  
**Eyes:** Irritation      **Skin:** May cause irritant reaction      **Ingestion:** Stomach upset      **Inhalation:** Sneezing

**Medical Conditions Generally Aggravated by Exposure:** Pre-existing contact site disorders.

**Emergency First Aid Procedures:**  
**Eyes:** Flush eyes with large amounts of water, lifting upper and lower eyelids. If irritation persists, obtain medical attention.  
**Skin:** Wash off with soap and water. Remove contaminated clothing and wash before reuse. If irritation persists, get medical attention. Apply magnesia paste. HYDROFLUORIC EXPOSURE NEEDS SPECIAL TREATMENT  
**Ingestion:** Obtain immediate medical attention.  
**Inhalation:** Remove to fresh air. If irritation persists, obtain medical attention.

### SECTION VI. TOXICITY DATA

**Carcinogenicity:** NTP? No      IARC MONOGRAPHS? No      OSHA REGULATED? No

### SECTION VII. REACTIVITY DATA

**Stability:** Stable Hazardous Polymerization Will Not Occur      **Incompatibility (Materials to Avoid):** Water-incompatible materials  
**Hazardous Decomposition Byproducts:** NONE

### SECTION VIII. PRECAUTIONS FOR SAFE HANDLING AND USE

**Steps to be Taken in Case Material is Released or Spilled:**  
**Small Spills:** Mop up      **Large Spills:** Pump up excess then mop      **Disposal:** Meet Federal, State & Local Requirements

**Handling and Storage:** Store in cool, dry well ventilated area. Keep container tightly closed when not in used.

**Other Precautions:** Keep out of reach of children. FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.

### SECTION IX. CONTROL MEASURES

**Respiratory Protection:** Not normally indicated      **Ventilation:** Normal indoor      **Local Exhaust:** Not normally indicated  
**Mechanical (General):** Not normally indicated      **Protective Gloves:** Optional      **Eye Protection:** Optional

**Other Protective Clothing or Equipment:** Long pants, sleeves, apron

**Work/Hygienic Practices:** The recommendations described in this section are provided as general guidance for minimizing exposure when handling this product. Because use conditions will vary, depending upon customer applications, specific safe handling procedures should be developed by persons knowledgeable of the intended use conditions and equipment.

### SECTION X. DOT INFORMATION

NOT REGULATED

### SECTION XI. MISCELLANEOUS INFORMATION

SARA 313: No

**Notice:** All information, recommendations, and suggestions appearing herein concerning this product are based upon data obtained from the manufacturer and/or recognized technical sources; however, manufacturer makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of the product.



MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **PROTECTS ALL**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave. CITY: City Of Industry STATE: CA EMERGENCY PHONE: 800-535-5053 PHONE: 888-322-0064  
ZIP: 91745 DATE PREPARED: 1/21/99

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

VOC Content: <10 g/L NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212 SPECIFIC GRAVITY: 1.001 VAPOR PRESSURE: Not Tested  
MELTING POINT (°F): Not Tested EVAPORATION RATE: Not Tested VAPOR DENSITY: Not Tested  
SOLUBILITY IN WATER: Miscible% APPEARANCE AND ODOR: OPAQUE WHITE, BLAND ODOR

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None FLAMMABLE LIMITS: Not Tested LEL: Not Tested UEL: Not Tested pH: 6.5-8.0 DOT #: None  
NFPA HAZARD RATING: H F R S EXTINGUISHING MEDIA: None  
(0-Lease, 4-Extreme) 0 0 0 0 SPECIAL FIRE FIGHTING PROCEDURE: None

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: Strong oxidizers  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible  
HEALTH HAZARDS: Same as signs and symptoms of exposures.  
NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.  
OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning Sensation SKIN: Not expected to be a problem INGESTION: Nausea INHALATION: Not expected to be a problem  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician.  
SKIN: Wash off with soap & water.  
INGESTION: Induce vomiting, call physician  
INHALATION: See above

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPIRATORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CFR 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: None EYE PROTECTION: Glasses, Goggles  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **SAFE STRIP**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 10/10/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
2-Dydroxyethylamine	141-43-5	3ppm	3ppm	14.0

VOC Content: 141.5 g/L

NOTE: NON CARCINOGENIC

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): 232	SPECIFIC GRAVITY: 1.02	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: RED / CITRUS	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 10.5-12.5	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 1 0 0 0	EXTINGUISHING MEDIA: CO2, DRY FOAM	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: None  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible  
HEALTH HAZARDS: Same as signs and symptoms of exposures.  
NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.  
OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning sensation SKIN: Irritation INGESTION: Toxic, do not induce vomiting, call physician INHALATION: Slight irritation  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician  
SKIN: Wash off with soap & water. If irritation persists, call physician  
INGESTION: Give large amounts of water to dilute, followed by citrus juice, call physician  
INHALATION: Move person to fresh air. If unconscious, call physician

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPIRATORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: Rubber/Plastic EYE PROTECTION: Glasses/Goggles  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

**MATERIAL SAFETY DATA SHEET**  
**OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR**

**IDENTITY: SHOW TIME**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry

**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 2/10/00

**SECTION 1 – PRODUCT**

**NAME:** SHOW TIME  
**HEALTH:** 0  
**HEALTH HAZ**  
0= Minimal  
1= Slightly haz  
2= Hazardous  
3= Serious haz  
4= Severe haz

**PRODUCT CODE:** 601  
**FLAMMABILITY:** 0  
**FIRE HAZ**  
0= Will not burn  
1= FP>141F  
2= FP=>73F=<141F  
3= FP<73F  
4= BP<95F  
FP by PMCC

**PRODUCT TYPE:** FLOOR FINISH  
**REACTIVITY:** 0  
**REACTIVITY HAZ**  
0= None  
1= Mild  
2= Strong

**PPE:** 0  
**PERSONAL PROTECTION**  
0= Not necessary  
1= Goggles  
2= Goggles, Gloves  
3= Goggles, Gloves & Protective Clothes  
4= Goggles, Gloves & Respirators

**SECTION 3 – HAZARDOUS INGREDIENTS**

**ACUTE HEALTH EFFECTS:** None

**CHRONIC HEALTH EFFECTS:** None

**CARCINOGEN:** No

**PRIMARY ENTRY ROUTES:**

**SKIN & EYES:** Prolonged skin contact may produce slight irritation. Eye contact may be slightly irritating.

**INGESTION:** May be harmful.

**INHALATION:** Not considered a hazard.

**FIRST AID:**

**SKIN:** Wash effected area with soap & water. Get medical attention for persistent irritation.

**EYES:** Wash eyes with large volumes of water for at least 15 minutes while lifting the upper and lower eyelids and rotating the eyeball. Get medical attention if irritation persists.

**INGESTION:** Give large volumes of water. Do not induce vomiting. Get medical attention.

**INHALATION:** N/A

**SECTION 4 – PHYSICAL & CHEMICAL CHARACTERISTICS**

**PHYSICAL STATE:** LIQUID  
**SPECIFIC GRAVITY [H<sub>2</sub>O = 1.0]:** 1.03

**COLOR:** MILKY WHITE  
**pH:** 8.0  
**FREEZING POINT:** N/A

**ODOR:** ACRYLIC  
**FLASH POINT:** NONE

**SOLUBILITY IN WATER:** EMULSIFIABLE  
**VAPOR PRESSURE:** N/A

**SECTION 5 – FIRE & EXPLOSION HAZARD**

**FLASH POINT:** NONE

**EXTINGUISHING MEDIA:** N/A

**SPECIAL FIRE FIGHTING PROCEDURE:** N/A

**UNUSUAL FIRE & EXPLOSION HAZARD PRECAUTIONS THAT APPLY TO ANY FIRE:** Fire fighters should observe all where chemicals are stored.

**SECTION 6 – REACTIVITY DATA**

**STABILITY:** STABLE

**CONDITIONS TO AVOID:** NONE KNOWN

**SECTION 7 – SPILL OR LEAK PROCEDURES**

- If product leaks or spills - Flood area with water-mop up dispose to sanitary sewer.
- Abide by Federal, State and Local regulations.

**SECTION 8 – PERSONAL PROTECTION**

- Not Required

**SECTION 9 – SPECIAL PRECAUTIONS**

- Store containers tightly closed and in an upright position.
- Do not destroy or deface the label.

**SECTION 10 – SECTION 313 SUPPLIER NOTIFICATION (SARA)**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

HAZARDOUS COMPONENT	CAS #	OSHA PEL	ACGIH TLV	WEIGHT %
Glycol Ether	111-77-3			5.0

**SECTION 11 – TOXICOLOGICAL INFORMATION**

- None

**SECTION 12 – ECOLOGICAL INFORMATION**

- None

**SECTION 13 – DISPOSAL CONSIDERATIONS**

- See Section 7 above

**SECTION 14 – DOT TRANSPORT INFORMATION**

- This product is Not Regulated

**SECTION 15 – OTHER REGULATORY INFORMATION**

- All ingredients appear on the TSCA Inventory List

**SECTION 16 – OTHER INFORMATION**

- N/A = Not Applicable
- \* Dangerous Goods Identification System (DGIS)
- PMCC = Pensky Martin Closed Cup
- Manufacturer believes that the information given here is accurate. The suggested procedures are based on experience and common sense and are not necessarily all-inclusive of every conceivable circumstance.

**MATERIAL SAFETY DATA SHEET**  
**OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR**

**IDENTITY: SHOWER CLEAN**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry

**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 10/14/99

**SECTION 1 – PRODUCT**

**NAME:** SHOWER CLEAN  
**HEALTH: 1**  
**HEALTH HAZ**  
0= Minimal  
1= Slightly haz  
2= Hazardous  
3= Serious haz  
4= Severe haz

**PRODUCT CODE:** 393  
**FLAMMABILITY: 0**  
**FIRE HAZ**  
0= Will not burn  
1= FP>141F  
2= FP=>73F=<141F  
3= FP<73F  
4= BP<95F  
FP by PMCC

**PRODUCT TYPE:** TUB, TILE & BOWL CLEANER  
**REACTIVITY: 1**  
**REACTIVITY HAZ**  
0= None  
1= Mild  
2= Strong

**PPE: 2**  
**PERSONAL PROTECTION**  
0= Not necessary  
1= Goggles  
2= Goggles, Gloves  
3= Goggles, Gloves & Protective Clothes  
4= Goggles, Gloves & Respirators

**SECTION 3 – HAZARDOUS INGREDIENTS**

**ACCUTE HEALTH EFFECTS:** MINIMAL

**CHRONIC HEALTH EFFECTS:** None

**CARCINOGEN:** No

**PRIMARY ENTRY ROUTES:**

**SKIN & EYES:** Contact with the skin can cause burns. Upon contact with the skin there may not be an immediate burning sensation. Burns the eyes on contact.

**INGESTION:** Large doses will cause damage to the mouth, throat, esophagus, and stomach.

**INHALATION:** Not considered a hazard.

**FIRST AID:**

**SKIN:** Remove contaminated clothing-wash skin with large volumes of water for at least 15 minutes. If irritation persists get medical attention.

**EYES:** Wash eyes with large volumes of water for at least 15 minutes while lifting the upper and lower eyelids and rotating the eyeball. Get immediate medical attention.

**INGESTION:** Give large volumes of water. Do not induce vomiting. Get medical attention.

**INHALATION:** N/A

**SECTION 4 – PHYSICAL & CHEMICAL CHARACTERISTICS**

**PHYSICAL STATE:** LIQUID  
**SPECIFIC GRAVITY [H<sub>2</sub>O = 1.0]:** 1.08

**COLOR:** BLUE  
**pH:** 1.6

**ODOR:** MINT

**FREEZING POINT:** N/A

**FLASH POINT:** NONE

**SOLUBILITY IN WATER:** COMPLETE

**VAPOR PRESSURE:** N/A

**SECTION 5 – FIRE & EXPLOSION HAZARD**

**FLASH POINT:** NONE

**EXTINGUISHING MEDIA:** N/A

**SPECIAL FIRE FIGHTING PROCEDURE:** N/A

**UNUSUAL FIRE & EXPLOSION HAZARD PRECAUTIONS THAT APPLY TO ANY FIRE:** Fire fighters should observe all precautions where chemicals are stored.

**SECTION 6 – REACTIVITY DATA**

**STABILITY:** Stable

**CONDITIONS TO AVOID:** Contact with bleach or strong alkalies

**SECTION 7 – SPILL OR LEAK PROCEDURES**

- Wear recommended Personal Protection Equipment.
- If product leak or spills- flood area with water-mop up dispose to sanitary sewer.
- Product may be neutralized with baking soda.
- Abide by Federal, State, and Local Regulation

**SECTION 8 – PERSONAL PROTECTION**

- NONE REQUIRED

**SECTION 9 – SPECIAL PRECAUTIONS**

- Store containers tightly closed and in an upright position.
- Do not destroy or deface the label.

**SECTION 10 – SECTION 313 SUPPLIER NOTIFICATION (SARA)**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

<b>HAZARDOUS COMPONENT</b>	<b>CAS #</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>	<b>WEIGHT %</b>
Phosphoric Acid	7664-38-2			14.00

**SECTION 11 – TOXICOLOGICAL INFORMATION**

- NONE

**SECTION 12 – ECOLOGICAL INFORMATION**

- NONE

**SECTION 13 – DISPOSAL CONSIDERATIONS**

- SEE SECTION 7 ABOVE

**SECTION 14 – DOT TRANSPORT INFORMATION**

- THIS PRODUCT IS NOT REGULATED

**SECTION 15 – OTHER REGULATORY INFORMATION**

- ALL INGREDIENTS APPEAR ON THE TSCA INVENTORY LIST.

**SECTION 16 – OTHER INFORMATION**

- N/A = Not Applicable
- \* Dangerous Goods Identification System (DGIS)
- PMCC = Pensky Martin Closed Cup
- Manufacturer believes that the information given here is accurate. The suggested procedures are based on experience and common sense and are not necessarily all-inclusive of every conceivable circumstance.

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **SPEED KLEEN**

MANUFACTURER'S NAME: Fridays Product

EMERGENCY PHONE: 800-535-5053

PHONE: 888-322-0064

ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry

STATE: CA

ZIP: 91745

DATE PREPARED: 7/17/89

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
None	None	None	None	

VOC Content: g/L

NOTE: NON CARCINOGENIC

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): 210	SPECIFIC GRAVITY: 1.01	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: LT. YELLOW/LEMON ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 6.0-8.0	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 0 0 0 0	EXTINGUISHING MEDIA: CO2, DRY FOAM	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: None  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Irritation SKIN: Slight Irritation INGESTION: May cause nausea INHALATION: Not expected to be a problem

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician.

SKIN: Wash with soap and water. If irritation persists, call physician.

INGESTION: Drink large amounts of water, call physician.

INHALATION: See Above

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: Rubber/Plastic EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **SPEED RESTORER**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 9/3/97

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Diethylene Glycol Methyl Ether	111773	None	None	2.5

VOC Content: 32.1 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.020	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: Opaque Pink/Bland	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 6.5-9.0	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 1 0 0 0	EXTINGUISHING MEDIA: None	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable	CONDITIONS TO AVOID: None
INCOMPATIBLE MATERIALS TO AVOID: Chlorine Materials, Strong Oxidizers	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2	
HAZARDOUS POLYMERIZATION: None	CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible  
HEALTH HAZARDS: Same as signs and symptoms of exposures.  
NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.  
OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning sensation SKIN: Slight irritation INGESTION: Nausea INHALATION: Not expected to be a problem  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician  
SKIN: Wash off with soap & water  
INGESTION: Drink large amounts of water, call physician  
INHALATION: Not expected to be a problem

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: Rubber/Plastic, Chemical resistant EYE PROTECTION: Glasses/Goggles  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **SPEED SEALER**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry  
STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 9/4/97

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Diethylene Glycol Methyl Ether	111773	None	None	4.7

VOC Content: 51.2 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.032	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: Opaque White/Bland Odor	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 7.5-9.0	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 1 0 0 0	EXTINGUISHING MEDIA: None	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: Cationic Materials, Strong Oxidizers  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None  
CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible  
HEALTH HAZARDS: Same as signs and symptoms of exposures.  
NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.  
OSHA CARCINOGENICITY?: None  
SKIN?: Possible  
NTP?: None  
INGESTION?: Possible  
IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning sensation  
SKIN: Slight irritation  
INGESTION: Nausea  
INHALATION: Not expected to be a problem  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician  
SKIN: Wash off with soap & water  
INGESTION: Drink large amounts of water, call physician  
INHALATION: Not expected to be a problem

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available  
MECHANICAL: If Available  
SPECIAL: None  
OTHER: None

PROTECTIVE GLOVE: Plastic/Rubber, Chemical resistant  
EYE PROTECTION: Glasses/Goggles  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **SPEED SHINE**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry  
STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 9/3/97

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Diethylene Glycol Methyl Ether	111773	None	None	5.0

VOC Content: 52 g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.028	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: Opaque White/Bland	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 7.5-9.0	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 1 0 0 0	EXTINGUISHING MEDIA: None	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: Cationic Materials, Strong Oxidizers  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None  
CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible  
HEALTH HAZARDS: Same as signs and symptoms of exposures.  
NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.  
OSHA CARCINOGENICITY?: None  
SKIN?: Possible  
NTP?: None  
INGESTION?: Possible  
IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning Sensation  
SKIN: Slight Irritation  
INGESTION: Nausea  
INHALATION: Not expected to be a problem  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician.  
SKIN: Wash off with soap & water.  
INGESTION: Drink large amounts of water, call physician.  
INHALATION: Not expected to be a problem.

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F  
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available  
MECHANICAL: If Available  
SPECIAL: None  
OTHER: None

PROTECTIVE GLOVE: Plastic/Rubber, Chemical Resistant  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

EYE PROTECTION: Glasses/Goggles

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:



MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **SPEED STRIPPER**

MANUFACTURER'S NAME: Fridays Product  
ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry  
STATE: CA

EMERGENCY PHONE: 800-535-5053  
ZIP: 91745

PHONE: 888-322-0064  
DATE PREPARED: 10/6/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Potassium Hydroxide*	1310583	2mg/m3	2mg/m3	7.0
Mono Ethanolamine	141-43-5	3ppm	3ppm	5.0
2-Butoxy Ethanol*	11762	25ppm	25ppm	2.0

VOC Content: 79.9 g/L

NOTE: \*A SARA 313 Chemical

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): 210  
MELTING POINT (°F): Not Tested  
SOLUBILITY IN WATER: 100%

SPECIFIC GRAVITY: 1.125  
EVAPORATION RATE: Not Tested  
APPEARANCE AND ODOR: Red/Spice Odor

VAPOR PRESSURE: Not Tested  
VAPOR DENSITY: Not Tested

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None  
FLAMMABLE LIMITS: Not Tested  
LEL: Not Tested  
UEL: Not Tested  
pH: 12.5-14.0  
DOT #: Qts.-Orm-d, Larger-NA1760

NFPA HAZARD RATING: H F R S  
(0-Lease, 4-Extreme) 3 0 0 0

EXTINGUISHING MEDIA: CO2, DRY FOAM  
SPECIAL FIRE FIGHTING PROCEDURE: None

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: CHLORINE RELEASING MATERIALS  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible  
SKIN?: Possible  
INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None  
NTP?: None  
IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning sensation  
SKIN: Severe irritation  
INGESTION: Burning irritation  
INHALATION: May cause headache/dizziness

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician

SKIN: Wash off with soap & water

INGESTION: Drink large amounts of water, call physician

INHALATION: Move person to fresh air. If unconscious, contact physician

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPIRATORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available  
MECHANICAL: If Available  
SPECIAL: None  
OTHER: None

PROTECTIVE GLOVE: Rubber/Plastic  
EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Chemical resistant clothing

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS:

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **STEAM OUT**

MANUFACTURER'S NAME: Fridays Product

EMERGENCY PHONE: 800-535-5053

PHONE: 888-322-0064

ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry

STATE: CA

ZIP: 91745

DATE PREPARED: 11/1/94

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Sodium Tripolyphosphate	7758-29-4	None	None	<7
Tetrapotassium Pyrophosphate	7320-34-5	None	None	<13

VOC Content: g/L

NOTE:

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): 212	SPECIFIC GRAVITY: 1.08	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR:	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 9.5-10.5	DOT #: None
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S	EXTINGUISHING MEDIA: Water Spray, CO2, or Foam		SPECIAL FIRE FIGHTING PROCEDURE: None	
	1 0 0 0				

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable	CONDITIONS TO AVOID: None
INCOMPATIBLE MATERIALS TO AVOID: Strong Acids	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None	
HAZARDOUS POLYMERIZATION: Will not occur	CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible      SKIN?: Possible      INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None      NTP?: None      IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Irritation      SKIN: Irritation on prolong contact      INGESTION: Irritation      INHALATION:  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Wash with water for 15 minutes, call physician if necessary  
SKIN: Wash with plenty of water. Call physician if irritation persists. Remove contaminated clothing and shoes, wash before reuse.  
INGESTION: Drink large volumes of water, then attempt to drink vinegar or lemon juice. Do not give anything by mouth to an unconscious person, call physician.  
INHALATION: Remove the person to fresh air.

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.  
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Keep container tightly closed when not in use.  
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available      MECHANICAL: If Available      SPECIAL: None      OTHER: None

PROTECTIVE GLOVE: None      EYE PROTECTION: None

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control mea

OTHER SPECIAL REQUIREMENTS:

**MATERIAL SAFETY DATA SHEET**  
**OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR**

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

**IDENTITY: THICK OVEN CLEANER**

**MANUFACTURER'S NAME:** Fridays Product  
**ADDRESS:** 15810 E. Gale Ave.

**CITY:** City Of Industry  
**STATE:** CA

**EMERGENCY PHONE:** 800-535-5053  
**ZIP:** 91745

**PHONE:** 888-322-0064  
**DATE PREPARED:** 12/7/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
2-Butoxy Ethanol*	111762	25ppm	25ppm	
Potassium Hydroxide*	1310583	2mg/m3	2mg/m3	

**VOC Content:** 40.9 g/L

**NOTE:** \*A SARA 313 Chemical

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>BOILING POINT (°F):</b> >212	<b>SPECIFIC GRAVITY:</b> 1.17	<b>VAPOR PRESSURE:</b> Not Tested
<b>MELTING POINT (°F):</b> Not Tested	<b>EVAPORATION RATE:</b> Not Tested	<b>VAPOR DENSITY:</b> Not Tested
<b>SOLUBILITY IN WATER:</b> 100%	<b>APPEARANCE AND ODOR:</b> AMBER / SOLVENT ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

<b>FLASH POINT (°F):</b> None	<b>FLAMMABLE LIMITS:</b> Not Tested	<b>LEL:</b> Not Tested	<b>UEL:</b> Not Tested	<b>pH:</b> 13.0-14.0	<b>DOT #:</b> NA1760
<b>NFPA HAZARD RATING:</b> (0-Lease, 4-Extreme)	<b>H F R S</b> 3 0 0 0	<b>EXTINGUISHING MEDIA:</b> None		<b>SPECIAL FIRE FIGHTING PROCEDURE:</b> None	

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None

**SECTION 5 – REACTIVITY DATA**

<b>STABILITY:</b> Stable	<b>CONDITIONS TO AVOID:</b> None
<b>INCOMPATIBLE MATERIALS TO AVOID:</b> STRONG OXIDIZERS, ACIDIC MATERIALS, ALUMINUM	
<b>HAZARDOUS DECOMPOSITION OR BYPRODUCTS:</b> CO, CO2	
<b>HAZARDOUS POLYMERIZATION:</b> None	<b>CONDITIONS TO AVOID:</b> None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

**INHALATION?:** Possible      **SKIN?:** Possible      **INGESTION?:** Possible

**HEALTH HAZARDS:** Same as signs and symptoms of exposures.

**NOTE:** All chemicals incorporated into this product are found on the TSCA inventory list.

**OSHA CARCINOGENICITY?:** None      **NTP?:** None      **IARC MONOGRAPHS?:** None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

**EYES:** Burning sensation-severe      **SKIN:** Severe irritation      **INGESTION:** Burning irritation      **INHALATION:** Dizziness, headaches, irritation

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

**EYES:** Flush with water for 15 minutes. If irritation persists, call physician

**SKIN:** Wash off with soap & water, clean underneath fingernails. If irritation persists, call physician

**INGESTION:** Drink large amounts of water, call physician

**INHALATION:** Get person to fresh air. If unconscious, contact physician

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

**WASTE DISPOSAL METHOD:** Dispose of in accordance with state and local regulations.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

**OTHER PRECAUTION:** Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

**RESPORITORY PROTECTION:** Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

**LOCAL EXHAUST:** If Available      **MECHANICAL:** If Available      **SPECIAL:** None      **OTHER:** None

**PROTECTIVE GLOVE:** Rubber/Plastic, Chemical resistant      **EYE PROTECTION:** Glasses/Goggles

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Chemical Resistant Clothing

**WORK HYGENIC PRACTICES:** Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

**OTHER SPECIAL REQUIREMENTS:**

MATERIAL SAFETY DATA SHEET  
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

**SECTION 1 – PRODUCT IDENTIFICATION**

IDENTITY: **TUB SCRUB**

MANUFACTURER'S NAME: Fridays Product

EMERGENCY PHONE: 800-535-5053

PHONE: 888-322-0064

ADDRESS: 15810 E. Gale Ave.

CITY: City Of Industry

STATE: CA

ZIP: 91745

DATE PREPARED: 6/6/98

**SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Phosphoric Acid *	7664382	3mg/m3	3mg/m3	13.8

VOC Content: <10 g/L

NOTE: \* A SARA 313 CHEMICAL

**SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS**

BOILING POINT (°F): >212	SPECIFIC GRAVITY: 1.09	VAPOR PRESSURE: Not Tested
MELTING POINT (°F): Not Tested	EVAPORATION RATE: Not Tested	VAPOR DENSITY: Not Tested
SOLUBILITY IN WATER: 100%	APPEARANCE AND ODOR: BLUE/MINT ODOR	

**SECTION 4 – FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT (°F): None	FLAMMABLE LIMITS: Not Tested	LEL: Not Tested	UEL: Not Tested	pH: 0.5-2.0	DOT #: NA1760
NFPA HAZARD RATING: (0-Lease, 4-Extreme)	H F R S 2 0 0 0	EXTINGUISHING MEDIA: None	SPECIAL FIRE FIGHTING PROCEDURE: None		

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

**SECTION 5 – REACTIVITY DATA**

STABILITY: Stable  
CONDITIONS TO AVOID: None  
INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZERS, AMMONIA  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CO, CO2  
HAZARDOUS POLYMERIZATION: None  
CONDITIONS TO AVOID: None

**SECTION 6 – HEALTH HAZARD DATA**

**ROUTE OF ENTRY**

INHALATION?: Possible SKIN?: Possible INGESTION?: Possible

HEALTH HAZARDS: Same as signs and symptoms of exposures.

NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.

OSHA CARCINOGENICITY?: None NTP?: None IARC MONOGRAPHS?: None

**SIGNS AND SYMPTOMS OF OVER EXPOSURE**

EYES: Burning Sensation SKIN: Severe Irritation INGESTION: Burning Irritation, Nausea, Vomiting INHALATION: Vapor/Mist are irritating to the respirator tract

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Same as signs and symptoms of over exposure.

**EMERGENCY AND FIRST AID PROCEDURES**

EYES: Flush with water for 15 minutes. If irritation persists, call physician.

SKIN: Wash off with soap & water. If irritation persists, call physician.

INGESTION: Drink large amounts of water, call physician.

INHALATION: Get person to fresh air if unconscious, call physician.

**SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.

WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place, out of direct sunlight. Do not freeze or heat above 110 °F

OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

**SECTION 8 – CONTROL MEASURES**

RESPORITORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

**VENTILATION**

LOCAL EXHAUST: If Available MECHANICAL: If Available SPECIAL: None OTHER: None

PROTECTIVE GLOVE: Plastic/Rubber, Chemical Resistant

EYE PROTECTION: Glasses/Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Chemical Resistant Clothing

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS: