

# Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

GREEN SOLUTIONS FLOOR FINISH REMOVER

Product Division: Janitorial

Product Number: 3505

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990

1110 Spartan Drive Maumee OH 43537 Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:	HMIS Ratings:
Health: 2 - Moderate	Health: *2 - Moderate; Chronic Hazard
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip.: See Section VIII

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from

listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m <sup>3</sup>	NTP, IARC or OSHA Carcinogen
*Diethylene glycol monobutyl	25-30	112-34-5	Not Established	Not Established	Not Established	No
ether	-	-	-	-	-	-
Benzyl alcohol	5-10	100-51-6	44 (AIHA)	Not Established	Not Established	No
Monoethanolamine	1-5	141-43-5	7.5	15	Not Established	No
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No

Comment: \*This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

## SECTION III: PHYSICAL DATA

Boiling Point: 200 °F	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: <sub>10.5-11.5</sub>	Specific Gravity (H <sub>2</sub> O=1): 1.008
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 30-40
Physical State: Liquid	
Appearance & Odor: Clear liquid, mild odor	

### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 200°F	Method Used: ASTM-D56		
Flammable Limits: N/A	Flame Extension: N/A		
Extinguishing Media: Carbon dioxide, dry chemical, synthet	Carbon dioxide, dry chemical, synthetic foam or water.		
Special Fire Fighting Procedures: Wear NIOSH approved self-contained containers with water spray.	breathing apparatus and protective clothing. Cool fire-exposed		
Unusual Fire & Explosive Hazards: Combustion products are toxic.			

# SECTION V: HEALTH HAZARD DATA Threshold Limit Value: Not Established Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral Effects of OverexposureConditions to Avoid: possible tissue damage. Causes severe skin irritation: Symptoms include pain, redness, swelling of the conjunctiva and possible tissue damage. Causes severe skin irritation: Symptoms include pain, swelling and redness. Harmful contact may

not cause immediate pain.

Harmful if absorbed through the skin.

nausea, vomiting and diarrhea.

Inhalation of product vapors or mist may cause respiratory irritation: Symptoms may include coughing and difficulty breathing. Contains benzyl alcohol which may cause headache, dizziness, nausea and drowsiness. Contains monoethanolamine which may cause liver and kidney damage with repeated exposure.

Harmful if swallowed: Causes irritation to esophagus and mucous membranes with symptoms of pain,

DO NOT GET IN EYES, ON SKIN OR CLOTHING. AVOID BREATHING PRODUCT VAPOR OR MIST. DO NOT TASTE OR SWALLOW. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

Conditions Aggravated by Use: Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.

	dermatitis.		
<b>Emergency &amp; First Aid Procedures</b>	:		
Eyes:	s: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get		
	medical attention.		
Skin:	Remove contaminated clothing. Flush skin with plenty of water for at least 15 minutes. Get medical		
	attention if irritation persists. Wash contaminated clothing before reuse.		
Ingestion:	Get medical attention. Do not induce vomiting. Drink one or two glasses of water to dilute product. Do		
	not give anything by mouth to an unconscious person.		
Inhalation:	In case of respiratory irritation or dizziness; move person to fresh air. If not breathing; give artificial respiration. If breathing is difficult; give oxygen. Get medical attention if irritation persists.		

### SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong acids and oxidizing agents		
Hazardous Decomposition Products: None known	Hazardous Polymerization: Will Not Occur		

### SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case

Material is Released or Spilled: Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system

(If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer

Supercedes:

04/25/2006

liquid to containers for disposal. Keep spill out of storm sewers and waterways.

Waste Disposal Method: Dispose of in compliance with all federal, state and local laws and regulations.

### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Neoprene, nitrile or rubber gloves are recommended to prevent skin contact.
	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	Rubber or other impervious footwear is recommended to prevent skin contact. Use of rubber apron, face shield and other protective equipment may be considered to prevent or minimize contact with this product. See 29 CFR 1910.132-138 for further guidance.

## SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep container tightly closed.	Store in a cool, dry area.	Protect from freezing.	Do not store above 120°F.
	Do not mix with other chemica	als.		

Other Precautions: Keep out of reach of children.

© SCC 06/01/2007 Name: Ronald T. Cook Title: Manager, Regulatory Affairs

GREEN SOLUTIONS FLOOR FINISH Effective Date: 06/01/2007

REMOVER

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Section II

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.