

Material Safety Data Sheet

Product Name	MASTERPIECE® PENETRATING WAX STRIPPER	MSDS#	Not available.
Product Description	Ammonia free wax stripper.	Validation Dat	te 8/22/2002
		Print Date	8/23/2002
Manufacturer	Reckitt Benckiser Inc. 1655 Valley Road Wayne, N.J. 07474	In case of	Telephone: 800-677-9218
Product Identifier	Not available.	Emergency: Transportation	(Professional Products)
Item Number	355308	Emergencies:	Chemtrec: 800-424-9300 (U.S. & Canada)
Formula Number	7CU-228-A		
UPC Number	36241-74457 (1 gal.), 36241-07005 (5 gal.), 36241-07055 (55 gal.).		

Name	CAS#	% by Weight	Exposure Limits : TLV/PEL
1) ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	8.0	TWA: 121 (mg/m³) from ACGIH (TLV) [United States] SKIN
			TWA: 25 (ppm) from ACGIH (TLV) [United States] SKIN TWA: 240 (mg/m³) from OSHA (PEL) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States]
2) SODIUM SILICATE	1344-09-8	6.0	Not available.
3) MONOETHANOLAMINE	141-43-5	2.0	TWA: 7.5 STEL: 15 (mg/m³) from ACGIH (TLV) [United States]
			TWA: 3 STEL: 6 (ppm) from ACGIH (TLV) [United States]
			TWA: 6 STEL: 15 (mg/m³) from OSHA (PEL) [United States]
			TWA: 3 (ppm) from OSHA (PEL) [United States]
4) POTASSIUM HYDROXIDE	1310-58-3	<3.0	CEIL: 2 (mg/m³) from ACGIH (TLV) [United States]
5) SODIUM XYLENE SULFONATE	1300-72-7	12.0	Not available.
6) N-BUTOXYPROPANOL	5131-66-8	5.0	Not available.

Section 3. Hazard	ls Identification
Emergency Overview	DANGER: CORROSIVE. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Do not breath vapor or mist. Wear eye protection (goggles or face shield) and rubber gloves. Contains Sodium Silicates and Potassium Hydroxide. KEEP OUT OF REACH OF CHILDREN.

Section 4. First Aid Measures		
Eye Contact	In case of eye contact, immediately rinse eyes thoroughly with plenty of water. Remove any contact lenses and continue rinsing for at least 15 minutes. Get immediate medical attention.	
Skin Contact	In case of skin contact, immediately flush exposed area with plenty of water for at least 15 minutes. Remove any contaminated clothing and wash thoroughly with soap and water. Get immediate medical attention if irritation persists.	
Inhalation	Remove to fresh air. If irritation persists or there is any trouble breathing, get immediate medical attention.	
Ingestion	DO NOT induce vomiting. Drink a glass of water and call a physician or poison control center immediately. NEVER give an unconscious person anything to ingest.	
	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

Continued on Next Page

Section 5. Fire and Explosion Data		
Flammability	Not flammable. See Section 14 for any Shipping Classifications.	
Flash Point	CLOSED CUP: Higher than 93.3°C (>200°F). (Tagliabue.).	
Explosive Limits in Air	Not available.	
Products of Combustion	Not available.	
Fire and Explosion Hazards	None known.	
Fire Fighting Media and Instructions	Use water spray, foam, dry chemical or carbon dioxide, as suitable for the surrounding fire.	
Special Fire Fighting Instructions	Wear self-contained breathing apparatus and protective clothing appropriate for fighting a typical chemical fire. Move containers away from fire if possible and safe to do so. Use water spray to cool fire-exposed containers.	

Instructions	Move containers away from fire if possible and safe to do so. Use water spray to cool fire-exposed containers.			
Section 6. Accidental Release Measures				
Accidental Spill	Small spills: Soak up with an inert absorbent material and dispose of in an appropriate waste container. Rinse surface residue and flush to sink or sanitary sewer.			
	Large spills of concentrated material should be contained, collected and evaluated for disposal according to state and federal hazardous waste regulations. Concentrated material should not be flushed to sewer.			

	state and receipt industrial additional conformation and the first additional and the second conformation and the	
Section 7. Handling and Storage		
Handling and Storage	DANGER: CORROSIVE. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Do not breath vapor or mist. Wear eye protection (goggles or face shield) and rubber gloves. Contains Sodium Silicates and Potassium Hydroxide. KEEP OUT OF REACH OF CHILDREN.	
	Store in a cool, dry location in original container in a secure area inaccessable to children and pets. Keep from freezing. Do not pour unused product back into original container.	
	Not recommended for wood or cork floors or painted surfaces. Not recommended for polished or glazed tile surfaces. Pretest asphalt, rubber and linoleum for bleach or softening. Pretest marble and granite surfaces to ensure against discoloring or surface harm.	
	WARNING: Child can fall into 5 gal. bucket and drown. Keep children away from 5 gal. buckets with even a small amount of liquid.	

Ventilation Requirements	Use with adequate ∨entilation.
Eye Protection	Wear safety glasses or chemical goggles to prevent eye contact when handling concentrate. Emergency responders should wear full eye and face protection.
Skin Protection	Wear suitable rubber or plastic gloves and other protective clothing to prevent skin contact when handling concentrate. Emergency responders should wear impermeable gloves.
Respiratory Protection	Use with adequate ventiliation. Emergency responders should wear suitable respiratory protection where long term exposure to large areas of spilled liquid is possible such as a major spill, a fire or a clean-up operation.
Other Protection	Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Work/Hygienic Practices	Washing with soap and water after use is recommended as good hygienic practice to prevent possible skin irritation and/or eye irritation from hand contact.

Continued on Next Page

Section 9.	Physical	and	Chemical	Properties
------------	----------	-----	----------	------------

Description	Clear liquid.	Odor	Typical glycol odor.
pН	13.5 [Basic.]	Color	Green.
Boiling/Condensation Point	Not determined.	<u></u>	
Specific Gravity	1.045 @ 25°C.		
Vapor Pressure	Not determined.		
Vapor Density	> 1		
Viscosity	Not available.		
Solubility	Complete.		
Physical Chemical Comments	s Not available.		

Section 10. Stability and Reactivity Data			
Chemical Stability	The product is stable.		
Conditions of Instability	None known.		
Incompatibility with Various Substances	Strong oxidizers and acids.		
Hazardous Decomposition Products	Oxides of carbon and/or nitrogen may be given off in a fire involving this product.		
Hazardous Polymerization	Will not occur.		

Section 11. Toxicological Information

Eye Contact	Corrosive. Causes eye damage.	
Skin Contact	Corrosive. Causes skin damage.	
Inhalation	May cause irritation to nose, throat and lungs.	
Ingestion	Harmful if swallowed, due to corrosive nature. Not orally toxic	
Carcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.	

Section 12. Ecological Information

Ecotoxicity Not available.

Section 13. Disposal Considerations

Waste Disposal Dispose of in accordance with local, state and federal regulations.

Section 14. Transpo	rt Information				
DOT Classification	Corrosive (8).	COMEDITIVE S			
Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide).				
DOT Identification Number	UN3266				
Packing Group	II				
Maritime Transportation	Not available.				
Hazardous Substances Reportable Quantity	Not available.				
Special Provisions for Transport	ERG#154 UN Specification Packaging Required.				
TDG Classification	Corrosi∨e liquid, basic, inorganic, n.o.s. (Potassium Hydroxide) 8, UN3266, II Transborder Consignment.				
ADR Classification	Not available.				
IMDG Classification	Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide) class 8, UN3266, II				

Section	15	Regula	atory .	Inform	ation
26011011	1 U.	NEGGI	21U/ V /	,,,,,,,,,,,	2 L/ U//

Federal and State Regulations

IATA Classification

SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:

36241-07055 DO NOT SHIP: Does not meet IATA requirements.

1) ETHYLENE GLYCOL MONOBUTYL ETHER

8, UN3266, II **CARGO AIRCRAFT ONLY**

Not available. Not a∨ai

California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act:

36241-74457, 07005 ONLY: Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide)

None

Other Classifications

WHMIS (Canada) Not a WHMIS controlled product.

New Jersey Right-To-Know Regulation:

WATER CAS #: 7732-18-5


2-BUTOXYETHANOL CAS #. 111-76-2 N-BUTOXYPROPANOL CAS #. 5131-66-8

SODIUM XYLENE SULFONATE CAS #: 1300-72-7

SODIUM SILICATE CAS #: 1344-09-8


Section 16. Other Information

HMIS (U.S.A.)



National Fire Protection Association (U.S.A.)

Health



NFPA Aerosol Level

Not applicable.

Validated by Product Safety on 8/22/2002.

Printed 8/23/2002.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.