


### 1. Product and Company Identification

**Product Name** Lysol Brand III Disinfectant Spray, All Scents (Aerosol) - USA  
**UPC CODES** Refer to section 16  
**CAS #** Mixture  
**Product use** Disinfectant  
**Distributed by** Reckitt Benckiser  
 Morris Corporate Center IV  
 399 Interpace Parkway  
 P.O. Box 225  
 Parsippany, NJ 07054-0225  
 In Case of Emergency: 1-800-228-4722  
 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	3
Physical Hazard	0
Personal Protection	B



### 2. Hazards Identification

**Emergency overview** This product is regulated by the US EPA as a disinfectant.

Extremely flammable.  
**CAUTION**  
 Contents under pressure. Do not puncture or incinerate container. Containers may explode when heated. Keep away from heat, sparks and flame.  
 Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.  
 Keep out of reach of children.

**Potential short term health effects**

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.  
**Eyes** Moderately irritating to the eyes.  
**Skin** May cause irritation. Not a skin sensitizer based on test data.  
**Inhalation** Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).  
**Ingestion** Not a normal route of exposure. May cause stomach distress, nausea or vomiting.  
**Target organs** Blood. Eyes. Liver. Respiratory system. Skin.  
**Chronic effects** Prolonged or repeated exposure can cause drying, defatting and dermatitis.  
**Signs and symptoms** Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

### 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol	64-17-5	40 - 60
Petroleum gases, liquefied, sweetened	68476-86-8	2.5 - 10
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	68989-01-5	0.1 - 1

---

## 4. First Aid Measures

---

### First aid procedures

<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>Skin contact</b>	Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Obtain medical attention if irritation persists.
<b>Inhalation</b>	Move victim to fresh air. If symptoms persist, obtain medical attention.
<b>Ingestion</b>	Call a physician or Poison Control Centre immediately. Have victim rinse mouth thoroughly with water. Do not induce vomiting.

### Notes to physician

Contains denatured ethanol; ingestion may result in ethanol poisoning. Symptoms may be delayed.

### General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

---

## 5. Fire Fighting Measures

---

### Flammable properties

Flammable aerosol by flame projection test.  
Aerosol flame extension less than 18 inches (45 cm).  
Containers may explode when heated.

### Extinguishing media

**Suitable extinguishing media** Treat for surrounding material.

**Unsuitable extinguishing media** Not available

### Protection of firefighters

**Specific hazards arising from the chemical** Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

**Protective equipment for firefighters** Firefighters should wear full protective clothing including self contained breathing apparatus.

### Hazardous combustion products

May include and are not limited to: Oxides of carbon.

### Explosion data

**Sensitivity to mechanical impact** Not available

**Sensitivity to static discharge** Not available

---

## 6. Accidental Release Measures

---

### Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

### Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

### Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

---

## 7. Handling and Storage

---

### Handling

Use good industrial hygiene practices in handling this material.

### Storage

Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F). Keep away from heat, open flames or other sources of ignition.

---

---

## 8. Exposure Controls / Personal Protection

---

### Exposure limits

Ingredient(s)	Exposure Limits
Ethanol	<b>ACGIH-TLV</b> TWA: 1000 ppm <b>OSHA-PEL</b> TWA: 1000 ppm
Petroleum gases, liquefied, sweetened	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	<b>ACGIH-TLV</b> Not established <b>OSHA-PEL</b> Not established

### Engineering controls

General ventilation normally adequate.

### Personal protective equipment

#### Eye / face protection

Not normally required when used as directed. Avoid contact with eyes. Emergency responders should wear full eye and face protection.

#### Hand protection

Not normally required when used as directed. Avoid contact with the skin. Emergency responders should wear impermeable gloves.

#### Skin and body protection

As required by employer code.

#### Respiratory protection

Not normally required if good ventilation is maintained. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

#### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

---

## 9. Physical and Chemical Properties

---

Appearance	Aerosol.
Color	Clear, Water white
Form	Misty spray
Odor	Characteristic
Odor threshold	Not available
Physical state	Gas
pH	10.5
Freezing point	Not available
Boiling point	Not available
Flash point	18.6 °C (65.48 °F)
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	3.3
Flammability limits in air, upper, % by volume	19
Vapor pressure	756 - 825 kPa
Vapor density	Not available
Specific gravity	> 1
Octanol/water coefficient	Not available
Solubility (H <sub>2</sub> O)	Complete
Auto-ignition temperature	Not available
VOC (Weight %)	Not available

Viscosity	Not available
Percent volatile	Not available

## 10. Stability and Reactivity

<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Heat, open flames, static discharge, sparks and other ignition sources. Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not mix with other chemicals.
<b>Incompatible materials</b>	Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.

## 11. Toxicological Information

### Component analysis - LC50

Ingredient(s)	LC50
Ethanol	31623 ppm rat
Petroleum gases, liquefied, sweetened	Not available
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	Not available

### Component analysis - Oral LD50

Ingredient(s)	LD50
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Petroleum gases, liquefied, sweetened	Not available
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	Not available

### Effects of acute exposure

<b>Eye</b>	Moderately irritating to the eyes.
<b>Skin</b>	May cause irritation. Not a skin sensitizer based on test data.
<b>Inhalation</b>	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).
<b>Ingestion</b>	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.
<b>Sensitization</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.

### ACGIH - Threshold Limit Values - Carcinogens

Ethanol	64-17-5	A4 - Not Classifiable as a Human Carcinogen
---------	---------	---

**Mutagenicity** The finished product is not expected to have chronic health effects.

**Reproductive effects** The finished product is not expected to have chronic health effects.

**Teratogenicity** The finished product is not expected to have chronic health effects.

---

## 12. Ecological Information

---

<b>Ecotoxicity</b>	Components of this product have been identified as having potential environmental concerns.	
<b>Ecotoxicity - Freshwater Fish Species Data</b>		
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales promelas:>100 mg/L [static]; 96 Hr LC50 Pimephales promelas:13400-15100 mg/L [flow-through]
<b>Ecotoxicity - Microtox Data</b>		
Ethanol	64-17-5	5 Min EC50 Photobacterium phosphoreum: 35470 mg/L; 30 min EC50 Photobacterium phosphoreum: 34634 mg/L
<b>Ecotoxicity - Water Flea Data</b>		
Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 mg/L; 24 Hr EC50 Daphnia magna:10800 mg/L
<b>Environmental effects</b>	Not available	
<b>Aquatic toxicity</b>	Not available	
<b>Persistence / degradability</b>	Not available	
<b>Bioaccumulation / accumulation</b>	Not available	
<b>Partition coefficient</b>	Not available	
<b>Mobility in environmental media</b>	Not available	
<b>Chemical fate information</b>	Not available	

---

## 13. Disposal Considerations

---

<b>Waste codes</b>	Not available
<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

---

## 14. Transport Information

---

### U.S. Department of Transportation (DOT)

UN1950, Aerosols, Class 2.1 Re-Classed as Consumer Commodity ORM-D

### Transportation of Dangerous Goods (TDG - Canada)

UN 1950, Aerosols, Class 2.1 Re-Classed as Consumer Commodity/LTD. QTY.

**IMDG (Marine Transport)**

UN 1950, Aerosols, Class 2.1, Limited Quantity

**IATA/ICAO (Air)**

UN 1950, Aerosols, Flammable, Limited Quantity or Consumer Commodity, ID 8000 if acceptable to airline.

---

## 15. Regulatory Information

---

**US Federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Occupational Safety and Health Administration (OSHA)**

**29 CFR 1910.1200 hazardous chemical** Yes

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - Yes  
Pressure Hazard - Yes  
Reactivity Hazard - No

**Section 302 extremely hazardous substance** No

**Section 311 hazardous chemical** Yes

**Clean Air Act (CAA)** Not available

**Clean Water Act (CWA)** Not available

## State regulations

### U.S. - Massachusetts - Right To Know List

Ethanol 64-17-5 Teratogen

### U.S. - Minnesota - Hazardous Substance List

Ethanol 64-17-5 Present

### U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol 64-17-5 sn 0844

### U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol 64-17-5 Present

### U.S. - Rhode Island - Hazardous Substance List

Ethanol 64-17-5 Toxic; Flammable

## Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other Information

### Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

### Further information

Caution: Keep out of reach of children. Avoid contact with eyes and skin.

#### UPC CODES:

19200-74186, 19200-79329, 19200-74185 - Crisp Linen - (12.5 oz., 19 oz., 6 oz.);  
19200-79132 - "To Go" - Crisp Linen - (1 oz.);  
19200-02845, 19200-79326 - Spring Waterfall - (12.5 oz., 19 oz.);  
19200-81545, 19200-81546 - Citrus Meadows - (12.5 oz., 19 oz.);  
19200-02922, 19200-79328 - Summer Breeze - (12.5 oz., 19 oz.);  
19200-80833, 19200-80834 - Early Morning Breeze - (12.5 oz., 19 oz.);  
19200-79481, 19200-79482 - Garden Mist - (12.5 oz., 19 oz.);  
19200-02291, 19200-79325 - Original Scent - (12.5 oz., 19 oz.)

#### FORMULA NUMBER:

0081281 (1095-047) - Crisp Linen;  
0088285 (1095-050) - "To Go" - Crisp Linen;  
0081280 (1095-046) - Spring Waterfall;  
0176000 (1338-128) - Citrus Meadows;  
0081282 (1095-057) - Summer Breeze;  
0084183 (1095-048) - Early Morning Breeze;  
0081286 (1095-052) - Garden Mist;  
0081288 (1095-058) - Original Scent

### Issue date

09-Jul-2010

### Effective date

15-Jun-2009

### Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899