


1. Product and Company Identification

Product Name Air Wick® Aerosol
UPC CODES Refer to Section 16
CAS # Mixture
Product use Air freshener
Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 0
Flammability	1
Physical Hazard	0
Personal Protection	A



2. Hazards Identification

Emergency overview CAUTION
 CONTENTS UNDER PRESSURE.
 CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes, on skin or clothing. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation.

Eyes None expected during normal conditions of use.
 May cause eye irritation upon direct contact with eyes.

Skin None expected during normal conditions of use.
 Prolonged or frequent skin contact may cause an allergic reaction.

Inhalation None expected during normal conditions of use.

Ingestion Health injuries are not known or expected under normal use.

Target organs Skin. Eyes.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects This product has not been tested.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol	64-17-5	2.5 - 10
Borax	1303-96-4	0.1 - 1

4. First Aid Measures

First aid procedures

Eye contact	If in eyes, rinse eyes with water. Remove any contact lenses and continue to rinse eyes for at least 15 minutes. If irritation occurs, get medical attention.
Skin contact	If on skin, wash area with soap and water. If irritation occurs, get medical attention. Discontinue use IMMEDIATELY and get medical attention if a reaction develops. Wash hands after handling.
Inhalation	Move to fresh air.
Ingestion	If swallowed, call a Poison Control Centre or doctor immediately. DO NOT induce vomiting.

Notes to physician

Treat patient symptomatically.

General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

5. Fire Fighting Measures

Flammable properties

Aerosol flame extension less than 18 inches (45 cm).

NFPA AEROSOL LEVEL: Flammability Rating 1, per NFPA 30B

Extinguishing media

Suitable extinguishing media Treat for surrounding material.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from the chemical Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling

CAUTION

Contents under pressure. CONTAINER MAY EXPLODE IF HEATED. MAY IRRITATE EYES. DO NOT get in eyes, on skin or clothing. Do not ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray towards face. Do not puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container may burst.

Storage

Keep out of reach of children. Keep away from heat, open flames or other sources of ignition.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Borax	ACGIH-TLV TWA: 2 mg/m ³ STEL: 6 mg/m ³ OSHA-PEL Not established
Ethanol	ACGIH-TLV TWA: 1000 ppm STEL: 1000 ppm OSHA-PEL TWA: 1000 ppm

Engineering controls

General ventilation normally adequate.

Personal protective equipment**Eye / face protection**

Wear safety glasses with side shields.

Hand protection

Impervious gloves.

Skin and body protection

Usual safety precautions while handling the product will provide adequate protection against injury or irritation.

Respiratory protection

Not normally required under normal use conditions. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance	Aerosol.
Color	Clear
Form	Misty spray
Odor	Characteristic
Odor threshold	Not available
Physical state	Gas
pH	Not available
Freezing point	Not available
Boiling point	> 167.00 °F (> 75 °C)
Pour point	Not available
Evaporation rate	Not available
Flash point	> 212.00 °F (> 100 °C)
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available

10. Stability and Reactivity

Reactivity	This product may react with oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Aerosol containers are unstable at temperatures above 49°C (120.2°F). DO NOT MIX WITH BLEACH or use in conjunction with other household products. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not pierce or burn after use. Do not spray on a naked flame, onto or near a fire, or any incandescent material such as an electric fire.
Incompatible materials	Oxidizers. Acids. Caustics.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Borax	Not available
Ethanol	31623 ppm rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Borax	2660 mg/kg rat; 5330 mg/kg guinea pig
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat

Effects of acute exposure

Eye	None expected during normal conditions of use. May cause eye irritation upon direct contact with eyes.
Skin	None expected during normal conditions of use. Prolonged or frequent skin contact may cause an allergic reaction.
Inhalation	None expected during normal conditions of use.
Ingestion	Health injuries are not known or expected under normal use.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
ACGIH - Threshold Limit Values - Carcinogens	
Borax	1303-96-4 A4 - Not Classifiable as a Human Carcinogen (listed under Borate compounds, inorganic)
Ethanol	64-17-5 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

Mutagenicity The finished product is not expected to have chronic health effects.

Reproductive effects The finished product is not expected to have chronic health effects.

Teratogenicity The finished product is not expected to have chronic health effects.

Name of Toxicologically Synergistic Products Not available

12. Ecological Information

Ecotoxicity This product has not been tested.

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Ethanol 64-17-5 96 Hr LC50 *Oncorhynchus mykiss*: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 *Pimephales promelas*: >100 mg/L [static]; 96 Hr LC50 *Pimephales promelas*: 13400 - 15100 mg/L [flow-through]

Ecotoxicity - Water Flea - Acute Toxicity Data

Ethanol 64-17-5 48 Hr LC50 *Daphnia magna*: 9268 - 14221 mg/L; 24 Hr EC50 *Daphnia magna*: 10800 mg/L; 48 Hr EC50 *Daphnia magna*: 2 mg/L [Static]

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Mobility in environmental media	Not available
Environmental effects	Not available
Aquatic toxicity	Not available
Partition coefficient	Not available
Chemical fate information	Not available

13. Disposal Considerations

Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1950, Aerosols, Non-Flammable, 2.2, Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

Consumer Commodity/Limited Quantity/LTD.QTY

IMDG (Marine Transport)

Aerosols, Non-Flammable, Class 2.2, UN 1950 Limited Quantity

UN1950, Aerosols, non-flammable, 2.2 or Consumer
Commodity, ID8000 if acceptable to airline

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Product Registration: Product is compliant with CPSC regulatory guidelines; a specific registration is not required for this product.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - Yes
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Borax	1303-96-4	Present (exempt except when present as free crystal/powder, listed under Borates, tetra, sodium salts)
-------	-----------	--

U.S. - Illinois - Toxic Air Contaminants

Borax	1303-96-4	Present
-------	-----------	---------

U.S. - Massachusetts - Right To Know List

Borax	1303-96-4	Present
Ethanol	64-17-5	Teratogen

U.S. - Minnesota - Hazardous Substance List

Borax	1303-96-4	Present
Ethanol	64-17-5	Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Borax	1303-96-4	Sn 0241 (listed under Sodium borates)
Ethanol	64-17-5	sn 0844

U.S. - Pennsylvania - RTK (Right to Know) List

Borax	1303-96-4	Present
Ethanol	64-17-5	Present

U.S. - Rhode Island - Hazardous Substance List

Borax	1303-96-4	Toxic
Ethanol	64-17-5	Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

62338-74734 - AIR WICK® AEROSOL - Cool Linen & White Lilac - 8 OZ. (226 g)

6233877002 - AIR WICK® AEROSOL - Fresh Waters - 8 OZ. (226 g)

62338-81272 - AIR WICK® AEROSOL - Glacier Mist - Odor Stop® - 8 OZ. (226 g)

62338-81273 - AIR WICK® AEROSOL - Island Paradise - Odor Stop® - 8 OZ. (226 g)

62338-05762 - AIR WICK® AEROSOL - Lavender & Chamomile - 8 OZ. (226 g)

62338-77897- AIR WICK® AEROSOL - Magnolia & Cherry Blossom - 8 OZ. (226 g)

62338-77895 - AIR WICK® AEROSOL - Papaya & Mango - 8 OZ. (226 g)

62338-76143 - AIR WICK® AEROSOL - Rain Garden - 8 OZ. (226 g)

62338-74373 - AIR WICK® AEROSOL - Sparkling Citrus - 8 OZ. (226 g)

62338-05768 - AIR WICK® AEROSOL - Vanilla Indulgence - 8 OZ. (226 g)

Issue date

20-Dec-2010

Effective date

15-Dec-2010

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.