


1. Product and Company Identification

Product Name AIRWICK® FRESHMATIC® Compact I-Motion & Mini
UPC CODES Refer to Section 16
CAS # Mixture
Product use Air freshener
Manufacturer Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

| LEGEND HMIS/NFPA | |
|---------------------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|---------------------|-----|
| Health | / 2 |
| Flammability | 1 |
| Physical Hazard | 0 |
| Personal Protection | B |



2. Hazards Identification

Emergency overview

CAUTION: FLAMMABLE. EYE AND SKIN IRRITANT. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED. DO NOT puncture or incinerate container. DO NOT expose to heat or store at temperatures above 120°F (49°C). DO NOT position near heat or electrical sources. DO NOT spray into open flames. Prolonged or frequent skin contact may cause allergic reaction in some individuals. DO NOT spray towards face. DO NOT get in eyes or on skin. DO NOT spray towards other people or pets. DO NOT spray directly onto surfaces. DO NOT use in infant or children rooms. Use in well-ventilated room. Contains propellants and fragrance.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

| | |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|
| Routes of exposure | Eye, Skin contact, Inhalation. |
| Eyes | None expected during normal conditions of use. May cause eye irritation upon direct contact with the eyes. |
| Skin | May cause skin irritation in susceptible persons. |
| Inhalation | NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. |
| Ingestion | Health injuries are not known or expected under normal use. |
| Target organs | Eyes. |
| Chronic effects | The finished product is not expected to have chronic health effects. |
| Signs and symptoms | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. |

3. Composition / Information on Ingredients

| Ingredient(s) | CAS # | Percent |
|---------------------------|---------|----------|
| Ethane, 1,1-difluoro- | 75-37-6 | 90 - 100 |
| Proprietary Fragrance Oil | Mixture | 5 - 10 |

4. First Aid Measures

First aid procedures

Eye contact If in eyes, IMMEDIATELY rinse eyes with water. Remove any contact lenses and continue rinsing eyes for at least 15 minutes. If irritation persists, get medical attention.

Skin contact If on skin, wash with soap and water. If irritation persists or reaction develops, get medical attention.

Inhalation Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.

Ingestion Rinse mouth with water and drink afterwards plenty of water. Do not induce vomiting.

Notes to physician

Contains: Propellants, petroleum solvent and fragrance oils.

General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Extremely flammable. Exposure to temperatures above 49°C (120°F) may cause bursting. All aerosols are pressurised products and will eventually burst if exposed to very high temperatures, or if involved in a fire. They will then release the propellant gas which is extremely flammable (152A HFC).

Extinguishing media

Suitable extinguishing media Dry chemical. Foam.

Unsuitable extinguishing media Water. Water spray.

Protection of firefighters

Specific hazards arising from the chemical Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away.

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Do not pierce or burn after use. Keep away from all sources of ignition. Fires involving aerosols with flammable contents are severe and can spread quickly. Warehouses or stores containing aerosols should therefore be separated from other areas by a fire resistant construction. Stores should be well ventilated. The natural ventilation in a large open warehouse building will normally be suitable. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

DO NOT reuse batteries. Batteries contain 0%mercury/0%lead/0%cadmium.

Storage

Do not store at temperatures above 49 °C (120.2°F). Store in original container in a cool, secure area inaccessible to children and pets. Keep away from heat, open flames or other sources of ignition.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

8. Exposure Controls / Personal Protection

Exposure limits

| Ingredient(s) | Exposure Limits |
|---------------------------|---------------------------------------------------------------------------|
| Ethane, 1,1-difluoro- | ACGIH-TLV Not established OSHA-PEL Not established |
| Proprietary Fragrance Oil | ACGIH-TLV Not established OSHA-PEL Not established |

Engineering controls

General ventilation normally adequate.

Personal protective equipment**Eye / face protection**

Avoid contact with eyes.
Emergency responders should wear full eye and face protection.

Hand protection

No special requirements under normal use conditions.
Emergency responders should wear impermeable gloves.

Skin and body protection

No special requirements under normal use conditions.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations

Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

| | |
|-------------------------------------------------------|---------------|
| Appearance | Spray |
| Color | Clear |
| Form | Aerosol. |
| Odor | Various |
| Odor threshold | Not available |
| Physical state | Gas |
| pH | Not available |
| Freezing point | Not available |
| Pour point | Not available |
| Boiling point | Not available |
| Flash point | Not available |
| Evaporation rate | Not available |
| Flammability limits in air, lower, % by volume | Not available |
| Flammability limits in air, upper, % by volume | Not available |
| Vapor pressure | Not available |
| Vapor density | Not available |
| Specific gravity | 0.911 @ 20°C |
| Octanol/water coefficient | Not available |
| Auto-ignition temperature | Not available |

10. Stability and Reactivity

| | |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chemical stability | Stable under recommended storage conditions. |
| Conditions to avoid | Keep away from open flames, hot surfaces and sources of ignition. Protect from sunlight and do not expose to temperatures exceeding 50°C (120°F). Extremes of temperatures can occur in cars and near ovens and fireplaces. Do not place in contact with hot surfaces or near naked flames. Do not pierce or burn after use. Do not spray on a naked flame, onto or near a fire, or any incandescent material such as an electric fire. |
| Incompatible materials | Caustics. Oxidizers. Acids. |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |

11. Toxicological Information

Component analysis - LC50

| Ingredient(s) | LC50 |
|---------------------------|-----------------|
| Ethane, 1,1-difluoro- | > 64000 ppm rat |
| Proprietary Fragrance Oil | Not available |

Component analysis - Oral LD50

| Ingredient(s) | LD50 |
|---------------------------|----------------|
| Ethane, 1,1-difluoro- | 1500 mg/kg rat |
| Proprietary Fragrance Oil | Not available |

Effects of acute exposure

| | |
|------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Eye | None expected during normal conditions of use. May cause eye irritation upon direct contact with the eyes. |
| Skin | May cause skin irritation in susceptible persons. |
| Inhalation | NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. |
| Ingestion | Health injuries are not known or expected under normal use. |
| Sensitization | The finished product is not expected to have chronic health effects. |
| Chronic effects | The finished product is not expected to have chronic health effects. |
| Carcinogenicity | The finished product is not expected to have chronic health effects. |
| Mutagenicity | The finished product is not expected to have chronic health effects. |
| Reproductive effects | The finished product is not expected to have chronic health effects. |
| Teratogenicity | The finished product is not expected to have chronic health effects. |
| Synergistic Materials | Not available |

12. Ecological Information

| | |
|----------------------------------------|-----------------------------------|
| Ecotoxicity | This product has not been tested. |
| Environmental effects | Not available |
| Aquatic toxicity | Not available |
| Persistence / degradability | Not available |
| Bioaccumulation / accumulation | Not available |
| Partition coefficient | Not available |
| Mobility in environmental media | Not available |
| Chemical fate information | Not available |

13. Disposal Considerations

| | |
|----------------------------------------------|--------------------------------------------------------|
| Waste codes | Not available |
| Disposal instructions | Dispose in accordance with all applicable regulations. |
| Waste from residues / unused products | Not available |

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1950, Aerosols, Class 2.1, Limited Quantity
Re-classed as Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

Consumer Commodity/Limited Quantity/LTD.QTY

IMDG (Marine Transport)

UN 1950, Aerosols, Class 2.1, Limited Quantity

UN 1950, Aerosols, Flammable, Class 2.1, Limited
Quantity or Consumer Commodity, ID 8000 if acceptable to airline

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
CERCLA/SARA Hazardous Substances - Not applicable.

Product Registration: Not registered

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - Yes
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - Louisiana - Reportable Quantity List for Pollutants

Ethane, 1,1-difluoro- 75-37-6 5000 Lb final RQ; 2270 kg final RQ

U.S. - Massachusetts - Right To Know List

Ethane, 1,1-difluoro- 75-37-6 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethane, 1,1-difluoro- 75-37-6 sn 0715

Inventory status

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|-----------------------------------------------|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

AIR WICK® FRESHMATIC® Compact I-Motion - Starter Kit Aqua Essences Fresh Waters® - 0156978

AIR WICK® FRESHMATIC® Compact I-Motion - Starter Kit Harvest Spice® - 0108508

AIR WICK® FRESHMATIC® Compact - Refill Harvest Spice® - 8 oz. - 62338 80272

AIR WICK® FRESHMATIC® Compact I-Motion - Starter Kit Lavender & Chamomile - 0081202

AIR WICK® FRESHMATIC® Compact I-Motion - Starter Kit Vanilla Indulgence® - 0108506

AIR WICK® FRESHMATIC® Compact - Refill Aqua Essences Fresh Waters® - 0156978

AIR WICK® FRESHMATIC® Compact - Refill Lavender & Chamomile - 0081202

AIR WICK® FRESHMATIC® Compact - Refill Vanilla - 0108506

AIR WICK® FRESHMATIC® Compact - Refill TROPICAL BLISS™ - 8 oz. - 62338 82679

Issue date

10-Feb-2010

Effective date

01-Feb-2010

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.