MATERIAL SAFETY DATA SHEET



SPITFIRE SC Power Cleaner

| HMIS | | NFPA | Personal protective equipment | | |
|-------------|---|------|-------------------------------|--|--|
| Health | 3 | 3 | | | |
| Fire Hazard | 0 | 0 | | | |
| Reactivity | 0 | 0 | | | |

Version Number: 2

Preparation date: 2011-04-05

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

SPITFIRE SC Power Cleaner

MSDS #: Product Code: Recommended use:

MS0300502 5273489, 5273518, 5273526 Heavy Duty Cleaner and Degreaser . This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:
US Headquarters
Diversey, Inc.
8310 16th St.
Sturtevant, Wisconsin 53177-1964
Phone: 1-888-352-2249
MSDS Internet Address: www.diversey.comEmergency telephone number:1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

Canadian Headquarters Diversey, Inc. - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principal routes of exposure: Eye contact: Skin contact: Inhalation: Ingestion: Eye contact. Skin contact. Inhalation. Corrosive. Causes permanent eye damage, including blindness. Corrosive. Causes permanent damage. May cause irritation and corrosive effects to nose, throat and respiratory tract. May be irritating to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient(s) | CAS # | Weight % | LD50 Oral - Rat (mg/kg) | LD50 Dermal - Rabbit | LC50 Inhalation - Rat |
|-----------------------------|------------|----------|----------------------------|-------------------------|------------------------------------|
| Benzyl alcohol | 100-51-6 | 5 - 10% | 1230 | =2000 mg/kg | =8.8 mg/L (4 h) |
| 2-butoxyethanol | 111-76-2 | 10 - 20% | 470 | =220 mg/kg | =2.21 mg/L (4 h) =450 ppm (4 h) |
| Monoethanolamine | 141-43-5 | 5 - 10% | 1720 | =1 mL/kg =1025 mg/kg | Not available |
| Lauryl dimethyl amine oxide | 1643-20-5 | 1 - 5% | Not available | Not available | Not available |
| Alcohol ethoxylates | 68439-46-3 | 10 - 20% | 1378 | >2 g/kg | Not available |

4. FIRST AID MEASURES

Eye contact:

Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical attention immediately.

Skin contact: Inhalation: Immediately flush with plenty of water for 15-20 minutes . Get medical attention immediately. If breathing is affected, remove to fresh air. Get medical attention immediately.

Ingestion:

Aggravated Medical Conditions:

If swallowed, give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects

5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media: | The product is not flammable. Extinguish fire using agent suitable for surrounding fire. |
|-------------------------------|--|
| Specific hazards: | Not applicable |
| Unusual hazards: | Corrosive material (See sections 8 and 10). |
| Specific methods: | No special methods required |

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions: | | | | |
|---------------------------|--|--|--|--|
| Environmental precautions | | | | |
| and clean-up methods: | | | | |

Use personal protective equipment Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Mix only with water . Do not mix with any other product or chemical . May react to release hazardous gases. FOR COMMERICAL AND INDUSTRIAL USE ONLY. **Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

| Personal Protective Equipment | |
|-------------------------------|--|
| Eye protection: | Chemical-splash goggles. |
| Hand protection: | Chemical-resistant gloves |
| Skin and body protection: | Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. |
| Respiratory protection: | In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. |
| Hygiene measures: | Handle in accordance with good industrial hygiene and safety practice |
| | |

| Ingredient(s) | CAS # | ACGIH | OSHA | Mexico |
|------------------|----------|-----------------------------|--------------------------------|---|
| 2-butoxyethanol | 111-76-2 | 20 ppm (TWA) | Skin 50 ppm (TWA) 240 mg/m³ | 75 ppm (STEL) 360 mg/m ³ (STEL) |
| | | | (TWA) | 26 ppm (TWA) 120 mg/m³ (TWA) |
| Monoethanolamine | 141-43-5 | 6 ppm (STEL) 3 ppm (TWA) | 3 ppm (TWA) 6 mg/m³ (TWA) | 6 ppm (STEL) 15 mg/m ³ (STEL) 3 ppm (TWA) 8 mg/m ³ (TWA) |

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Liquid Aqueous solution Specific gravity: 1.026 Vapor density: No information available Boiling point/range: Not determined Bulk density: No information available Evaporation Rate No information available Color: Clear Red Odor: Pine Fresh Melting point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0.00 % by wt. pH: 12.5 Autoignition temperature: No information available Density: 8.59 lbs/gal 1.03 Kg/L Flash point: > 200 °F > 93.4 °C Viscosity:No information available VOC: 19.7 % * Dilution pH: 11.45 @ 1:12

Explosion limits: - upper: Not determined - lower: Not determined

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: Polymerization: Hazardous decomposition products: Materials to avoid: Conditions to avoid: The product is stable Hazardous polymerization does not occur None reasonably foreseeable. Acids. Strong oxidising agents. Do not mix with any other product or chemical.

11. TOXICOLOGICAL INFORMATION

| Acute toxicity: | Corrosive. Oral LD50 estimated to be between 2000 - 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg. |
|------------------------|---|
| Component Information: | See Section 3 |
| Chronic toxicity: | None known |
| Specific effects | |
| Carcinogenic effects: | None known |
| Mutagenic effects: | None known |
| Reproductive toxicity: | None known |
| Target organ effects: | None known |

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations. RCRA Hazard Class: D002

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|----------------|----------|--------|--------|--------|--------|
| Benzyl alcohol | 100-51-6 | Х | - | Х | - |

| 2-butoxyethanol | 111-76-2 | Х | Х | Х | Х |
|-------------------------|------------|---|---|---|---|
| Sodium xylene sulfonate | 1300-72-7 | - | - | - | - |
| Monoethanolamine | 141-43-5 | Х | Х | Х | Х |
| Alcohol ethoxylates | 68439-46-3 | - | - | - | - |
| Water | 7732-18-5 | - | - | - | - |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------|----------|----------|----------------------|-----------------------|-------------|
| 2-butoxyethanol | 111-76-2 | 10 - 20% | | | Х |

| Ingredient(s) | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-----------------|---------|---------|-------------------------|
| 2-butoxyethanol | Х | | |

SARA 311/312 Hazard Categories

| Immediate: | | х |
|-----------------------|-------------------|----|
| Delayed: | | - |
| Fire: | | - |
| Reactivity: | | - |
| Sudden Release | of Pressure: | - |
| Canada | | |
| WHMIS hazard class: E | Corrosive materia | al |



16. OTHER INFORMATION

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC Contains an added fragrance, see "Odor" heading in section 9 for specific description.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.