## **MATERIAL SAFETY DATA SHEET**

Date Prepared: 12/1/2000 (Prepared According to 29 CFR 1910.1200)

SECTION 1 - PRODUCT IDENTIFICATION					
Distributor TRIPLE S	Emergency Phone 1-888-779-1339				
Address 2 Executive Park Drive, Billerica, MA 01862					
Trade Name SCOTTY	Product Type Industrial All Purpose Cleaner/Degreaser				
SECTION 2 - INGREDIENTS					
CHEMICAL NAME/COMMON NAME	CAS NO.	WT. %(opt)	TLV(Source)	TITLE III, SECT. 313	
Sodium Metasilicate	6834-92-0	1-5%	None Established		
Nonionic Surfactant	9016-45-9	1-5%	None Established		
Tetrasodium EDTA	64-02-8	1-3%	None Established		
Sodium Carbonate	497-19-8	1-3%	None Established		
SECTION 3 - PHYSICAL DATA					
Boiling point (°F.) 212°F Specific Gravity (H2O=1.0)	1.0 ± 0.005 pH 12.3 ± 0.5				
Vapor Pressure (mm Hg) Not Determined	Vapor Density (Air=1)	Not Det			
Solubility in water Complete Insoluble	<del>,                                    </del>	ble (or Dispersible)	Slight (or Partial)		
Evaporation Rate (vs. H2O) Faster Slower X About the Same	Appearance and Ode	Clear Ora	nge liquid with no distinct	odor.	
SECTION 4 - FIRE AND EXPLOSION HAZARD DAT					
Flash Point (T.C.C.) °F. None to Boiling	Flammable Limits N	A Upper	Lower		
Extinguishing Media Product is noncombustible. Water Spray (Fog), Dry Chemical, CO2, or Foam may be used where product is stored.					
Special Firefighting Procedures Do not enter confined fire-spaces without procedures	rotective clothing	and self-contain	ed air supply.		
Unusual Fire and Explosion Hazards None					
SECTION 5 - REACTIVITY DATA					
Stability Stable Incompatibility Strong acids/c	oxidizers. Do not r	nix with chlorina	ted detergents (bleach).		
Hazardous Decomposition Products Burning may produce oxides of carbon and of	ther substances.				
SECTION 6 - HEALTH HAZARD DATA	1		+1+1+1+1+1+1+1+1+1+1+1+1+1+1+1+	(1 + ( + ( + ( + ( + ( + ( + ( + ( + ( +	
	<u></u>	<u> </u>	<u> </u>		
Primary Routes of Exposure	<b>X</b> Ora		Inhalation	Other	
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cau				
Primary Routes of Exposure X Eye X Skin  Signs and Symptoms Prolonged or repeated contact of concentrated product	with eyes will cau				
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cau				
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cau				
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cau				
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cau			y cause nausea, abdominal	
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cau	se irritation and	reddening. Ingestion ma	y cause nausea, abdominal	
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cau	se irritation and	reddening. Ingestion ma	y cause nausea, abdominal	
Primary Routes of Exposure    X   Eye	with eyes will cau on.  NTP  EDURES:	se irritation and	reddening. Ingestion ma	y cause nausea, abdominal	
Primary Routes of Exposure    X   Eye   X   Skin	with eyes will cauch.  NTP  EDURES:  an immediately.  irritation persists of	se irritation and	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure    Signs and Symptoms of Overexposure (Acute)	with eyes will cauch.  NTP  EDURES  an immediately.  irritation persists contician immediately.	se irritation and	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure    Signs and Symptoms of Overexposure (Acute)	with eyes will cauch.  NTP  EDURES::::: an immediately. irritation persists continuous incident immediately. sygen may be admits on the continuous incident immediately.	se irritation and	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure    Signs and Symptoms of Overexposure (Acute)	with eyes will cau on.  NTP  EDURES:  irritation persists of sician immediately sygen may be adm ON:	IARC all physician.	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure    Signs and Symptoms of Overexposure (Acute)   Prolonged or repeated contact of concentrated product discomfort, vomiting and diarrhea and mucousal irritation.    Signs and Symptoms of Overexposure (Chronic)   None currently known.	with eyes will cauch.  NTP  EDURES: an immediately. irritation persists of sician immediately. kygen may be adm  ON:	IARC  all physician.  protect against	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure    Signs and Symptoms of Overexposure (Acute)	with eyes will cauch.  NTP  EDURES:::: an immediately. irritation persists of the control of the	IARC  all physician.  protect against Cafety Glasses/0	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure  Signs and Symptoms of Overexposure (Acute)  Prolonged or repeated contact of concentrated product discomfort, vomiting and diarrhea and mucousal irritation  Signs and Symptoms of Overexposure (Chronic)  None currently known.  Medical Conditions Aggravated by Overexposure An existing dermatitis.  Carcinogen or Suspect Carcinogen Ingredients  SECTION 7 - EMERGENCY AND FIRST AID PROCE  Eyes Flush eyes with water for at least 15 minutes and call a physicial skin Wash affected areas with large amounts of soap and water. If ingestion Do NOT induce vomiting. Dilute by drinking water. Call a physicial ship in the protective Protective Clothing appropriate to miniminimical contents.	with eyes will cauch.  NTP  EDURES:::: an immediately. irritation persists of the control of the	IARC  all physician.  protect against Cafety Glasses/0	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure    Signs and Symptoms of Overexposure (Acute)	with eyes will cauch.  NTP  EDURES:::: an immediately. irritation persists of the control of the	IARC  all physician.  protect against Cafety Glasses/0	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure discomfort, vomiting and diarrhea and mucousal irritation discomfort, vomiting and diarrhea and mucousal irritation.  Signs and Symptoms of Overexposure (Chronic) None currently known.  Medical Conditions Aggravated by Overexposure An existing dermatitis.  Carcinogen or Suspect Carcinogen Ingredients  SECTION 7 - EMERGENCY AND FIRST: AID PROCEUTE  Eyes Flush eyes with water for at least 15 minutes and call a physicial skin Wash affected areas with large amounts of soap and water. If Ingestion Do NOT induce vomiting. Dilute by drinking water. Call a physical special properties of the protection of the cessary. Oxinchial SECTION 8: SPECIAL PROTECTION INFORMATION (Not required under normal use conditions with good generally protective Gloves Rubber/PVC  Other Protective Clothing appropriate to minimic SECTION 9 - SPILL OR LEAK PROCEDURES	with eyes will cauch.  NTP  EDURES: an immediately. irritation persists of sician immediately. xygen may be adm ON: Eye Protection  Eye Protection  Zee contact during	IARC  all physician.  Protect against Safety Glasses/Gspecific operation	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure    Signs and Symptoms of Overexposure (Acute)	with eyes will cauch.  NTP  EDURES: an immediately. irritation persists of sician immediately. exygen may be admonated to the sician immediately. Eye Protection  Eye Protection  Zee contact during  ak if you can witho	IARC  all physician.  Protect against Safety Glasses/Gspecific operation	reddening. Ingestion ma	y cause nausea, abdominal	
Signs and Symptoms of Overexposure discomfort, vomiting and diarrhea and mucousal irritation discomfort, vomiting and diarrhea and mucousal irritation.  Signs and Symptoms of Overexposure (Chronic) None currently known.  Medical Conditions Aggravated by Overexposure An existing dermatitis.  Carcinogen or Suspect Carcinogen Ingredients  SECTION 7 - EMERGENCY: AND FIRST AID PROCESTION Symptoms and call a physicial skin wash affected areas with large amounts of soap and water. If Ingestion Do NOT induce vomiting. Dilute by drinking water. Call a physicial skin Remove to fresh air. Start artificial respiration if necessary. Ox SECTION 8 - SPECIAL PROTECTION INFORMATION Respiratory Protection Not required under normal use conditions with good getwentilation Requirements N/A	with eyes will cauch.  NTP  EDURES:::: an immediately. irritation persists of sician immediately. expensed with the containers for reuse with the containers for reuse contact.	IARC  all physician.  Protect against Cafety Glasses/Gspecific operations of the company of the	osha Non a physician.  generated mists/spraybac Goggles ons.  ead of large spills to prevent oper disposal.	y cause nausea, abdominal	
Signs and Symptoms of Overexposure discomfort, vomiting and diarrhea and mucousal irritation discomfort, vomiting and diarrhea and mucousal irritation.  Signs and Symptoms of Overexposure (Chronic) None currently known.  Medical Conditions Aggravated by Overexposure An existing dermatitis.  Carcinogen or Suspect Carcinogen Ingredients  SECTION 7 - EMERGENCY AND FIRST AID PROCES  Eyes Flush eyes with water for at least 15 minutes and call a physicial skin Wash affected areas with large amounts of soap and water. If Ingestion Do NOT induce vomiting. Dilute by drinking water. Call a physicial Inhalation Remove to fresh air. Start artificial respiration if necessary. Ox SECTION 8 - SPECIAL PROTECTION INFORMATION Not required under normal use conditions with good get a condition of the protective Gloves Rubber/PVC  Other Protective Protective clothing appropriate to minimic Clothing  SECTION 9 - SPILL OR LEAK PROCEDURES  Steps To Be Taken If Released or University and provided waste facility according to the waste Disposal Methods  Dispose of in an approved waste facility according to the state of the protective and provided to the protection of the provided provided to the protection of	with eyes will cauch.  NTP  EDURES:  an immediately.  irritation persists of the containers for reuring as if you can without containers for reuring.	IARC  all physician.  Protect against Cafety Glasses/Gspecific operations of the company of the	osha Non a physician.  generated mists/spraybac Goggles ons.  ead of large spills to prevent oper disposal.	y cause nausea, abdominal	
Signs and Symptoms of Overexposure discomfort, vomiting and diarrhea and mucousal irritation discomfort, vomiting and diarrhea and mucousal irritation.  Signs and Symptoms of Overexposure (Chronic) None currently known.  Medical Conditions Aggravated by Overexposure An existing dermatitis.  Carcinogen or Suspect Carcinogen Ingredients  SECTION 7 - EMERGENCY AND FIRST AID PROCES  Eyes Flush eyes with water for at least 15 minutes and call a physicial skin Wash affected areas with large amounts of soap and water. If Ingestion Do NOT induce vomiting. Dilute by drinking water. Call a physicial skin Remove to fresh air. Start artificial respiration if necessary. Ox SECTION 8 - SPECIAL PROTECTION INFORMATION Not required under normal use conditions with good get a spiratory Protection Protective Protective Clothing appropriate to minimic Clothing SECTION 9 - SPILL OR LEAK PROCEDURES  Steps To Be Taken If Released or Do not touch or walk through spilled material. Stop lead up with sand or other inert absorbent and reclaim into SECTION 10 - STORAGE AND HANDLING INFORMATION SECTION 10 - STORAGE AND HANDLING INFORMAT	with eyes will cauch.  NTP  EDURES: an immediately. irritation persists of sician immediately. exygen may be admonstrated to the sician immediately. Eye Protection Eye Protection Eye Protection Eye Protection The sician immediately. Eye Protection Eye Rotal State Eye Protection Eye Rotal State Eye Ro	IARC  all physician.  Protect against Safety Glasses/Gspecific operations of the company of the	osha Non  a physician.  generated mists/spraybac  Goggles ons.  and of large spills to prevent oper disposal.  ass.	y cause nausea, abdominal	
Signs and Symptoms of Overexposure discomfort, vomiting and diarrhea and mucousal irritation discomfort, vomiting and diarrhea and mucousal irritation.  Signs and Symptoms of Overexposure (Chronic) None currently known.  Medical Conditions Aggravated by Overexposure An existing dermatitis.  Carcinogen or Suspect Carcinogen Ingredients  SECTION 7 - EMERGENCY AND FIRST AID PROCES  Eyes Flush eyes with water for at least 15 minutes and call a physicial skin Wash affected areas with large amounts of soap and water. If Ingestion Do NOT induce vomiting. Dilute by drinking water. Call a physicial Inhalation Remove to fresh air. Start artificial respiration if necessary. Ox SECTION 8 - SPECIAL PROTECTION INFORMATION Not required under normal use conditions with good get a condition of the protective Gloves Rubber/PVC  Other Protective Protective clothing appropriate to minimic Clothing  SECTION 9 - SPILL OR LEAK PROCEDURES  Steps To Be Taken If Released or University and provided waste facility according to the waste Disposal Methods  Dispose of in an approved waste facility according to the state of the protective and provided to the protection of the provided provided to the protection of	with eyes will cauch.  NTP  EDURES:  an immediately.  irritation persists of the container of the containers for reuring to good manufation.	IARC  all physician.  inistered. Call and a control of the control	osha Non  a physician.  generated mists/spraybac  Goggles ons.  and of large spills to prevent oper disposal.  ass.	y cause nausea, abdominal	

The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

**HMIS** HAZARD **RATING** 

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	Х

0 - LEAST 1 - SLIGHT 2 - MODERATE 3 - HIGH 4 - EXTREME