

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Product name : SSS ALERO PT AIR FRESHENER REFILLS (All Fragrances)
Datasheet No. : TRI-004
Product Use : Air Freshener Cartridge

Manufactured for : Triple S
Address : 2 Executive Park Drive, Billerica, MA 01862
Telephone : 800-323-2251

+ EMERGENCY TELEPHONE NUMBER:
Call: 888-779-1339

1.2 Trading Name

Citrus Vibe (64023), Classic Linen (64024), Summer Symphony (64025), Mint Cool (64026), Floral Fiesta (64027)

2. HAZARD INFORMATION

Physical state: Solid containing flammable liquid.
General: When not properly handled, can be irritating to the skin and eyes and upon inhalation.
Combustible material that can sustain a fire.
Risk phrases: R10, Flammable.
: R22, Harmful if swallowed.
: R65, May cause lung damage if swallowed.
: R67, Vapours may cause drowsiness and dizziness.
: R52/53, Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION / INFORMATION ON CONSTITUENTS

Chemical identification: Fragrance composition: multi-component mixture of natural and synthetic aromatic materials.

CAS number: Not applicable, product is a mixture.

EINECS number: Not applicable, product is a mixture.

| Contains | CAS/EINECS | Hazard Symbols | Conc% |
|---------------------------------|--------------------------|------------------------|-------|
| (S) 6-octen-1-ol, 3, 7-dimethyl | 106-22-9 /203-375-0 | Xi-N; R 38-43-51/53 | 0.1-1 |
| Allyl Hexanoate | 123-68-2 /204-642-4 | Xn-N; R 21/22-38-51/53 | 1-5 |
| Benzaldehyde | 100-52-7 /202-860-4 | Xn; R 22 | 5-25 |
| CAMPHOR POWDER SYNTHETIC | 76-22-2 /200-945-0 | Xn; R 20-68/22 | 1-5 |
| (S) Cinnamaldehyde | 104-55-2 /- | Xn; R 21-38-43 | 0.1-1 |
| gamma-Undecalactone | 104-67-6 /203-225-4 | N; R 51/53 | 1-5 |
| (L) ISO PAR 'M' | 64742-47-8 /265-149-8 | Xn; R 65-66 | 25-50 |
| Propan-2-one | 67-64-1 /200-662-2 | F-Xi; R 11-36-66-67 | 5-25 |

MATERIAL SAFETY DATA SHEET

4. FIRST AID MEASURES

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin exposure: Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.

Ingestion: Rinse mouth with water and obtain medical attention.

Others: Take Risk and Safety phrases (section 15) into consideration.

5. FIRE FIGHTING METHODS

Extinguishing: Carbon dioxide, dry chemical, foam.

media Do not use a direct water-jet on burning material.

6. ACCIDENTAL RELEASE MEASURES

Personal: Avoid inhalation and contact with skin and eyes.

Spillage: Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours.

Gross spillage should be contained immediately by use of sand or inert powder and disposed of according to local regulations.

Environmental: Keep away from drains, surface and ground water, and precautions soil.

7. HANDLING & STORAGE

Handling: Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

Storage: Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original containers. Avoid plastic and uncoated metal containers. Keep air contact to a minimum.

Fire: Keep away from ignition sources and naked flame. protection

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory: Avoid excessive inhalation of concentrated vapours. protection

Eye protection: Wear safety glasses.

Skin protection: Avoid skin contact. Use chemically resistant gloves as needed.

MATERIAL SAFETY DATA SHEET

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance: Yellow
Odor: Not determined.
pH-value: Not determined.
Viscosity: Not determined.
Freezing point: Not determined.
Boiling point: Not determined.
Melting point: Not determined.
Flash point: 23 degC (CC)
Auto flammability: Not determined.
Explosive property: None expected.
Oxidising property: None expected.
Vapour pressure: Not determined.
Relative density: Not determined.
Solubility water: Insoluble.
Solubility ethanol: Not determined.
Partition coeff. : Not determined.
Refractive index: Not determined.

10. STABILITY & REACTIVITY

Reactivity: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidising agents.
Decomposition: Carbon monoxide and unidentified organic compounds may be formed during combustion.

11. TOXICOLOGICAL INFORMATION

Based on the ingredients in this composition and their concentrations, this product is according to the conventional method of EEC directive 1999/45/EC classified as:
Harmful if swallowed.
May cause lung damage if swallowed.
Vapours may cause drowsiness and dizziness.

12. ECOLOGICAL INFORMATION

General: This material is unlikely to accumulate in the environment and environmental problems under normal use conditions are unexpected.

13. DISPOSAL CONSIDERATIONS

Dispose of according to local regulations.
Avoid disposing into drainage systems and into the environment.

MATERIAL SAFETY DATA SHEET

14. TRANSPORT INFORMATION

| Regulatory Information UN No. | Class | Proper Shipping Name | Pack Group | IMDG Page |
|-------------------------------|-------|--|------------|--|
| DOT : - | - | ORM-D | - | - |
| Road (CDGRR) : UN3175 | 4.1 | SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S. (Propan-2-one) | II | NOT RESTRICTED AS PER IMDG SPECIAL PROVISION:- 216 |
| Air (IATA) : UN3175 | 4.1 | SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S. (Propan-2-one) | II | NOT RESTRICTED AS PER IMDG SPECIAL PROVISION:- 216 |
| Sea (IMDG) : UN3175 | 4.1 | SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S. (Propan-2-one) | II | NOT RESTRICTED AS PER IMDG SPECIAL PROVISION:- 216 |

15. REGULATORY INFORMATION

Classification Packaging / Labelling (Directive 1999/45/EC)

Contains ISOPAR'M'.

Contains 6-octen-1-ol, 3, 7-dimethyl, Cinnamaldehyde. May produce an allergic reaction.

Risk phrases: R10, Flammable.

: R22, Harmful if swallowed.

: R65, May cause lung damage if swallowed.

: R67, Vapours may cause drowsiness and dizziness.

: R52/53, Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.

Safety phrases: S61, Avoid release to the environment. Refer to special instructions/safety data sheet.

: S62, If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

Conc % Limits () : XnR22=91.36% XnR65=28.57% R52/53=65.62% R67=100.00%*

IFRACLS01=0.000% IFRACLS02=3.883% IFRACLS03.A=17.476%

IFRACLS03.B=17.476% IFRACLS03.C=17.476%

IFRACLS03.D=17.476% IFRACLS04.A=58.252%

IFRACLS04.B=58.252% IFRACLS04.C=58.252%

IFRACLS04.D=58.252% IFRACLS05=19.417%

IFRACLS06=0.000% IFRACLS07.A=7.767%

IFRACLS07.B=7.767% IFRACLS08=100.000%

IFRACLS09.A=100.000% IFRACLS09.B=100.000%

IFRACLS09.C=100.000% IFRACLS10.A=100.000%

IFRACLS10.B=100.000% IFRACLS11.A=100.000%

IFRACLS11.B=100.000%

Maximum usage limited by IFRA.

() These are the maximum percent concentrations*

that this material can be used in a non-hazardous product without the indicated risk being applicable to that product. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

MATERIAL SAFETY DATA SHEET

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NOTICE FROM TRIPLE S:

The information on this Material Safety Data Sheet whilst believed to be reliable is intended for use by skilled persons at their own risk. Triple S assumes no responsibility for events resulting or damages occurring from its use. The information on this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.