MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name SSS OmniAir™ Odor Management Refill, Blue Wave

Product # 74363 Version # 01

Issue date 12-19-2012

Revision date Supersedes date

CAS# Mixture Manufacturer/Supplier Triple S

> 2 Executive Park Drive Billerica, MA 01862

Telephone number: (978) 667-7900 **Emergency** 1-888-779-1339

2. Hazards Identification

Physical state Liquid.

Appearance Clear yellow liquid.

Emergency overview WARNING

Combustible liquid and vapor.

Causes skin irritation. May cause an allergic skin reaction. Harmful if swallowed - may enter lungs

if swallowed or vomited.

OSHA regulatory status This product is hazardous according to OSHA 29 CFR 1910.1200.

Potential health effects

Routes of exposure Inhalation. Eye contact. Skin contact.

Eyes Direct contact with eyes may cause temporary irritation. Skin Causes skin irritation. May cause allergic skin reaction.

Inhalation In high concentrations, vapors may be irritating to the respiratory system.

Ingestion Harmful if swallowed - may enter lungs if swallowed or vomited.

Potential environmental effects The product contains a substance which is very toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

3. Composition / Information on Ingredients

Components	CAS#	Percent
C9-12-Iso-Alkanes & C11-15-Iso-Alkanes (approx. 70/30)	90622-57-4	40 - 60
Limonene	5989-27-5	7 - 10
Decanal	112-31-2	1 - 5

Composition comments All concentrations are in percent by weight.

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids wide apart. In case of irritation from airborne exposure, move to fresh air. Get medical

attention if symptoms persist.

Skin contact Wash with soap and water. Get medical attention if symptoms occur after washing.

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Ingestion Call a physician or poison control center immediately. DO NOT induce vomiting. If victim is fully

conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If

vomiting occurs, keep head lower than the hips to help prevent aspiration.

Blue Wave CPH: MASJBS: NA 1/6

5. Fire Fighting Measures

Flammable properties The product is combustible, but not flammable.

Extinguishing media

Suitable extinguishing

media

Water fog. Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Protection of firefighters

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers. Cool containers with flooding quantities of water

until well after fire is out.

Hazardous combustion

products

Carbon oxides.

6. Accidental Release Measures

Personal precautions Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks or flames in

immediate area). Avoid contact with skin. See Section 8 of the MSDS for Personal Protective

Equipment.

Environmental precautionsDo not contaminate water. Contact local authorities in case of spillage to drain/aquatic

environment.

Methods for cleaning up Remove sources of ignition. Beware of the explosion danger. Stop the flow of material, if this is

without risk. Dike the spilled material, where this is possible.

Small Spills: Absorb spillage with non-combustible, absorbent material.

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

7. Handling and Storage

Handling Wear appropriate personal protective equipment. Provide adequate ventilation. Avoid contact with

eyes, skin, and clothing. Do not taste or swallow. Wash thoroughly after handling.

StorageDo not handle or store near an open flame, heat or other sources of ignition. Protect against direct

sunlight. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feeding stuffs. Store away from incompatible materials. Avoid

uncoated metal containers. Minimize exposure to air.

8. Exposure Controls / Personal Protection

Occupational exposure limits No exp

Engineering controls

No exposure limits noted for ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If

exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Eye / face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure.

Contact glove manufacturer for specific information.

Respiratory protection

General hygiene considerations

In case of inadequate ventilation use suitable respirator.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical & Chemical Properties

Appearance Clear yellow liquid.

Physical state Liquid. Form Liquid.

Color Clear to yellow.
Odor Not assigned.

Blue Wave CPH: MSI/BS/NA

908203 Version #: 01 Revision date: - Issue date: 12-19-2012

Odor threshold Not available. Not available. pН Vapor pressure Not available. Vapor density Not available. Not available. **Boiling point** Melting point/Freezing point Not available. Solubility (water) Not available. Specific gravity Not available. 134.6 °F (57 °C) Flash point Flammability limits in air, Not available.

Flammability limits in air, upper, % by volume

Flammability limits in air,

Auto-ignition temperature

Not available.

lower, % by volume

Not available.
No data available.

Partition coefficient (n-octanol/water)

10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions.

Conditions to avoid Contact with incompatible materials. Keep away from heat, sparks, and flame.

Incompatible materialsStrong oxidizing agents. Strong acids. Alkalis.Hazardous decompositionCarbon oxides. Unidentified organic compounds.

products

Possibility of hazardous Will not occur.

reactions

11. Toxicological Information

Toxicological data

Components	Species	Test Results
C9-12-Iso-Alkanes & C11-15	5-Iso-Alkanes (approx. 70/30) (90622-	57-4)
Acute		
Dermal		
LD50	Rabbit	> 3200 mg/kg
Inhalation		
LC50	Rat	> 12200 mg/m³
Oral		
LD50	Rat	> 10000 mg/kg
Limonene (5989-27-5)		
Acute		
Dermal		
LD50	Rabbit	5 g/kg
Oral		
LD50	Rat	4400 mg/kg
Sensitization	May cause allergic skin disorders in sensitive individuals.	

Acute effects Causes skin irritation. Harmful if swallowed - may enter lungs if swallowed or vomited.

Chronic effects Chronic effects are not expected when this product is used as intended.

Carcinogenicity None known.

IARC Monographs. Overall Evaluation of Carcinogenicity

Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

Blue Wave CPH_AAS.DSSNA

12. Ecological Information

Ecotoxicological data

Components **Species Test Results**

Limonene (5989-27-5)

Aquatic

Crustacea EC50 Daphnia 0.42 mg/l, 48 Hours

Fish LC50 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/l, 96 hours

The product contains a substance which is very toxic to aquatic organisms and which may cause **Ecotoxicity**

long-term adverse effects in the aquatic environment.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence and degradability No data available. Bioaccumulation / No data available.

Accumulation

Partition coefficient No data available.

4.232 Limonene

Mobility in environmental No data available.

media

13. Disposal Considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Do not allow this material to drain into sewers/water supplies.

Waste from residues / unused

products

Dispose of waste and residues in accordance with local authority requirements.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

DOT

Basic shipping requirements:

UN number UN1169

Proper shipping name Extracts, aromatic, liquid, MARINE POLLUTANT

Hazard class Packing group Ш

Environmental hazards

Marine pollutant Yes

Additional information:

Special provisions B1, IB3, T2, TP1

Packaging exceptions 150 Packaging non bulk 203 242 Packaging bulk

IATA

UN number UN1169

UN proper shipping name Extracts, aromatic, liquid

3 Transport hazard class(es) Packing group Ш **Environmental hazards** Yes **ERG** code 3L

IMDG

UN number UN1169

EXTRACTS, AROMATIC, LIQUID, MARINE POLLUTANT **UN proper shipping name**

Transport hazard class(es) 3 Ш Packing group

Environmental hazards

Marine pollutant Yes EmS No. F-E, S-D

TDG

EXTRACTS, AROMATIC, LIQUID, MARINE POLLUTANT Proper shipping name

CPH: MASJBS: NA Blue Wave 4/6

908203 Version #: 01 Revision date: -Issue date: 12-19-2012 Hazard class 3 UN1169 **UN** number Ш **Packing group**

Marine pollutant Yes

15. Regulatory Information

US federal regulations This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance (40 CRF 355, Appendix A)

No

Section 311/312 (40 CFR

Yes

370)

Drug Enforcement

Administration (DEA) (21 CFR

Not controlled

1308.11-15)

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Controlled

WHMIS classification B3 - Combustible Liquids

D2B - Other Toxic Effects-TOXIC

WHMIS labeling





Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

State regulations

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

Blue Wave CPH:MS.DS:NA

5/6

US - New Jersey RTK - Substances: Listed substance

Limonene (CAS 5989-27-5) Listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

Mexico regulations This safety data sheet was prepared in accordance with the Official Mexican Standard

(NOM-018-STPS-2000).

16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 2 Instability: 0

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

Blue Wave CPH: MS.DSSNA