Material Safety Data Sheet

HMIS Ratings: HEALTH:

FLAMMABILITY: 0
REACTIVITY: 0
PROTECTION: B

DATE OF PREPARATION: 3/31/2009

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: RECOAT CONDITIONER AND PREP CLEANER

ITEM NUMBER: 32007 and 32004 SIZE: Gallons and Pails

PRODUCT DESCRIPTION: RECOAT SYSTEM FOR HARDWOOD FLOORS

SECTION II - HAZARDOUS INGREDIENTS

Occupational

Exposure Limits VAPOR PRESSURE-

 INGREDIENT
 CAS #
 % WEIGHT
 ACGIH-TLV
 OSHA-PEL mm Hg

 DIPROPYLENE GLYCOL MONOMETHYL ETHER
 34590-94-8
 0-1%
 100 PPM
 100 PPM
 0.55 @ 25C

 ETHYLENE GLYCOL MONOBUTYL ETHER
 111-76-2
 0-1%
 25 PPM
 50 PPM
 0.88 @ 25C

SECTION III - PHYSICAL DATA

BOILING RANGE: >212F (100C) **EVAPORATION RATE:** Slower than n-Butyl Acetate

% VOLATILE - WT: >99 DENSITY: 8.32 LBS/GAL (1.01KG/L)
VAPOR DENSITY: Heavier than air SOLUBILITY IN WATER: Soluble

PRODUCT CHARACTERISTICS: Amber, water-thin liquid with slightly sweet odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION: Non-Flammable

FLASH POINT: None

% OF VOL. OF FLAMMABLE LIMITS (Upper): N/A (Lower): N/A

EXTINGUISHING MEDIA: Water Spray, Foam, Carbon Dioxide, Dry Chemical

UNUSUAL FIRE & Closed containers may explode (due to the build-up of steam pressure) when exposed to extreme heat.

EXPLOSION HAZARDS:

SPECIAL Water may be used to cool closed containers to prevent pressure build-up.

FIREFIGHTING PROCEDURES:

SECTION V - HEALTH HAZARD DATA AND FIRST AID PROCEDURES

EYE CONTACT: May cause irritation, redness, and tearing. In case of contact, flush immediately with large amounts

of water. If irritation persists, obtain medical attention.

SKIN CONTACT: Cleaning agent has a degreasing effect on skin. In case of contact, wash area with soap and water.

INHALATION: If affected by inhalation, remove to fresh air.

INGESTION: May cause gastrointestinal irritation. If swallowed, drink 1 or 2 glasses of water to dilute. Get

medical attention.

PRIMARY ROUTES OF ENTRY: Ingestion and Dermal

Manufactured for: TRIPLE S 2 Executive Park Drive Billerica, MA

Product Information: 1-800-323-2251 Emergency Telephone: 1-888-779-1339 REGULATORY

Section 313 supplier notification: This product contains the following chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization DATA:

Act of 1986 and 40 CFR 372: None. This product contains the following chemical(s) which are

known to the state of California to cause cancer or to cause birth defects or other reproductive harm: None.

N/E TOXICITY INFO:

SECTION VI - REACTIVITY DATA

REACTIVITY WITH WATER: Will Not Occur **STABILITY:** Stable

HAZARDOUS DECOMPOSITION

HAZARDOUS POLYMERIZATION:

PRODUCTS:

None

INCOMPATIBILITY

Will Not Occur None known

(MATERIALS TO AVOID):

SECTION VII - SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED OR SPILLED: No special procedures required.

WASTE DISPOSAL:

Contaminated absorbent should be disposed of in accordance with local, state/provincial and

federal regulations.

SHIPPING INFORMATION: Not regulated as a DOT hazardous material

SECTION VIII - SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION: No protection required when ventilation recommendations (below) are followed.

VENTILATION: Use with adequate general and/or local ventilation to maintain exposure level below TLV.

PROTECTIVE GLOVES: Not necessary under normal conditions of use.

Not necessary under normal conditions of use. Avoid eye contact. If eye contact occurs, EYE PROTECTION:

see Health Hazard Data and First Aid Procedures.

OTHER PROTECTIVE

EQUIPMENT:

Not necessary under normal conditions of use.

HYGIENIC PRACTICES: Wash hands with soap and water before eating or using rest rooms.

SECTION IX - MISCELLANEOUS

Do not transfer contents to bottles or other unlabeled containers. Do not store in high temperature (above 100F or 38C) environment. Keep from freezing.

Manufactured for: TRIPLE S 2 Executive Park Drive Billerica, MA

Product Information: 1-800-323-2251 Emergency Telephone: 1-888-779-1339

KEEP OUT OF THE REACH OF CHILDREN

KEY CODE

HMIS = Hazardous Materials Information System

 $\begin{array}{ll} 0 = Minimal \; Hazard & A = Glasses \\ 1 = Slight \; Hazard & B = Glasses + Gloves \\ \end{array} \qquad \begin{array}{ll} F = Glasses + Gloves + Apron + Dust \; Mask \\ G = Glasses + Gloves + Vapor \; Respirator \\ \end{array}$

3 = Serious Hazard D = Glasses + Faceshield + Gloves + Apron 4 = Severe Hazard E = Glasses + Gloves + Dust Respirator

N/A = Not ApplicableN/E = Not Established

ACGIH = American Conference of Governmental Industrial Hygienists

OEL= Occupational Exposure Limits

PEL = Permissible Exposure Limit = exposure limit to an airborne contaminant in a workday set by OSHA

TLV = Threshold Limit Value = Time-weighted average concentration for a normal 8-hour workday without adverse effect.

IARC = International Agency for Research on Cancer

NTP = National Toxicology Program

OSHA = Occupational Safety and Health Administration

The identities of ingredients are withheld as proprietary information. The information on this data sheet represents our best opinion as to the proper use and handling of this product under normal conditions, based upon information compiled from sources considered to be dependable. It is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. It is the user's responsibility to determine the suitability of this product for a specific purpose and to adopt such safety precautions as may be necessary. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.

BEFORE USING ANY PRODUCT, READ THE LABEL.

Manufactured for: TRIPLE S 2 Executive Park Drive Billerica, MA

Product Information: 1-800-323-2251 Emergency Telephone: 1-888-779-1339