MATERIAL SAFETY DATA SHEET

545 2060

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174 **IDENTITY AND DISTRIBUTOR'S INFORMATION** NFPA Rating: Health-2; Flammability-1; Reactivity-1; Special-0 HMIS Rating: Health-2; Flammability-1; Reactivity-1; Personal Protection-B Manufactured For: Lagasse Brothers, Inc. DOT Hazard Classification: ORM-D Address: 1525 Kuebel Street Identity (trade name as used on label): Address: System Clean Oven Cleaner /SYC2060 New Orleans, LA 70123 hone: 800-989-7487 MSDS Number: 6409 SBA Revision - 1 Emergency Response Number: 800-255-3924 Date Prepared: 07/12/96 Prepared By: DL NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA Information Calls: (770)422-2071 **SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION** COMPONENTS-CHEMICAL NAMES AND COMMON NAMES **ACGIH** Carcinogen CAS Number SARA OSHA PEL TLV (ppm) Ref. Source ** Hazardous Components 1% or greater; Carcinogens 0.1% or greater) MILIST (ppm) ISOBUTANE/PROPANE BLEND 75-28-5 800 800 d No 1000 1000 đ 74-98-6 No SODIUM HYDROXIDE No 2mg/M3 2mg/M3 d 1310-73-2 POTASSIUM HYDROXIDE 1310-58-3 No 2mg/M3 2mg/M3 d HEXYLENE GLYCOL 107-41-5 No 25 N/E e SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS Specific Gravity (H2O=1): Concentrate Only = 1.060 Boiling Point: N/A Vapor Pressure: PSIG @ 70°F (Aerosols): Max. 60 Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A Vapor Density (Air = 1): N/E Evaporation Rate (= 1): N/E Solubility in Water: Soluble Water Reactive: No Appearance and Odor: Tan foamy gel with lemon fragrance. **SECTION 3 - FIRE AND EXPLOSION HAZARD DATA** FLAMMABILITY as per USA FLAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volume: NON-FLAMMABLE % LEL: N/E % UEL: N/E (aerosols) NE FLASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water. SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus. Jnusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture. **SECTION 4 - REACTIVITY HAZARD DATA** HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR STABILITY [X] STABLE [] UNSTABLE ncompatibility (Mat. to avoid): Strong acids and oxidizers. Conditions to Avoid: Open flame, welding arcs, heat. Hazardous Decomposition Products: CO, CO2 SECTION 5 - HEALTH HAZARD DATA PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [X] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS ACUTE EFFECTS: nhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness. Skin Contact: CAUSTIC: May cause burns. Eye Contact: CAUSTIC: May cause burns. ngestion: Possible chemical pneumonitis if aspirated into lungs. CAUSTIC: May cause burns CHRONIC EFFECTS: Lab animals have experienced anemia, liver, kidney, lung, blood damage to Hexylene Glycol. (Effects due to excessive exposure to the raw materials of this mixture) May cause burns, dermatitis, respiratory illness, nystagmus and central nervous disorders. Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions. **EMERGENCY FIRST AID PROCEDURES** Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention. Skin Contact: Wash with soap and water. If irritated, seek medical attention. Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water or milk. Get immediate medical attention. **SECTION 6 - CONTROL AND PROTECTIVE MEASURES** Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode. Eye Protection: Safety glasses recommended. Protective Gloves: Rubber gloves. Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV. Other Protective Clothing & Equipment: None Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing. SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE Steps To Be Taken If Material is Splifed Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. Dilute with water, absorb with cloth or neutralize with dilute acid and flush to sewer. Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard. Precautions To Be Taken in Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F. Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Do not use on aluminum. Avoid breathing vapors.