Product Name: FRAGRANCE OF THE ISLANDS REFILL - ALL SIZES AND FRAGRANCES

Manufactured by: Waterbury Companies, Inc.

P.O. Box 640 Independence, LA 70443 **24-Hour EmergencyContact:** 800-424-9300 or 703-527-3887

(CHEMTREC)

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components greater than 1.0% (0.1% if carcinogen or suspected carcinogen)

Component	CAS#	OSHA PEL	ACGIH TLV	Other Limits	% bywt.
C12-C15 Isoparaffinic Hydrocarbon	64742-47-8	N.E.	N.E.	152 ppm (Exxon)	25-35
Isobutane	75-28-5	N.E.	800 ppm	N.E.	25-35
Isopropanol	67-63-0	400 ppm	400 ppm	500 ppm ACGIH STEL	15-25
Perfume Oils-Supplier Trade Secret	N/A	N.E.	N.E.	N.E.	<5
Propane	74-98-6	1000 ppm	1000 ppm	1000 ppm TWA	25-35

## 3. HAZARDS IDENTIFICATION

Warning! Flammable!

Contents under pressure, do not expose to fire or extreme heat.

Read label. Use caution when installing; product contains an eye irritant. This product is designed for use in the Automatic Aerosol Dispenser. One unit per 6,000 cubic feet should be considered as an average need. Keep in mind that factors such as air flow, size of space, humidity, and room temperature all affect odor control. Do not allow spray to contact plastic, painted, or varnished surfaces.

#### Potential Health Effects:

 Routes of Entry:
 Inhalation: Yes
 Ingestion: Yes
 Skin: Yes

 Health Hazards:
 Isopropanol is irritating and possibly injurious to the eyes if not removed promptly. Frequent and prolon ged contact with skin may irritate and cause dermatitis. Vapor concentraions are irritating to the respiratory tract and may have other central nervous system effects.

*Signs/symptoms of overexposure:* At elevated temperatures and concentrations, possible nausea, vomiting, dizziness, headaches, drows iness, incoordination, loss of consciousness, and other nervous system disorders.

Medical conditions aggravated by Asthma. Skin contact may aggravate an existing dermatitis. Low order of toxicity.

exposure:

NFPA Hazard Ratings Fire: 4 Health: 1 Reactivity: 0

NFPA 704 Ratings are subject to interpretation and are only intended for general identification of the level of the specific hazard. All information must be considered for proper safe handling of the material.

#### 4. FIRST AID MEASURES

IF IN EYES: Immediately flush with large amounts of water for at least 15 minutes. Seek medical attention if irritation persists. IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash affected areas of skin with soap and water. Consult physician if irritation persists.IF INHALED: Remove victim to fresh air. If victim is not breathing, call 911 or an ambulance, then administer artificial respiration, preferably by mouth-to-mouth if possible. IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting unless directed by medical personnel. Vomiting may cause aspiration pneumonia hazard. Never induce vomiting or give anything by mouth to an unconscious person.

### 5. FIRE FIGHTING MEASURES

Extinguishing Media: Alcohol type or all-purpose foam for large fires, CO2 or dry chemical for small fires

*Fire Fighting Procedures:* Self-contained air supply suggested. Keep containers cool to avoid bursting. Water spray may be used to flush spills away from exposures.

Unusual Fire and Explosion Hazards: Exposure to temperatures above 120 deg. F. may cause bursting.

#### 6. ACCIDENTAL RELEASE MEASURES

If container is ruptured or begins to leak, place in a well-ventilated area free of spark and ignition sources. Any remaining liquid should be collected with absorbent media. Dispose of unusable concentrate and absorbent media in accordance with Local, State and Federal regulations.

## 7. HANDLING AND STORAGE

Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry area away from heat or open flame. Exposure to temperatures above 120 deg.F. may cause bursting. Do not install directly over any food handling or dispensing area.

NFPA 30B Aerosol Classification: Level 3 Aerosol

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Gloves: Not required - avoid contact with skin.

*Eye Protection:* Safety glasses recommended when installing new container to avoid possible contact with eyes.

 Respiratory Protection:
 Not required - avoid breathing spray.

 Ventilation:
 Local:
 Not required.

Mechanical: Not required.

Other protective equipment: N/A

Protective Work/Hygiene Practices: Follow label instructions.

IATERIAL SAFE									900FI		
	D CHEMICAL PRO										
Specific Gravity (I	,		ashpoint:	<b>0</b> (	ag Clos ed Cup).			-	LEL:	N/A	
/apor Pressure (r Solubility: Slig	mHg): N.E.		oiling Point:		d with observatoria	<i>Melting</i>		.E.	UEL:	N/A	
, ,		Appearance/C	<i>uur.</i> pa		d with characteris	suc iragrand	Je				
		a and onen flows									
onditions to Avoi		s, and open flame.									
compatible Mate		ng materials, alkalis,	-	•							
lazardous Decon	rposition By-produc	ts: Maylibe	rate Carbor	n monoxide, and	d carbon dioxide.						
azardous Polym	erization Conditions	: None knov	vn.								
I. TOXICOLOGI	CAL INFORMATIO	ON									
nis product conta	ains no chemicals th	at are listed on the N	TP, IARC, d	or OSHA carci	nogen lists. Any	further info	rmation on the	toxicologyc	of the ma	terial car	n be
tained by contac	ting the manufactur	er.									
2. ECOLOGICAI	L INFORMATION										
ease call the ma	nufacturer for ques	tions concerning the	ecological e	effects of this p	roduct and it's co	nstituents.					
3. DISPOSAL CO	ONSIDERATIONS	-									
		cording to the label	0			"Empty" ca	ans may contai	n residue. A	woidexr	osure to	hea
mpty the can by u	sing the product ac	cording to the label. Inition. IF EMPTY: Pla	DO NOT PL	JNCTURE OF							
mpty the can by u ame, sparks, and	sing the product ac	nition. IF EMPTY: Pla	DO NOT PL	JNCTURE OF							
mpty the can by u ame, sparks, and -800-CLEANUP	sing the product ac other sources of ig for disposal instruc	nition. IF EMPTY: Pla	DO NOT PL	JNCTURE OF							
mpty the can by u ame, sparks, and 800-CLEANUP	sing the product ac other sources of ig	nition. IF EMPTY: Pla tions.	DO NOT PL	JNCTURE OF				ill your local			ncy
mpty the can by u ame, sparks, and 800-CLEANUP I. TRANSPORT	ising the product ac other sources of ig for disposal instruc	nition. IF EMPTY: Pla tions. <i>Shipp</i>	DO NOT PL ace in trash	JNCTURE OF	cycling if available		-Y FILLED: Ca	Il your local ID N	solid w	aste ag e	ncy
npty the can by u me, sparks, and 800-CLEANUP <b> TRANSPORT</b> <i>OT (USA):</i>	sing the product ac other sources of ig for disposal instruc <b>INFORMATION</b> Status	nition. IF EMPTY: Pla tions. <i>Shipp</i> Consi	DO NOT PL ace in trash	JNCTURE OF or offer for rec	cycling if available		Y FILLED: Ca	Il your local ID N	l solid w	aste age Pack G	ncy
npty the can by u me, sparks, and 800-CLEANUP <b>. TRANSPORT</b> OT (USA): TA (Air): 1DG (Vessel):	ising the product ac other sources of ig for disposal instruc INFORMATION Status Regulated Regulated Regulated	nition. IF EMPTY: Pla tions. Shipp Consi Consi Aeros	DO NOT PL ace in trash ing Name umer Comm umer Comm ols	JNCTURE OF or offer for rec modity (per 49C modity	sycling if available FR173.306)		Y FILLED: Ca Class ORM-	Il your local <i>ID N</i> D N/A	l solid w <i>lumber</i>	aste age <i>Pack G</i> N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP I. TRANSPORT OT (USA): ITA (Air): 1DG (Vessel):	ising the product ac other sources of ig for disposal instruc INFORMATION Status Regulated Regulated	nition. IF EMPTY: Pla tions. Shipp Consi Consi Aeros	DO NOT PL ace in trash ing Name umer Comm umer Comm ols	JNCTURE OF or offer for rec	sycling if available FR173.306)		Y FILLED: Ca Class ORM- 9	ID N D N/A	l solid w <i>lumber</i>	aste age <i>Pack G</i> N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT 0OT (USA): ATA (Air): MDG (Vessel): lational Motor Fr	ising the product ac other sources of ig for disposal instruc INFORMATION Status Regulated Regulated Regulated	nition. IF EMPTY: Pla tions. Shipp Consi Consi Aeros and LTL Class:	DO NOT PL ace in trash ing Name umer Comm umer Comm ols	JNCTURE OF or offer for rec modity (per 49C modity	sycling if available FR173.306)		Y FILLED: Ca Class ORM- 9	ID N D N/A	l solid w <i>lumber</i>	aste age <i>Pack G</i> N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT 0OT (USA): ATA (Air): MDG (Vessel): lational Motor Fri 5. REGULATOR	INFORMATION Status Regulated Regulated Regulated eight Classification	nition. IF EMPTY: Pla tions. Shipp Consi Consi Aeros and LTL Class:	DO NOT PL ace in trash <u>ing Name</u> umer Comm umer Comm ols 57	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Clas	sycling if available FR173.306)	Ə. IF PARTL	Y FILLED: Ca Class ORM- 9	ID N D N/A	l solid w <i>lumber</i>	aste age <i>Pack G</i> N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT 907 (USA): ATA (Air): MDG (Vessel): lational Motor Fri 5. REGULATOR ARA Title III Sec Note: See sta	In Formation Information Information Status Regulated Regulated Regulated eight Classification Information Information Information Information Information Information	nition. IF EMPTY: Pla tions. Shipp Cons Cons Aeros and LTL Class: When completing Ti ions for specifics on	DO NOT PL ace in trash umer Comm umer Comm ols 57 er II reports reporting re	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Class s, the following aquirements for	SFR173.306) SFR173.306) SS 60 information shou r your facility.	e. IF PARTL	Y FILLED: Ca Class ORM- 9 2	<i>ID N</i> D N/A ID80 UN1	l solid w lumber 000 950	aste age <i>Pack G</i> N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT OT (USA): ATA (Air): ADG (Vessel): Ational Motor Fro 5. REGULATOR ARA Title III Sec Note: See sta his product shou	In FORMATION Status Regulated Regula	nition. IF EMPTY: Pla tions. Shipp Cons Cons Aeros and LTL Class: When completing Ti ions for specifics on PUI	DO NOT PL ace in trash ing Name umer Comm umer Comm ols 57 er II reports reporting re RE: N	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Clas s, the following equirements for MIXTURE:	FR 173.306) FR 173.306) ss 60 information shou r your facility. Y SOLID:	e. IF PÁRTL Id be used. N	Y FILLED: Ca Class ORM- 9 2 LIQUID: Y	ID N D N/A D N/A ID80 UN1 GAS:	l solid w lumber )00 950 Y	aste age Pack G N/A N/A N/A	ncy
impty the can by u ame, sparks, and -800-CLEANUP 4. TRANSPORT 00T (USA): ATA (Air): MDG (Vessel): lational Motor Fri 5. REGULATOR ARA Title III Sec Note: See sta	In FORMATION Status Regulated Regula	nition. IF EMPTY: Pla tions. Shipp Cons Cons Aeros and LTL Class: When completing Ti ions for specifics on	DO NOT PL ace in trash ing Name umer Comm umer Comm ols 57 er II reports reporting re RE: N	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Class s, the following aquirements for	FR 173.306) FR 173.306) ss 60 information shou r your facility. Y SOLID:	e. IF PARTL	Y FILLED: Ca Class ORM- 9 2	ID N D N/A D N/A ID80 UN1 GAS:	l solid w lumber )00 950 Y	aste age <i>Pack G</i> N/A N/A	ncy
impty the can by u ame, sparks, and -800-CLEANUP 4. TRANSPORT OOT (USA): ATA (Air): MDG (Vessel): lational Motor Fri 5. REGULATOR ARA Title III Sec Note: See sta fris product shou	INFORMATION Status Regulated Regulat	nition. IF EMPTY: Pla tions. Shipp Cons Cons Aeros and LTL Class: When completing Ti ions for specifics on PUI	DO NOT PL ace in trash ing Name umer Comm umer Comm ols 57 er II reports reporting re RE: N	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Clas s, the following equirements for MIXTURE:	FR 173.306) FR 173.306) ss 60 information shou r your facility. Y SOLID:	e. IF PÁRTL Id be used. N	Y FILLED: Ca Class ORM- 9 2 LIQUID: Y	ID N D N/A D N/A ID80 UN1 GAS:	l solid w lumber )00 950 Y	aste age Pack G N/A N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT 907 (USA): ATA (Air): MDG (Vessel): lational Motor Fri 5. REGULATOR ARA Title III Sec Note: See sta his product shou thysical Hazards 5. OTHER INFO	In FORMATION Status Regulated Regulated Regulated eight Classification ry INFORMATION rtion 312: ate and local regulat Id be described as: FIRE: Y RMATION	nition. IF EMPTY: Pla tions. Shipp Cons Cons Aeros and LTL Class: When completing Ti ions for specifics on PUI	DO NOT PL ace in trash ing Name umer Comm umer Comm ols 57 er II reports reporting re RE: N	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Clas s, the following equirements for MIXTURE:	FR 173.306) FR 173.306) ss 60 information shou r your facility. Y SOLID:	e. IF PÁRTL Id be used. N	Y FILLED: Ca Class ORM- 9 2 LIQUID: Y	ID N D N/A D N/A ID80 UN1 GAS:	l solid w lumber )00 950 Y	aste age Pack G N/A N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT 907 (USA): ATA (Air): MDG (Vessel): ATA (Air): MDG (Vessel): ATA (Air): MDG (Vessel): ATA (Air): MDG (Vessel): ATA (Air): MDG (Vessel): ATA (Air): MDG (Vessel): ATA (Air): MDG (Vessel): MDG (Ves	INFORMATION Status Regulated Regulated Regulated eight Classification RY INFORMATION ate and local regulat Id be described as: FIRE: Y RMATION of ormation: 80	nition. IF EMPTY: Pla tions. Shipp Consi Consi Consi Aeros and LTL Class: When completing Ti ions for specifics on PUI PRESSURE: Y 20-845-3495	DO NOT PL ace in trash ing Name umer Comm umer Comm ols 57 er II reports reporting re RE: N	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Clas s, the following equirements for MIXTURE:	FR 173.306) FR 173.306) ss 60 information shou r your facility. Y SOLID:	e. IF PÁRTL Id be used. N	Y FILLED: Ca Class ORM- 9 2 LIQUID: Y	ID N D N/A D N/A ID80 UN1 GAS:	l solid w lumber )00 950 Y	aste age Pack G N/A N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT 00T (USA): ATA (Air): MDG (Vessel): lational Motor Fri 5. REGULATOR ARA Title III Sec Note: See sta fhis product shou bysical Hazards	INFORMATION Status Regulated Regulated Regulated eight Classification RY INFORMATION ate and local regulat Id be described as: FIRE: Y RMATION of ormation: 80	nition. IF EMPTY: Pla tions. Shipp Conse Conse Aerose and LTL Class: When completing Ti tions for specifics on PUI PRESSURE: Y 200-845-3495	DO NOT PL ace in trash ing Name umer Comm umer Comm ols 57 er II reports reporting re RE: N	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Clas s, the following equirements for MIXTURE:	FR 173.306) FR 173.306) ss 60 information shou r your facility. Y SOLID:	e. IF PÁRTL Id be used. N	Y FILLED: Ca Class ORM- 9 2 LIQUID: Y	ID N D N/A D N/A ID80 UN1 GAS:	l solid w lumber )00 950 Y	aste age Pack G N/A N/A N/A	ncy
mpty the can by u ame, sparks, and 800-CLEANUP 4. TRANSPORT 00T (USA): ATA (Air): MDG (Vessel): MDG	INFORMATION Status Regulated Regulated Regulated eight Classification (YINFORMATION et and local regulated ld be described as: FIRE: Y RMATION of 985-878-675 Review of MSDS	nition. IF EMPTY: Pla tions. Shipp Conse Conse Aerose and LTL Class: When completing Ti tions for specifics on PUI PRESSURE: Y 200-845-3495	DO NOT PL ace in trash ing Name umer Comm umer Comm ols 57 er II reports reporting re RE: N	JNCTURE OF or offer for rec nodity (per 49C nodity 100 Sub 3 Class s, the following aquirements for MIXTURE: TIVITY: N	FR 173.306) FR 173.306) ss 60 information shou r your facility. Y SOLID:	ld be used. N Hazards:	Y FILLED: Ca Class ORM- 9 2 LIQUID: Y IMMEDI/	ID N D N/A D N/A ID80 UN1 GAS:	I solid w Iumber 000 950 Y DEL	Aste age Pack G N/A N/A N/A N/A AYED:	ncy