

2011 Product Catalog Waterfed Pole Cleaning

One System -Total Flexibility

With the Unger HiFlo MultiLink Gooseneck System, HiFlo brushes can be attached to any HiFlo pole at the perfect working angle and at the distance you need for total flexibility.

www.ungerglobal.com/purewater

HiFlo Brushes

Choose from our range of HiFlo brushes featuring natural, flagged or monofilament bristles, designed to make your cleaning tasks quicker and easier.

HiFlo MultiLink Gooseneck System

Connects any HiFlo pole with any HiFlo brush so nearly every working angle or distance can be achieved. Various combinations perfectly adjust your HiFlo pole to your individual work requirements. Brushes can be turned and fixed in any position through 360°.

HiFlo Pole Systems

Three pole systems to choose from offer up to 65-foot reach. Fiberglass or carbon fiber, telescopic or modular, our wide range offers the perfect pole to suit your requirements.



Waterfed Pole Cleaning MultiLink



Quality Tools for Smart Cleaning"

MultiLink Gooseneck System

- The CarbonTec Adapter brings HiFlo™ CarbonTec to the standard thread diameter so that all MultiLink Goosenecks and HiFlo Brushes are compatible.
- Two MultiLink Goosenecks are available in short- or long-reach versions.
- MultiLink Extension can be combined with Goosenecks to extend the reach.
- The HiFlo™ MultiLink Cone Adapter allows the attachment of the ErgoTec® Locking Cone and a multitude of classic cleaning tools, such as squeegees, washers and scrapers.
- All MultiLink adapters are made of robust hard anodized aluminum.
- The adjustable collar can be locked at any point through 360° creating numerous angles for hard-to-reach areas.



HIFLOTM MULTILINK GOOSENECK



- Aluminum angle adapter. Strong: Hard anodized aluminum, secure connection.
 - Convenient: Brush can be locked in any position through 360° creating the perfect working angle.
 - Compatible: Add 2 or more together to create your perfect angle.

Part No.	Size	Case Qty.
FTMGS	Short	1
FTMGL	Long	1

HIFLOTM MULTILINK EXTENSION

Aluminum extension adapter.



- Strong: Hard anodized aluminum, secure connection.
- Convenient: Extend the MultiLink Gooseneck to reach further.
- Compatible: Can be combined with all MultiLink Goosenecks.

Part No.	Case Qty.
FTPLS	1

HIFLOTM MULTILINK CARBONTEC ADAPTER

Aluminum adapter that brings HiFlo CarbonTec Poles to the diameter of MultiLink.



- Strong: Hard anodized aluminum, secure connection.
- Complete: With water outlet, connector and 36" hose.

Part No.	Case Qty.
FTGOA	1

HIFLOTM MULTILINK CARBONTEC BRUSH ADAPTER

Aluminum adapter for the connection of CarbonTec brushes to the MultiLink System.



- Strong: Hard anodized aluminum, secure connection.
 - Complete: Includes 2 jets and hoses.
 - Compatible: Can be attached to the CarbonTec brushes.

Part No.	Case Qty.
FTCBA	1

HIFLOTM MULTILINK ADAPTER

Plastic angle adapter with screw adjustment.

- Adaptable: Simple to adjust. • Compatible: Fits all HiFlo Brushes.
- Part No. Case Qty. **FTGOS**

HIFLOTM MULTILINK CONE ADAPTER

Aluminum adapter for window cleaning tools.



- Strong: Hard anodized aluminum, secure connection.
- Complete: ErgoTec® Locking Cone fits securely - all classic tools can be connected to the HiFlo Poles.

Part No.	Case Qty.
FTLCA	1



Waterfed Pole Cleaning HiFlo™ CarbonTec Telescopic

HIFLOTM MULTILINK BOAR'S BRISTLE BRUSH WITH ADAPTER



All-purpose brush in a complete set.

- Durable: Back made of mahogany extra strong, no warping.
- Effective: Extra cleaning power due to bristles.

Part No.	Size	Case Qty.
CB27A	11"/27 cm	1
CB40A	16"/40 cm	1

HIFLOTM MULTILINK BRUSHES WITH ADAPTER



Complete set for glass cleaning.

• Effective: Special nylon mono-filament bristles designed for glass cleaning with pure water.

Part No.	Size	Case Qty.
CT27A	11"/27 cm	1
CT40A	16"/40 cm	1

HIFLOTM CARBONTEC TELESCOPIC POLE PATENTED

The Professional Telescopic Pole

Flexible and long carbon fiber telescopic poles which can reach up to 65'. Comes complete with Hoselock Connector, Internal Hose & Aluminum Adapter. Ready to use with the new MultiLink Gooseneck System.

Numerous Advantages:

- Safely clean up to 65' high, without ladders, from the ground.
- Significant time savings: no setup times for ladders or lift trucks.
- Quick access to hard to reach areas.
- Easily adjustable clamp system.
- Twice as fast as conventional glass cleaning.
- Saves money: lower rental and personnel costs.
- More efficiency in less time.
- Image improvement modern presentation to the client, convincing results and a better price.

Top Features:

- Pole sections made of strong and sturdy carbon material. Optimum stiffness.
- Robust and easy to operate clamp connections quick adjustment of height.
- Internal ErgoLite hose, including standard hoselock connector. 13' of extra hose when pole is fully extended.
- Ideal for high and narrow buildings.

HIFLOTM CARBONTEC TELESCOPIC POLE PATENTED

Flexible, long carbon fiber telescopic poles that reach up to 65'.

- Comes complete with Hoselock Connector, Internal Hose and Aluminum Adapter.
- Ready to use with the new MultiLink Gooseneck System.
- Brushes sold separately.
- Stiff and robust.
- Significant time savings: no setup times for ladders or lift trucks.

Part No.	Sections	Size	Case Qty.
UF5XC	9	45′/13.71 m	1
UF6XC	9	55′/16.76 m	1
UF7XC	10	65′/19.81 m	1



Waterfed Pole Cleaning HiFlo™ CarbonTec



HIFLOTM CARBONTEC SYSTEM

Complete kit consisting of poles and all accessories.



- Extend reach up to 50'.
- Includes an end piece with rubber cap for secure positioning and pole protection.
- Convenient carrying bag for hand or shoulder holds and protects all components.

Part No.	Product	Case Qty.
CTKU3	Complete Gear Bag (50' Kit):	1
	Contents: 10 CT15B, 1 CT27S,	
	1 CTBA2, 1 CTWFC, 1 CTU30, 1 CTECP	
CTKU6	Complete Gear Bag (30' Kit):	1
	Contents: 6 CT15B, 1 CT27S,	
	1 CTRA2 1 CTWEC 1 CTURO 1 CTECP	

HIFLOTM CARBONTEC GEAR BAG

Convenient transport bag for complete HiFlo™ CarbonTec set.



 Made of sturdy nylon.
 Convenient hand or shoulder carrying bag for storing and protecting HiFlo™ CarbonTec set.

Part No.	Case Qty.
CTBA2	1

HIFLOTM CARBONTEC POLE PATENTED

High-strength carbon fiber tubes with aluminum connectors.



- Durable lightweight pole.
- Made with high-quality, long-lasting carbon fiber materials.
- Aluminum connectors allow fast and secure connection to other poles.

Part No.	Size	Case Qty.
CT15B	5′/1.5 m	1
CT075	2.5′/.75 m	1

HIFLOTM CARBONTEC GOOSENECK AND BRUSH COMPLETE

Complete with gooseneck, brush, water jets, and pole connect, ready to attach to pole.



- High-quality polyester bristle brushes are available in 2 sizes.
- Internal water feed.

Part No	. Size	Case Qty.
CT27S	Angle Adapter (short), Brush 11"/27cm	1
CT27L	Angle Adapter (short), Brush 11"/27cm	1
CT40S	Angle Adapter (long), Brush 16"/27cm	1
CT40L	Angle Adapter (long), Brush 16"/27cm	1

HIFLOTM CARBONTEC GOOSENECK

High-quality Gooseneck that holds HiFlo™ CarbonTec brushes and easily attaches to HiFlo™ CarbonTec poles.



• Made from anodized aircraftgrade aluminum.

Part No.	Size	Case Qty.
CTGOS	Short	1
CTGOL	Long	1

HIFLOTM CARBONTEC WATERFEED

Control water flow with ease.



- Simply attach between any two pole sections or at system base.
- Control water flow with simple on/off tap to save on water consumption.

Part No.	Case Qty.
CTWFC	1

HIFLOTM CARBONTEC END CAP

For secure handling of pole. Slip-resistant material protects users hand when holding pole at the bottom.



 Solid rubber cap prevents pole from slipping and protects end connector on pole from dirt etc. when resting on the ground.

Part No.	Case Qty.
CTECP	1

HIFLOTM CARBONTEC HOSE KIT

Connects the CarbonTec System to water source.



- Nickel-plated brass connections.
- Fits all standard "female" connectors.
- Available in 15' or 30' lengths.

Part No.	Size	Case Qty.
CTU15	15′/4.5 m	1
CTU30	30'/9.0 m	1

HIFLOTM CARBONTEC BOAR'S BRISTLE BRUSH



A super lightweight brush with aggressive premium grade natural boar's hair.

• **Durable:** Back made of mahogany – extra strong, no warping.

Part No.	Size	Case Qty.
CB27B	11"/27 cm	1
CB40B	16"/40 cm	1

HIFLOTM CARBONTEC BRUSH



Nylon gray monofilament bristles with solid plastic back. Prepared for MultiLink Brush adapter.

• **Performance:** Special nylon monofilament bristles are designed for glass cleaning with pure water.

Part No.	Size	Case Qty.
CT27B	11"/27 cm	1
CT40B	16"/40 cm	1



Waterfed Pole Cleaning HiFlo™ Advance • DI System



HIFLOTM ADVANCE WATERFED POLES

New poles reach up to 33' in height and are easily adjustable.

- Comes complete with rectangle brush and angle adapter.
- Solid flip-lock clamps for quick height adjustment.
- Choose from fiberglass (G) or hybrid material (H) (carbon + fiberglass).

Part No.	Sections	Size	Case Qty.
UF52G	4	5'-17'/ 152-518 cm	1
UF70G	5	6'-23'/ 183-701 cm	1
UF84G	6	6'-27.5'/ 183-838 cm	1
UF1XH	8	6'-33'/183-1005 cm	1

HIFLOTM SOAP DISPENSER

For cleaning heavily soiled glass surfaces.



- Use with EasyGlideGlass Cleaner.
- Durable, rust proof brass connections.
- Large-diameter neck.
- 172 ml capacity holds enough soap for approximately 3 hours of use (with flow range of .5-.75 gpm).

Part No.	Case Qty.
HCDUS	1

HIFLOTM KIT

For cleaning siding, boats, minivans, etc.



- Easily attaches to all Unger poles.
- Comes complete with hose, brush, scrub tablets and zinc swivel adapter.

Part No.		Case Qty.
HF100	HiFlo Kit	1
HF010	64 Tablets	5
HF120	HiFlo Brush	6

HIFLOTM RECTANGLE BRUSH

11" brush for large surfaces.



- Practical: Non-abrasive polyester bristles.
- Performance: Square edges are good for corners.

Part No.	Size	Case Qty.
FTS27	11"/27 cm	1

HIFLOTM RADIUS BRUSH



11" brush is angled for optimal cleaning around frames and obstacles.

- Practical: Non-abrasive, polyester bristles.
- Ergonomic: Provides better contact with window panes.

Part No.	Size	Case Qty.
FTR27	11"/27 cm	1

HIFLOTM OVAL BRUSH



16" brush is optimal for large surfaces.

- Practical: Non-abrasive, polyester bristles.
- Performance: Oval shape is maneuverable over uneven surfaces.

Part No.	Size	Case Qty.
FTO40	16"/40 cm	1



HIFLOTM DI225 SYSTEM AND ACCESSORIES

The DI225 produces PureWater without any traces of soot or minerals that would leave spots or residue on cleaned surfaces.

- "Plug-and-Play": Just attach water hose and pole system, turn on, and start cleaning.
- Easy-to-Read: Battery operated TDS meter monitors the water quality to indicate when to change resin.
- Robust: Wheeled cart makes moving and using the system strain-free.

Part No	. Product	Size	Case Qty.
DI225	HiFlo DI225 System	600 gal./2250 liters	1
DIR22	Resin Refill Cartridges (Box of 2)	9 lbs./4 kg	1
DIC22	Resin Replacement (Box of 2)	20"/51 cm	1

HIFLOTM DI225 SYSTEM AND ACCESSORIES

Part No.	. Product	Case Qty.
DI52K	HiFlo DI225 System Kit with	1
	HiFlo 17' Advance Waterfed Pole (UF52G)	