

Thank you for purchasing your new Eureka Vacuum! Thank you for la compra de su nueva aspiradora Eureka!

Gracias por la coheté votre nouvel aspirateur Financias de su nueva aspirateur Financias por la coheté votre nouvel aspirateur Gracias por la comp. Gracias por la contre nouvel aspirateur Eureka!

Antes de enviar de regreso, llame al Servico al Cliente de Eureka Avant de le retourner, appelez le service à la clientèle Eureka

HELPLINE LÍNEA DE AYUDA LIGNE D'AIDE

1-800-282-2886

8 a.m. to 7:30 p.m. (CST), Monday - Friday 10 a.m. to 6:30 p.m. (CST), Saturday - Sunday

> 8 a.m. a 7:30 p.m. (CST), de Lunes a Viernes 10 a.m. a 6:30 p.m. (CST), Sábado y Domingo

8 h à 19 h 30 (CST), lundi au vendredi 10 h à 18 h 30 (CST), samedi et dimanche

Upright Vacuum Cleaner Household Type Aspiradora Vertical Tipo demestico Aspirateur vertical de type résidentiel

www.eureka.com

Where to Find Important Vacuum Information

Keep this information

Write the model, type and serial number here:

Date of purchase (keep your receipt) _____

Model number and type ____

Serial number ____

Find these numbers on a label on the lower back side

Find these numbers on a label on the lower back side of the vacuum cleaner. Refer to these numbers when ordering parts and accessories or if service is needed.



Before You Start Your Vacuum Cleaner

Refer to Quick Start Guide for assembly and use. This Owner's Guide provides important instructions to prolong the life of your Eureka vacuum cleaner.

Inspection

Carefully unpack and inspect your new Eureka vacuum cleaner for shipping damage. Each unit is tested and thoroughly inspected before shipping. For instructions regarding any shipping damage, call Eureka Customer Service **HELPLINE 1-800-282-2886** immediately.

Table of Contents			
Important Safeguards1			
How to Identify Parts of Vacuum Cleaner2			
Maintenance Information			
How to Use Accessories			
How to Maintain Your Vacuum Cleaner			
How to Clear a Blockage			
Eureka Limited Warranty Information5			
Thermal Cut-Off and Problem Solving6			
Spanish Owner's Guide			
French Owner's Guide14-20			
Order Forms and Parts List			
Follow caution information wherever you see this symbol.			

IMPORTANT SAFEGUARDS

When using an electrical appliance, basic precautions should always be followed, including the following:

READ ALL INSTRUCTIONS BEFORE USING THIS VACUUM CLEANER WARNING

To reduce the risk of fire, electric shock, or injury:



- Do not use outdoors or on wet surfaces.
- Do not leave vacuum cleaner when plugged in. Turn off the switch and unplug the electrical cord when not in use and before servicing.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not use with damaged cord or plug. If vacuum cleaner is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center before using.
- Do not pull or carry by cord. Do not use cord as a handle. Do not close a door on cord or pull cord around sharp edges or corners. Do not run vacuum cleaner over cord. Keep cord away from heated surfaces.
- Do not use extension cords or outlets with inadequate current carrying capacity.
- Turn off all controls before unplugging.
- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or vacuum cleaner with wet hands.
- Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce airflow.
- This vacuum cleaner creates suction and contains a revolving brush roll. Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not place vacuum cleaner on furniture or stairs as the brush roll may cause damage. Use
 extra care when cleaning on stairs. Place vacuum cleaner on floor with the handle in storage
 position while using attachments.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Do not use without dust cup and filter in place.
- Belt pulleys can become hot during normal use. To prevent burns, avoid touching the belt pulley when servicing the drive belt.
- Do not use to pick up flammable or combustible liquids such as gasoline, or use in areas where they may be present.
- Store your vacuum cleaner indoors in a cool, dry area.
- Keep your work area well lighted.
- Unplug electrical appliances before vacuuming them.
- Unplug before connecting Power Paw. Not for use on animals. The Power Paw name is a registered trademark of Electrolux Home Care Products, Inc.

SAVETHESE INSTRUCTIONS


To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet. Do not change the plug in any way.



Motor

Do Not Oil the motor or the brush roll at any time. The bearings are permanently lubricated and sealed.

How to Identify Parts of Vacuum Cleaner




Maintenance Information

Maintenance schedule is also located on back side of dust cup lid.

READ ALL INSTRUCTIONS BEFORE USING THIS VACUUM CLEANER.


Moving parts! Assemble the vacuum cleaner before using.



How to Use Accessories




Handle must be in upright position to ensure that brush roll is lifted off the floor. Replace hose end into opening on vacuum base after using accessories.




Combination Crevice Tool and Extension Wand

Use for baseboards, corners and between cushions.

- 1) Loosen hose end from vacuum base.
- 2) Grasp crevice tool near ridges and pull apart.
- 3) Turn ridge end to center.
- 4) Push crevice tool into wand and place on end of hose.









Dusting Brush

Use for furniture, drapes, blinds, bookshelves, lampshades and vents.

- 1) Remove hose from hose retainer on back of vacuum.
- 2) Place dusting brush on end of hose, wand or crevice tool.







Power Paw® (with some models or available for purchase – part number 62550B) **Stair Hose** (hose available for purchase – part number 62293-10)


Use for furniture and stairs.

Make sure vacuum is below you, pushed against the bottom step.

- 1) If model has additional stair hose, attach to end of hose.
- 2) Attach Power Paw to the end of wand or hose.

Make sure you turn off vacuum before removing debris from Power Paw.







How to Maintain Your Vacuum Cleaner

Make sure vacuum cleaner is turned off and power cord is unplugged

Maintain Brush Roll – part number 60844-5 for 13" units and 62228-3 for 15" units Motor can become hot with normal use.

Do not remove end caps. Remove hair and threads from brush roll periodically.





Check EXT-U Belt. Replace if worn, cut or out of shape – part number 61120C Avoid touching the motor shaft when checking brush roll or belt.


How to replace brush roll or belt


- 1) Use handle release to lower handle flat onto floor (Fig. 1).
- 2) Remove 2 screws from the front side of brush roll cover (Fig. 2).
- 3) Lift and remove brush roll cover (Fig. 3).
- 4) Remove brush roll and belt. Thread new belt around motor shaft and right end of brush roll (Fig. 4).
- 5) Pull right side of brush roll to stretch belt. Secure right end cap into base (Fig. 5). Align left end cap with square in base and push into place.
- 6) Rotate brush roll 2 turns to center belt.
- 7) Replace brush roll cover and 2 screws (Fig. 2).
- 8) Check belt view window to see if white dots on belt are moving. This indicates brush roll is turning (Fig. 6).


















Change Light Bulb (on some models) – part number 57940-3 Make sure vacuum is turned off and power cord is unplugged.

- 1) Remove 2 screws from lens cover (Fig. 7).
- 2) Remove lens cover and old bulb.
- 3) Push in new bulb (Fig.8). Make certain bulb will not touch lens cover.
- 4) Replace lens cover and 2 screws.









How to Clear a Blockage

Make sure vacuum is turned off and power cord is unplugged.

- Loosen lower end of hose and pull hose retainer out to remove hose. Flex hose to loosen any blockage. If still clogged, remove 2 screws and remove hose from vacuum back (Fig. 1). Reconnect hose at both ends.
- To check base hose, remove 2 screws and brush roll cover. Use finger to clear blockage (Fig. 2).
- 3) Clear debris from brush roll area. Replace cover and 2 screws.





The Eureka Limited Warranty

Eureka warrants this vacuum cleaner to be free from defects in material and workmanship for a term of one year for normal household use. Warranty is granted only to the original purchaser and members of immediate household.

This warranty is good for one year from the date of purchase only when the vacuum cleaner is used in the accordance with Eureka operating instructions.

This Warranty Does Not Cover

- Parts of the vacuum that require replacement under normal use such as disposable dust bags, filters, drive belts, light bulbs, brush roll, bristles, impellers and cleaning.
- Damages or malfunctions caused by negligence, abuse, and use not in accordance with the Owner's Guide.
- Defects or damages caused by unauthorized service or the use of other than Genuine Eureka, ARM & HAMMER™ and Filtrete™ by 3M parts.

What Eureka Will Do

Eureka will, at its option, repair or replace a defective vacuum or vacuum part that is covered by this warranty. As a matter of warranty policy, Eureka will not refund the consumer's purchase price.

Warranty Registration

Please fill out and return the warranty registration card accompanying your vacuum.

Obtaining Warranty Service

To obtain warranty service you must return the vacuum or vacuum part along with "proof of purchase" to any Eureka Authorized Warranty Station. For Eureka

Authorized Warranty Station or Service Information, visit **www.eureka.com**, write or telephone toll free:

USA: 1-800-282-2886 Electrolux Home Care North America Service Division P.O. Box 3900 Peoria, IL 61612 Mexico: (55) 5343-384
Electrolux Home Care
Electrolux Home Care
North America Service Division
5855 Terry Fox Way
Mississauga, Ontario L5V 3E4

Obtaining Warranty Service Outside Your Community

You must pay the shipping charges to the Eureka Authorized Warranty Station.

Return Shipping Charges will be paid by the Warranty Station. When returning parts for repair, please include the model, type and serial number located on the rating plate on the lower backside of the vacuum.

Further Limitations and Exclusions

Any warranty that may be implied in connection with your purchase or use of the vacuum, including any warranty of Merchantability or any warranty for Fitness For A Particular Purpose is limited to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Your relief for the breach of this warranty is limited to the relief expressly provided above. In no event shall the manufacturer be liable for any consequential or incidental damages you may incur in connection with your purchase or use of the vacuum.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights. You may also have other rights, which may vary by state.

The ARM & HAMMER name is a trademark of Church and Dwight Co., Inc. 3M and Filtrete are trademarks of 3M Company, used by Electrolux Home Care Products, Inc. under license.

Thermal Cut-Off

This vacuum cleaner has a special thermostat that protects the vacuum in case of motor overheating. If the vacuum suddenly shuts off, push the power switch to off (O) and unplug the vacuum. Check the vacuum for a possible source of overheating such as a full dust cup, blocked hose or clogged filter. If these conditions are found, fix them and wait at least 30 minutes before attempting to use the vacuum. After the 30 minute period, plug the vacuum back in and turn on the switch. If the vacuum still does not work, take it to a Eureka authorized service center for repair or call 1-800-282-2886.

Problem Solving

Make sure vacuum is turned off and power cord is unplugged.

Problem	Cause	Solution
Motor will not start.	Power plug	Push plug securely into outlet. Try another outlet. Check circuit breaker.
	Power switch	Step on power switch to turn vacuum on.
	Thermal cut-off	• See above.
Vacuum does not clean carpet or bare floor.	Dust cup and filter	Empty dust cup, clean and/or change filter. If picking up fine dust, the dust cup may not look full, but a fine substance tends to reduce suction when it blocks air flow through the filter. Refer to page 2 for filter maintenance. Make sure filter and dust cup are installed properly.
	Belt	Replace a worn, cut or out of shape belt. Page 4
	Hose	Remove clogs from the hose that restrict the airflow. Make sure hose end is replaced into opening on vacuum base.
	Bare floor setting	For bare floor cleaning, turn height adjustment knob to bare floor position.
	Carpet height setting	For carpet cleaning, turn height adjustment knob to another position.
No suction at the end of hose.	Dust cup and filter	Empty dust cup, clean and/or change filter. If picking up fine dust, the dust cup may not look full, but a fine substance tends to reduce suction when it blocks air flow through the filter. Refer to page 2 for filter maintenance. Make sure filter and dust cup are installed properly.
	Filter	(Located above the dust cup). Check & clean debris to maintain full air flow. Page 2
	Hose	Remove clogs from the hose that restrict the airflow. Make sure hose end is replaced into opening on vacuum base.
Vacuum is hard to push.	Carpet height setting	Adjust knob to a higher position.
	Belt	Replace a worn, cut or out of shape belt. Page 4
Burning smell; brush roll will not turn.	Belt	Check brush roll for debris. Page 4 Replace broken or out of shape belt. Page 4